



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne

NOTICES TO MARINERS PUBLICATION EASTERN EDITION

MONTHLY EDITION N°03
March 29, 2019



Safety First, Service Always

Published Monthly by the
CANADIAN COAST GUARD
www.notmar.gc.ca/subscribe

CONTENTS

	Page
Section 1	General and Safety Information..... 1 - 5
Section 2	Chart Corrections..... 6 - 48
Section 3	Radio Aids to Marine Navigation Corrections N/A
Section 4	Sailing Directions and Small Craft Guide Corrections..... 50 - 57
Section 5	List of Lights, Buoys and Fog Signals Corrections..... 58 - 62

Notices to Mariners Publication
Eastern Edition
Monthly Edition N°03/2019

Published under the authority of:
Canadian Coast Guard Programs
Aids to Navigation and Waterways
Fisheries and Oceans Canada
Montreal, Quebec
H2Y 2E7

© Her Majesty the Queen in Right of Canada, 2019
DFO/2019-2028
Fs152-5E-PDF
ISSN 1719-7678

Available on the Notices to Mariners website:
www.notmar.gc.ca

Disponible en français :
Publication des Avis aux navigateurs
Édition de l'Est
Édition mensuelle N°03/2019

EXPLANATORY NOTES

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tide unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile = 1,852 metres (6,076.1 feet)

1 statute mile = 1,609.3 metres (5,280 feet)

1 metre = 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) in Section 1, respectively. Please note that Nautical charts are not amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. The list of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to aids to navigation that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners*.

Canadian Hydrographic Service – Information Published in Section 2 of *Notices to Mariners*

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in Section 2 – Chart Corrections. This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the *List of Lights, Buoys and Fog Signals* publication.

In case of discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

Canadian Nautical Charts & Publications

A source list of Canadian nautical charts and publications is published in Notice No. 14 of the *Notices to Mariners Annual Edition 2019*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates, please refer to the following website: www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp

CHART CORRECTIONS – SECTION 2

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:

	Chart Number	Chart Title	Charts latest new edition date	Horizontal Chart Datum	Last Correction
Weekly chart correction date	1202	Cap Eternité à/to Saint-Fulgence – New Edition – 20-MAY-94 – NAD 1927			
	6-Aug-1999				LNM/D 23-Jul-1999
	Add	light FI G			48°26'36.4"N 70°53'08.6"W
		(See Chart No 1 P24)		(F2007-107) LL (700)	DFO(6829264-01)
	Chart action	Chart No 1 reference no.	CCG reference no.	List of light no.	CHS reference no.

The last correction number is identified with the **LNM/D** or Last Notice to Mariners Number / Date.

NOTICES TO MARINERS WEBSITE – MONTHLY EDITIONS, CHART CORRECTIONS, AND CHART PATCHES

The Notices to Mariners website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new monthly edition becomes available online.

ADVISORY NAVIGATIONAL WARNINGS / NOTICES TO SHIPPING

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping¹, that are broadcast by the Canadian Coast Guard, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARNs) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

Navigational Warnings are accessible on the applicable regional page on the Canadian Coast Guard e-Navigation Maritime Information Portal at <http://www.marinfo.gc.ca/e-nav>.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional Navigational Warning (NAVWARN) Issuing Desk.

Atlantic Region

* Port aux Basques MCTS Centre

Canadian Coast Guard
49 Stadium Rd.
P.O. Box 99
Port aux Basques, NL A0M 1C0

Telephone: (709) 695-2168 or 1-800-563-9089
Facsimile: (709) 695-7784

Email: NAVWARN.MCTSPortAuxBasques@innav.gc.ca
Website: <http://www.marinfo.gc.ca/e-nav>

* Sydney MCTS Centre

Canadian Coast Guard
1190 Westmount Road
Sydney, NS B1R 2J6

Telephone: (902) 564-7751 or 1-800-686-8676
Facsimile: (902) 564-7662

Email: NAVWARN.MCTSSydney@innav.gc.ca
Website: <http://www.marinfo.gc.ca/e-nav>

Central & Arctic Region

* Prescott MCTS Centre

Canadian Coast Guard
401 King Street West
P.O. Box 1000
Prescott, ON K0E 1T0

"C" and "Q" Series
Telephone: (613) 925-0666
Facsimile: (613) 925-4519

Email: NAVWARN.MCTSPrescott@innav.gc.ca
Website: <http://www.marinfo.gc.ca/e-nav>

* Iqaluit MCTS Centre

Operational from approximately mid-May until late December.

Canadian Coast Guard
P.O. Box 189
Iqaluit, NU X0A 0H0

"A" Series
Telephone: (867) 979-5269

"H" Series
Telephone: (867) 979-0310

Facsimile: (867) 979-4264
Email: NAVWARN.MCTSIqaluit@innav.gc.ca
Website: <http://www.marinfo.gc.ca/e-nav>

* Service available in English and French.

¹ The expression "Notice to Shipping" was changed to "Navigational Warning" in January 2019.

INDEX

SECTION 1 – GENERAL AND SAFETY INFORMATION	1
Canadian Hydrographic Service – Announcement Regarding CHS Chart Patches	1
Canadian Hydrographic Service – Cumulative Chart Corrections.....	1
Canadian Hydrographic Service – Current Chart Edition Dates	1
Canadian Hydrographic Service – Print On Demand Charts - Care and Use.....	1
Canadian Hydrographic Service, Transport Canada – Navigation Safety - ECDIS	2
Transport Canada – Restricted Speed Area - St. Clair and Detroit Rivers.....	2
Notices to Mariners Website – Monthly Publication and Related Files to Download now Available in a Single ZIP File ..	2
*301 Canadian Hydrographic Service – Nautical Charts.....	2
*302 Canadian Hydrographic Service – Electronic Navigational Charts	3
*303 Canadian Hydrographic Service – Raster Digital Charts (BSB V3)	3
*304 Transport Canada – Ship Safety Bulletin #02/2019	3
*305 Transport Canada – Ship Safety Bulletin #03/2019	4
*306 Canadian Coast Guard Publication – Annual Edition of Notices to Mariners 2019	4
*308 International Association of Marine Aids to Navigation and Lighthouse Authorities - GPS Week Rollover of April 6, 2019.....	4
*313(P) Fortune Bay: Southern Portion / Partie Sud – Lights to be Discontinued	5
*315 Lac Saint-François/Lake St. Francis – Light Buoy Permanently Discontinued.....	5
*316 Great Slave Lake / Grand lac des Esclaves, Western Portion / Partie ouest – Light Buoy Permanently Discontinued	5
*317 Plans Baie des Chaleurs / Chaleur Bay - Côte sud / South Shore – Aid to Navigation Permanently Changed	5
SECTION 2 – CHART CORRECTIONS	6
SECTION 3 – RADIO AIDS TO MARINE NAVIGATION CORRECTIONS	N/A
SECTION 4 – SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS	50
SECTION 5 – LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS	58

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

Chart No.	Page	Chart No.	Page	Chart No.	Page
1202	6, 7	4025	17, 18	4468	34, 35, 36
1203	7, 8, 9, 10	4026	18, 19	4469	37
1220	10, 11, 12	4047	19	4474	37, 38
1221	12	4049	19	4485	38
1233	12	4202	20	4486	38
1320	12, 13	4203	20	4615	38
1432	5, 13	4244	20	4622	38
1435	14	4255	20	4624	39
1436	15	4307	20	4653	39
2067	2	4308	21	4658	39
2110	15	4335	21	4659	39
3496	2	4385	21	4679	39
3724	2	4405	21	4722	40
3737	2	4420	2	4728	40, 41
3741	2	4421	2	4817	41
3742	2	4422	2	4832	5
3975	2	4425	21	4844	41
3976	2	4429	21, 22, 23	4846	41, 42, 43
4001	15	4432	23, 24	4863	43
4002	15	4452	24, 25, 26, 27	4886	43, 44
4003	15	4453	27, 28	4913	44
4006	16	4454	28, 29, 30	4920	5, 44
4016	16	4455	30, 31, 32	4921	44
4017	16	4456	32, 33	4935	2
4020	16	4459	33, 34	4938	45
4021	16	4463	2	4950	45, 46
4022	16	4466	34	4954	46, 47

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

Chart No.	Page	Chart No.	Page	Chart No.	Page
4955	47				
4956	47				
5048	47				
5458	2				
6370	5, 48				
7736	48				
7770	2				
8005	48				
8011	48				
8012	48				
8014	48				

CANADIAN HYDROGRAPHIC SERVICE – ANNOUNCEMENT REGARDING CHS CHART PATCHES

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world.

CHS welcomes your feedback on this service at chsinfo@dfo-mpo.gc.ca

CANADIAN HYDROGRAPHIC SERVICE – CUMULATIVE CHART CORRECTIONS

The cumulative chart corrections published in *Notices to Mariners* can now be accessed at <https://www.notmar.gc.ca/corrections-en.php>

CANADIAN HYDROGRAPHIC SERVICE – CURRENT CHART EDITION DATES

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT"

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in *Notices to Mariners* and making existing editions obsolete.

REPRINTS

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in *Notices to Mariners*. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force.

The current chart edition dates can be accessed at www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp

CANADIAN HYDROGRAPHIC SERVICE – PRINT ON DEMAND CHARTS - CARE AND USE

Background

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner, while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with the best available information very quickly.

Care of Your POD Chart

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

CANADIAN HYDROGRAPHIC SERVICE, TRANSPORT CANADA – NAVIGATION SAFETY - ECDIS

Mariners are advised that ECDIS may not display some isolated shoal depths when operating in "base or standard display" mode. Route planning and monitoring alarms for these shoal depths may not always be activated. To ensure safe navigation and to confirm that a planned route is clear of such dangers, mariners should visually inspect the planned route and any deviations from it using ECDIS configured to display "all data". The automated voyage planning check function should not be solely relied upon.

TRANSPORT CANADA – RESTRICTED SPEED AREA - ST. CLAIR AND DETROIT RIVERS

Since November 14, 2012, the restricted speed area currently in place as per the St. Clair and Detroit River Navigation Safety Regulations between the Detroit River light and Peche Island light is reduced in size by relocating the southern point of the restricted speed area from its current location at the Detroit River light to a new location at Bar Point light D33. (This notice refers to the previous one published in November 2012 with number *1103.)

NOTICES TO MARINERS WEBSITE – MONTHLY PUBLICATION AND RELATED FILES TO DOWNLOAD NOW AVAILABLE IN A SINGLE ZIP FILE

The Notices to Mariners website has now added a new functionality where the monthly publication and related files to download, such as chart patches and *Sailing Directions* diagrams, can be obtained all together through the download of a single ZIP file.

The NOTMAR team would appreciate any feedback concerning this new functionality by sending an email to Notmar.XNCR@dfo-mpo.gc.ca.

***301 CANADIAN HYDROGRAPHIC SERVICE – NAUTICAL CHARTS**

CHARTS	MAIN TITLE	SCALE	PUBLISHED	CAT#	PRICE
New Charts					
3496	Approaches to/Approches à Vancouver Harbour	1:12 000	29-MAR-2019	2	20.00
3975	Caamaño Sound and Approaches/et les approches	1:80 000	28-SEP-2018	2	20.00
3976	Principe Channel to/à Douglas Channel	1:80 000	28-SEP-2018	2	20.00
4935	Murray Harbour to/à Boughton Bay	1:30 000	18-JAN-2019	1	20.00
New Editions					
2067	Hamilton Harbour	1:10 000	02-NOV-2018	3	20.00
4463	Chéticamp to / à Cape Mabou	1:75 000	29-JUN-2018	1	20.00
5458	Sugluk Inlet	1:37 500	26-OCT-2018	4	20.00
7770	Spence Bay and Approaches/et les Approches	1:60 000	02-NOV-2018	4	20.00
Charts Permanently Withdrawn					
3724	Caamaño Sound and Approaches/et les approches				
3737	Laredo Channel including/y compris Laredo Inlet and/et Surf Inlet				
3741	Otter Passage to Bonilla Island				
3742	Otter Passage to/à McKay Reach				
4420	Murray Harbour				
4421	Boughton River				
4422	Cardigan Bay				

***302 CANADIAN HYDROGRAPHIC SERVICE – ELECTRONIC NAVIGATIONAL CHARTS**

S-57 ENC NUMBER	CHART TITLE
NEW PRODUCTS	
CA473485	Sugluk Inlet
CA473490	Puvirnitug
CA670745	Fairview Container Terminal
WITHDRAWN PRODUCTS	
CA576116	Ultramar (Wharf/Quai)
CA576117	Generator Plant (Wharf) / Centrale d'énergie (Quai)
CA576118	Holyrood (Marina)

***303 CANADIAN HYDROGRAPHIC SERVICE – RASTER DIGITAL CHARTS (BSB V3)**

CHARTS	MAIN TITLE	SCALE	PUBLISHED
New Charts			
RM-3975	Caamaño Sound and Approaches/et les approches	1:80 000	28-SEP-2018
RM-3976	Principe Channel to/à Douglas Channel	1:80 000	28-SEP-2018
RM-4935	Murray Harbour to/à Boughton Bay	1:30 000	18-JAN-2019
New Editions			
RM-2067	Hamilton Harbour	1:10 000	02-NOV-2018
RM-4463	Chéticamp to / à Cape Mabou	1:75 000	29-JUN-2018
RM-5458	Sugluk Inlet	1:37 500	26-OCT-2018
RM-7770	Spence Bay and Approaches/et les Approches	1:60 000	02-NOV-2018
Charts Permanently Withdrawn			
RM-3724	Caamaño Sound and Approaches/et les approches		
RM-3737	Laredo Channel including/y compris Laredo Inlet and/et Surf Inlet		
RM-3741	Otter Passage to Bonilla Island		
RM-3742	Otter Passage to/à McKay Reach		
RM-4420	Murray Harbour		
RM-4421	Boughton River		
RM-4422	Cardigan Bay		

***304 TRANSPORT CANADA – SHIP SAFETY BULLETIN #02/2019**

This is to notify you that a new **Ship Safety Bulletin** has recently been posted to the Transport Canada website at www.tc.gc.ca/ssb-bsn/.

To go online to view or download this bulletin, please click on the link below:

**[SSB#02/2019](#) – Verifying certificates and endorsements online
RDIMS#14607299**

Sign yourself up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our website.

Contact us at: marinesafety-securitemaritime@tc.gc.ca or 1-855-859-3123 (Toll Free).

***305 TRANSPORT CANADA – SHIP SAFETY BULLETIN #03/2019**

This is to notify you that a new **Ship Safety Bulletin** has recently been posted to the Transport Canada website at www.tc.gc.ca/ssb-bsn/.

To go online to view or download this bulletin, please click on the link below:

[SSB#03/2019](#) – Fishing Vessel Safety Regulations: Stability, major modifications and record of modifications RDIMS#14826065

Sign yourself up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our website.

Contact us at: marinesafety-securitemaritime@tc.gc.ca or 1-855-859-3123 (Toll Free).

***306 CANADIAN COAST GUARD PUBLICATION – ANNUAL EDITION OF NOTICES TO MARINERS 2019**

The *Annual Edition of Notices to Mariners 2019* is now available for free download, on the NOTMAR website at <https://www.notmar.gc.ca/annual-annuel-en.php>

Paper copies of this publication are no longer sold. This printable online version is kept up-to-date.

Amendments to this publication are advertised in Section 1 of the monthly editions of *Notices to Mariners* (<https://www.notmar.gc.ca/monthly-mensuel-en.php>).

The 2019 edition has been revised up to March 29, 2019 and supersedes the 2018 edition.

***308 INTERNATIONAL ASSOCIATION OF MARINE AIDS TO NAVIGATION AND LIGHTHOUSE AUTHORITIES - GPS WEEK ROLLOVER OF APRIL 6, 2019**

The GPS Week Number will be rolling over on April 6, 2019 at 23:59:42 UTC. This could lead to errors in both GPS position and time for some GPS receivers, or systems using GPS such as AIS.

Owners of GPS equipment are strongly encouraged to:

1. Make sure all recent firmware updates are completed and conform to the latest IS-GPS-200 standards;
2. Check with their GPS manufacturer for further information on GPS-dependent equipment and identify what action, if any, is required by the operator;
3. Check that any GPS equipment is reading correct time and date before and after the event.

***313(P) FORTUNE BAY: SOUTHERN PORTION / PARTIE SUD – LIGHTS TO BE DISCONTINUED**

Reference Chart: 4832

The Canadian Coast Guard proposes to permanently discontinue the following aids to navigation:

Fortune Harbour Wharf (LL 103.3) (47° 04' 18.4"N 055° 49' 50.0"W)
Fortune Harbour Wharf (Floating Dock) (LL 105.3) (47° 04' 19.5"N 055° 49' 51.0"W)

Comments on this action are solicited from mariners and other interested parties by June 29, 2019, three months following the initial publication date of March 29, 2019. Comments should be directed to the following:

Superintendent, Renee Pope
Aids to Navigation and Waterways
Canadian Coast Guard
P.O. Box 5667
St. John's, NL A1C 5X1
Telephone: (709) 772-2800
Email: renee.pope@dfo-mpo.gc.ca

Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

(N2019-002, 003)

***315 LAC SAINT-FRANÇOIS/LAKE ST. FRANCIS – LIGHT BUOY PERMANENTLY DISCONTINUED**

Reference: Notice 107(P)/17 is cancelled (Chart 1432).

(B2018-014)

***316 GREAT SLAVE LAKE / GRAND LAC DES ESCLAVES, WESTERN PORTION / PARTIE OUEST – LIGHT BUOY PERMANENTLY DISCONTINUED**

Reference: Notice 903(P)/18 is cancelled (Chart 6370).

(A2019-001)

***317 PLANS BAIE DES CHALEURS / CHALEUR BAY - CÔTE SUD / SOUTH SHORE – AID TO NAVIGATION PERMANENTLY CHANGED**

Reference: Notice 1106(P)/18 is cancelled (Chart 4920).

(G2019-005)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

1202 - Baie des Ha! Ha! - New Edition - 22-JUL-2011 - NAD 1983

01-MAR-2019

LNMD. 02-SEP-2016

Add drying height of 1 metre 0 decimetres
(See Chart No. 1, I15)
This notice affects Electronic Navigational Chart: CA579235

48°21'02.0"N 070°50'57.1"W

DFO(6409971-01)

Delete depth of 11 metres 3 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA579235

48°21'02.5"N 070°50'51.3"W

DFO(6409971-02)

Add depth of 4 metres 2 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA579235

48°21'02.2"N 070°50'50.0"W

DFO(6409971-03)

Delete depth of 15 metres 4 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA479094, CA579235

48°21'01.6"N 070°50'31.8"W

DFO(6409971-04)

Add drying height of 0 metres 2 decimetres
(See Chart No. 1, I15)
This notice affects Electronic Navigational Chart: CA479094, CA579235

48°21'02.0"N 070°50'36.6"W

DFO(6409971-05)

Add depth of 6 metres 8 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA579235

48°21'10.1"N 070°50'16.3"W

DFO(6409971-06)

29-MAR-2019

LNMD. 01-MAR-2019

Affix patch
Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa1202_20190301_1a.pdf

48°21'08.0"N 070°51'19.0"W

DFO(6410085-01)

1202 - Cap à l'Est à St-Fulgence - Continuation A - New Edition - 22-JUL-2011 - NAD 1983

01-MAR-2019

LNMD. 02-SEP-2016

Delete depth of 15 metres 4 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA479094, CA579235

48°21'01.6"N 070°50'31.8"W

DFO(6409971-04)

Add drying height of 0 metres 2 decimetres
(See Chart No. 1, I15)
This notice affects Electronic Navigational Chart: CA479094, CA579235

48°21'02.0"N 070°50'36.6"W

DFO(6409971-05)

Add drying height of 1 metre 8 decimetres
(See Chart No. 1, I15)
This notice affects Electronic Navigational Chart: CA479094

48°21'19.9"N 070°50'11.9"W

DFO(6409971-07)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	drying height of 1 metre 1 decimetre (See Chart No. 1, I15) This notice affects Electronic Navigational Chart: CA479094	48°21'02.8"N 070°46'11.3"W <i>DFO(6409971-08)</i>
Add	drying height of 2 metres 9 decimetres (See Chart No. 1, I15) This notice affects Electronic Navigational Chart: CA479094	48°21'20.4"N 070°45'27.7"W <i>DFO(6409971-09)</i>
29-MAR-2019		LNMD. 01-MAR-2019
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa1202_20190301_2.pdf	48°21'05.0"N 070°51'10.0"W <i>DFO(6410086-01)</i>
1203 - Tadoussac à/to Cap Éternité - New Edition - 17-JUN-2011 - NAD 1983		
01-MAR-2019		LNMD. 15-DEC-2017
Delete	depth of 11 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°03'10.0"N 069°39'04.2"W <i>DFO(6410002-01)</i>
Add	depth of 10 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°03'11.0"N 069°39'04.2"W <i>DFO(6410002-02)</i>
Add	depth of 12 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°03'13.4"N 069°38'47.2"W <i>DFO(6410002-03)</i>
Add	depth of 7 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°04'35.4"N 069°37'55.6"W <i>DFO(6410002-04)</i>
Add	depth of 7 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°04'48.0"N 069°37'34.5"W <i>DFO(6410002-05)</i>
Add	depth of 4 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°04'55.5"N 069°38'01.0"W <i>DFO(6410002-06)</i>
Add	depth of 3 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°05'03.9"N 069°38'16.6"W <i>DFO(6410002-07)</i>
Delete	depth of 5 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°06'18.0"N 069°38'53.1"W <i>DFO(6410002-08)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 5 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°06'18.9"N 069°38'53.2"W <i>DFO(6410002-09)</i>
Add	depth of 6 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°06'32.8"N 069°38'23.2"W <i>DFO(6410002-10)</i>
Delete	depth of 5 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°06'25.4"N 069°36'58.4"W <i>DFO(6410002-11)</i>
Add	depth of 4 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°06'25.0"N 069°37'00.3"W <i>DFO(6410002-12)</i>
Delete	depth of 7 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°06'26.9"N 069°36'48.7"W <i>DFO(6410002-13)</i>
Add	depth of 5 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°06'26.7"N 069°36'50.8"W <i>DFO(6410002-14)</i>
Delete	depth of 9 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°06'34.7"N 069°36'38.0"W <i>DFO(6410002-15)</i>
Add	depth of 8 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°06'34.8"N 069°36'40.0"W <i>DFO(6410002-16)</i>
Add	depth of 3 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°10'21.4"N 069°37'03.8"W <i>DFO(6410011-01)</i>
Add	depth of 3 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°10'11.1"N 069°37'19.7"W <i>DFO(6410011-02)</i>
Add	depth of 4 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°09'47.0"N 069°37'33.8"W <i>DFO(6410011-03)</i>
Add	depth of 8 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°09'46.1"N 069°37'17.9"W <i>DFO(6410011-04)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 3 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°09'30.1"N 069°37'55.4"W <i>DFO(6410011-05)</i>
Add	depth of 4 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°08'38.0"N 069°38'27.9"W <i>DFO(6410011-06)</i>
Delete	depth of 4 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°07'49.3"N 069°38'19.5"W <i>DFO(6410011-07)</i>
Add	depth of 4 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°07'50.2"N 069°38'20.8"W <i>DFO(6410011-08)</i>
Add	depth of 5 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°07'39.9"N 069°38'26.2"W <i>DFO(6410011-09)</i>
Delete	depth of 12 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°07'23.6"N 069°38'53.0"W <i>DFO(6410011-10)</i>
Add	depth of 11 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°07'23.7"N 069°38'52.2"W <i>DFO(6410011-11)</i>
Delete	depth of 12 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°07'00.2"N 069°38'56.1"W <i>DFO(6410011-12)</i>
Add	depth of 11 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°07'01.9"N 069°38'56.5"W <i>DFO(6410011-13)</i>
Add	depth of 4 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°07'41.2"N 069°40'23.9"W <i>DFO(6410011-14)</i>
Add	depth of 0 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°15'20.2"N 069°58'55.6"W <i>DFO(6410012-01)</i>
Delete	depth of 9 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°15'13.7"N 069°58'37.2"W <i>DFO(6410012-02)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 1 metre 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°15'14.7"N 069°58'36.9"W <i>DFO(6410012-03)</i>
Add	depth of 0 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°15'09.0"N 069°58'20.6"W <i>DFO(6410012-04)</i>
Add	depth of 0 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°15'02.8"N 069°58'12.1"W <i>DFO(6410012-05)</i>
1220 - Baie des Sept-Îles - New Edition - 24-MAR-2017 - NAD 1983		
08-MAR-2019		LNM/D. 26-OCT-2018
Delete	depth of 11 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479006	50°13'08.1"N 066°28'09.9"W <i>DFO(6409974-01)</i>
Add	depth of 8 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379028, CA479006	50°13'07.4"N 066°28'10.1"W <i>DFO(6409974-02)</i>
Delete	depth of 3 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479006	50°08'35.6"N 066°21'40.9"W <i>DFO(6409974-16)</i>
Add	depth of 1 metre 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479006	50°08'35.6"N 066°21'39.4"W <i>DFO(6409974-17)</i>
Add	depth of 4 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479006	50°10'05.8"N 066°18'44.1"W <i>DFO(6409974-18)</i>
Add	depth of 4 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479006	50°09'36.2"N 066°17'31.8"W <i>DFO(6409974-19)</i>
Add	depth of 5 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379028, CA479006	50°09'18.8"N 066°16'37.7"W <i>DFO(6409974-20)</i>
Delete	depth of 4 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479006	50°12'35.2"N 066°24'51.5"W <i>DFO(6409977-01)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	fish haven with depth of 2 metres 5 decimetres over an artificial feature (See Chart No. 1, K46.2) This notice affects Electronic Navigational Chart: CA479006	50°12'35.2"N 066°24'47.1"W <i>DFO(6409977-02)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa1220-20190208.pdf This notice affects Electronic Navigational Chart: CA479006	50°13'00.0"N 066°33'22.5"W <i>DFO(6410067-01)</i>
1220 - Pointe-Noire - New Edition - 24-MAR-2017 - NAD 1983		
08-MAR-2019		LNMD. 26-OCT-2018
Delete	depth of 1 metre 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579007	50°09'54.9"N 066°28'34.3"W <i>DFO(6410020-01)</i>
Add	depth of 1 metre 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579007	50°09'54.9"N 066°28'34.7"W <i>DFO(6410020-02)</i>
Add	depth of 1 metre 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579007	50°09'55.5"N 066°28'31.2"W <i>DFO(6410020-03)</i>
Add	depth of 2 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579007	50°09'57.8"N 066°28'24.8"W <i>DFO(6410020-04)</i>
Delete	depth of 11 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579007	50°10'02.5"N 066°28'14.5"W <i>DFO(6410020-05)</i>
Add	depth of 11 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579007	50°10'02.4"N 066°28'14.5"W <i>DFO(6410020-06)</i>
Add	depth of 1 metre 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579007	50°09'54.0"N 066°28'25.4"W <i>DFO(6410020-07)</i>
Add	depth of 2 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579007	50°09'55.5"N 066°28'17.3"W <i>DFO(6410020-08)</i>
Delete	depth of 3 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579007	50°09'51.9"N 066°28'18.8"W <i>DFO(6410020-09)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 2 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579007	50°09'51.9"N 066°28'18.9"W <i>DFO(6410020-10)</i>
1221 - Pointe de Moisie à/to Île du Grand Caoui - New Edition - 27-FEB-2015 - NAD 1983 08-MAR-2019		
Add	depth of 8 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379028, CA479006	50°13'07.4"N 066°28'10.1"W <i>DFO(6409974-02)</i>
Add	depth of 5 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379028, CA479006	50°09'18.8"N 066°16'37.7"W <i>DFO(6409974-20)</i>
1233 - L'Isle-aux-Coudres - New Edition - 11-MAY-2012 - NAD 1983 08-MAR-2019		
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa1233-20190206.pdf This notice affects Electronic Navigational Chart: CA579023	47°25'14.0"N 070°23'33.0"W <i>DFO(6409912-01)</i>
1320 - Port de Gros-Cacouna - New Chart - 26-AUG-2011 - NAD 1983 29-MAR-2019		
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa1320-20190304.pdf This notice affects Electronic Navigational Chart: CA579234	47°55'49.2"N 069°30'58.4"W <i>DFO(6409998-01)</i>
1320 - Île du Bic au/to Cap de la Tête au Chien - New Chart - 26-AUG-2011 - NAD 1983 01-MAR-2019		
Add	depth of 10 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°03'11.0"N 069°39'04.2"W <i>DFO(6410002-02)</i>
Add	depth of 7 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°04'48.0"N 069°37'34.5"W <i>DFO(6410002-05)</i>
Add	depth of 4 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°06'25.0"N 069°37'00.3"W <i>DFO(6410002-12)</i>
Add	depth of 3 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°10'11.1"N 069°37'19.7"W <i>DFO(6410011-02)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 4 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479053	48°09'47.0"N 069°37'33.8"W <i>DFO(6410011-03)</i>
Add	depth of 8 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°09'46.1"N 069°37'17.9"W <i>DFO(6410011-04)</i>
Add	depth of 3 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°09'30.1"N 069°37'55.4"W <i>DFO(6410011-05)</i>
Add	depth of 4 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°08'38.0"N 069°38'27.9"W <i>DFO(6410011-06)</i>
Delete	depth of 4 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°07'49.3"N 069°38'19.5"W <i>DFO(6410011-07)</i>
Add	depth of 4 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°07'50.2"N 069°38'20.8"W <i>DFO(6410011-08)</i>
Delete	depth of 12 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°07'00.2"N 069°38'56.1"W <i>DFO(6410011-12)</i>
Add	depth of 11 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379232, CA479053	48°07'01.9"N 069°38'56.5"W <i>DFO(6410011-13)</i>
29-MAR-2019		LNM/D. 01-MAR-2019
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa1320-20190212.pdf This notice affects Electronic Navigational Chart: CA579234	Below the chart title block <i>DFO(6410072-01)</i>
1432 - Lac Saint-François/Lake St. Francis B-C - New Edition - 26-DEC-2014 - World Geodetic System 1984		LNM/D. 25-MAY-2018
29-MAR-2019		
Delete	orange and white lighted mooring can buoy FI Y (See Chart No. 1, Q41) This notice affects Electronic Navigational Chart: CA473233	45°04'34.2"N 074°31'04.5"W <i>(B2018014) LL(133.2) DFO(6604514-01)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

1435 - Brockville Narrows - New Edition - 26-JUN-2015 - World Geodetic System 1984

22-MAR-2019

LNM/D. 21-SEP-2018

Delete	depth of 15.2 metres (See Chart No. 1, I10)	44°33'20.3"N 075°43'08.4"W <i>DFO(6604522-01)</i>
Add	wreck WK with known depth of 13.7 metres (See Chart No. 1, K26) This notice affects Electronic Navigational Chart: CA473275, CA573388	44°33'19.9"N 075°43'07.3"W <i>DFO(6604522-02)</i>
Add	wreck WK with known depth of 16.8 metres (See Chart No. 1, K26) This notice affects Electronic Navigational Chart: CA473275, CA573388	44°35'21.5"N 075°40'37.5"W <i>DFO(6604522-04)</i>
Delete	private orange and white mooring spherical buoy (See Chart No. 1, Q40) This notice affects Electronic Navigational Chart: CA573388	44°33'19.9"N 075°43'07.3"W <i>DFO(6604522-06)</i>
Delete	private orange and white mooring spherical buoy (See Chart No. 1, Q40) This notice affects Electronic Navigational Chart: CA573388	44°35'21.5"N 075°40'37.5"W <i>DFO(6604522-07)</i>

1435 - Cardinal to à Whaleback Shoal B-C - New Edition - 26-JUN-2015 - World Geodetic System 1984

22-MAR-2019

LNM/D. 21-SEP-2018

Add	wreck WK with known depth of 13.7 metres (See Chart No. 1, K26) This notice affects Electronic Navigational Chart: CA473275, CA573388	44°33'19.9"N 075°43'07.3"W <i>DFO(6604522-02)</i>
Add	wreck (See Chart No. 1, K29) This notice affects Electronic Navigational Chart: CA473275	44°31'34.0"N 075°45'45.3"W <i>DFO(6604522-03)</i>
Add	wreck WK with known depth of 16.8 metres (See Chart No. 1, K26) This notice affects Electronic Navigational Chart: CA473275, CA573388	44°35'21.5"N 075°40'37.5"W <i>DFO(6604522-04)</i>
Add	wreck WK with known depth of 18.3 metres (See Chart No. 1, K26) This notice affects Electronic Navigational Chart: CA473275	44°36'14.8"N 075°39'12.9"W <i>DFO(6604522-05)</i>
Delete	private orange and white mooring spherical buoy (See Chart No. 1, Q40) This notice affects Electronic Navigational Chart: CA473275	44°36'17.8"N 075°39'11.9"W <i>DFO(6604522-08)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

1436 - Whaleback Shoal to/au Summerland Group - New Edition - 17-MAR-2017 - World Geodetic System 1984

22-MAR-2019

LNMD. 21-SEP-2018

Add wreck
(See Chart No. 1, K29)
This notice affects Electronic Navigational Chart: CA473275

44°31'34.0"N 075°45'45.3"W

DFO(6604522-03)

2110 - Nanticoke Harbour - New Edition - 23-FEB-2018 - World Geodetic System 1984

15-MAR-2019

Amend bearing 334° to read 344°
(See Chart No. 1, M3)

42°47'18.0"N 080°02'22.0"W

DFO(6604529-01)

4001 - Gulf of Maine to Strait of Belle Isle / au Detroit de Belle Isle - New Edition - 01-DEC-1995 - NAD 1983

01-MAR-2019

LNMD. 07-DEC-2018

Delete private yellow ODAS/SADO lighted pillar buoy FI(5) Y 20s
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA176140

42°48'32.4"N 060°21'07.2"W

DFO(6308563-01)

4002 - Golfe du Saint-Laurent / Gulf of St. Lawrence - New Edition - 30-OCT-2015 - NAD 1983

08-MAR-2019

LNMD. 01-FEB-2019

Delete depth of 10 metres 7 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA179245, CA379115, CA479116

50°25'44.1"N 059°28'17.5"W

DFO(6410017-14)

Add depth of 9 metres 2 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA179245, CA379115, CA479116

50°25'43.8"N 059°28'17.9"W

DFO(6410017-15)

Delete depth of 3 metres 7 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA179245, CA279044

50°16'32.2"N 064°36'07.0"W

DFO(6410019-02)

Add depth of 0 metres 2 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA179245, CA279044

50°16'31.2"N 064°36'06.6"W

DFO(6410019-03)

4003 - Cape Breton to / à Cape Cod - New Edition - 21-MAR-2003 - NAD 1983

01-MAR-2019

LNMD. 08-FEB-2019

Delete private yellow ODAS/SADO lighted pillar buoy FI(5) Y 20s
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA176140

42°48'32.5"N 060°21'07.2"W

DFO(6308563-01)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

4006 - Newfoundland and Labrador/Terre-Neuve-et-Labrador to Bermuda / aux Bermudes - New Edition - 08-AUG-2003 - NAD 1983		
01-MAR-2019		LNMD. 07-DEC-2018
Reposition	yellow ODAS/SADO lighted super-buoy, marked 41025 (See Chart No. 1, Q58)	from 35°00'19.3"N 075°24'12.5"W to 35°05'24.0"N 075°21'26.0"W (USCG:49/18) DFO(6308565-01)
08-MAR-2019		LNMD. 01-MAR-2019
Delete	light (See Chart No. 1, P1)	37°07'06.0"N 075°55'24.0"W (USCG:04/19) DFO(6308578-01)
4016 - Saint-Pierre to / à St. John's - New Edition - 06-JUN-2003 - NAD 1983		
15-MAR-2019		LNMD. 11-JAN-2019
Add	subsurface Ocean Data Acquisition System ODAS/SADO with known depth of 55 fathoms (See Chart No. 1, L25) This notice affects Electronic Navigational Chart: CA376015	47°33'42.0"N 052°35'21.0"W DFO(6308580-01)
4017 - Cape Race to / à Cape Freels - New Edition - 07-MAR-2003 - NAD 1983		
15-MAR-2019		LNMD. 28-SEP-2018
Add	subsurface Ocean Data Acquisition System ODAS/SADO with known depth of 55 fathoms (See Chart No. 1, L25) This notice affects Electronic Navigational Chart: CA376015	47°33'42.0"N 052°35'21.0"W DFO(6308580-01)
4020 - Strait of Belle Isle / Détroit de Belle Isle - New Edition - 26-JUL-2002 - NAD 1983		
01-MAR-2019		LNMD. 06-OCT-2017
Add	light FI G (See Chart No. 1, P1) This notice affects Electronic Navigational Chart: CA376094	51°25'23.0"N 057°03'58.0"W (N2018085) LL(226.5) DFO(6308554-01)
4021 - Pointe Amour à / to Cape Whittle et / and Cape George - New Edition - 01-NOV-2002 - NAD 1983		
15-MAR-2019		LNMD. 28-SEP-2018
Replace	depth of 11 fathoms with depth of 9 fathoms (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA276138	48°46'31.4"N 058°39'04.7"W DFO(6308583-01)
4022 - Cabot Strait and approaches / Détroit de Cabot et les approches - New Edition - 17-JAN-2003 - NAD 1983		
15-MAR-2019		LNMD. 08-FEB-2019
Replace	depth of 11 fathoms with depth of 9 fathoms (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA276138	48°46'31.4"N 058°39'04.7"W DFO(6308583-01)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

4025 - Cap Whittle à/to Havre-Saint-Pierre et/and Île d'Anticosti - New Edition - 28-MAR-2014 - NAD 1983

08-MAR-2019

LNM/D. 05-FEB-2016

Delete	depth of 2 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°13'38.2"N 063°29'31.0"W <i>DFO(6409979-07)</i>
Add	depth of 0 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°13'41.0"N 063°29'29.7"W <i>DFO(6409979-08)</i>
Delete	depth of 2 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°11'51.8"N 063°29'09.7"W <i>DFO(6409979-09)</i>
Add	depth of 1 metre 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°11'52.1"N 063°29'07.9"W <i>DFO(6409979-10)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4025-20190207.pdf	50°26'44.2"N 060°30'04.0"W <i>DFO(6409979-14)</i>
Delete	depth of 8 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043	50°11'02.6"N 061°57'08.2"W <i>DFO(6409991-01)</i>
Add	depth of 4 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043	50°11'02.1"N 061°57'09.4"W <i>DFO(6409991-02)</i>
Delete	depth of 14 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043	50°08'31.6"N 061°10'12.6"W <i>DFO(6409991-03)</i>
Add	depth of 9 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043	50°08'31.3"N 061°10'18.6"W <i>DFO(6409991-04)</i>
Add	depth of 9 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379131	50°11'48.8"N 063°06'15.8"W <i>DFO(6410014-07)</i>
Add	depth of 10 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°22'01.5"N 059°40'03.3"W <i>DFO(6410017-01)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 8 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°23'50.2"N 059°37'19.9"W <i>DFO(6410017-02)</i>
Delete	depth of 9 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043	50°20'37.9"N 059°44'25.9"W <i>DFO(6410017-22)</i>
Add	depth of 6 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°20'52.4"N 059°44'45.6"W <i>DFO(6410017-23)</i>
Add	depth of 5 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°21'29.6"N 059°41'57.5"W <i>DFO(6410017-24)</i>
Add	depth of 6 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°22'38.1"N 059°40'42.9"W <i>DFO(6410017-25)</i>
Add	depth of 5 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°23'44.1"N 059°40'17.2"W <i>DFO(6410017-26)</i>
 4026 - Havre Saint-Pierre et/and Cap des Rosiers à/to Pointe des Monts - New Edition - 23-MAY-2014 - NAD 1983		
08-MAR-2019		LNM/D. 07-DEC-2018
Delete	depth of 2 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°13'38.2"N 063°29'31.0"W <i>DFO(6409979-07)</i>
Add	depth of 0 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°13'41.0"N 063°29'29.7"W <i>DFO(6409979-08)</i>
Delete	depth of 2 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°11'51.8"N 063°29'09.7"W <i>DFO(6409979-09)</i>
Add	depth of 1 metre 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°11'52.1"N 063°29'07.9"W <i>DFO(6409979-10)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4026-20190208.pdf	50°34'27.3"N 064°30'02.0"W <i>DFO(6409979-15)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 9 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379131	50°11'48.8"N 063°06'15.8"W <i>DFO(6410014-07)</i>
Add	depth of 0 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044	50°15'44.4"N 064°49'43.5"W <i>DFO(6410019-01)</i>
Delete	depth of 3 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA179245, CA279044	50°16'32.2"N 064°36'07.0"W <i>DFO(6410019-02)</i>
Add	depth of 0 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA179245, CA279044	50°16'31.2"N 064°36'06.6"W <i>DFO(6410019-03)</i>
Delete	depth of 3 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044	50°15'39.6"N 064°19'13.7"W <i>DFO(6410019-04)</i>
Add	depth of 2 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044	50°15'36.5"N 064°19'09.3"W <i>DFO(6410019-05)</i>
Add	depth of 9 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044	50°15'11.7"N 065°34'56.9"W <i>DFO(6410057-01)</i>
 4047 - St. Pierre Bank / Banc de Saint-Pierre to / au Whale Bank / Banc de la Baleine - New Edition - 09-OCT-1998 - NAD 1983		
	15-MAR-2019	LNMD. 11-JAN-2019
Amend	Q(6)+LFI(1)15s to read Q(6)+LFI 15s against yellow and black South cardinal lighted pillar whistle buoy (See Chart No. 1, Q130.3)	46°43'52.0"N 056°12'54.0"W <i>LL(89) DFO(6308579-01)</i>
 4049 - Grand Bank, Northern Portion / Grand Banc, Partie Nord to / à Flemish Pass / Passe Flamande - New Edition - 19-MAY-1995 - NAD 1983		
	08-MAR-2019	LNMD. 28-SEP-2018
Reposition	private yellow ODAS/SADO lighted pillar buoy FI Y (See Chart No. 1, Q58) This notice affects Electronic Navigational Chart: CA276101	from 46°31'54.0"N 048°32'38.0"W to 46°31'22.3"N 048°33'40.0"W <i>DFO(6308566-01)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

4202 - Halifax Harbour: Point Pleasant to / à Bedford Basin - New Edition - 26-FEB-2016 - NAD 1983

15-MAR-2019

LNMD. 23-FEB-2018

Add outfall pipe joining 44°37'23.2"N 063°30'54.2"W
(See Chart No. 1, L41.1) 44°37'22.9"N 063°30'53.1"W
and 44°37'27.6"N 063°30'50.7"W

This notice affects Electronic Navigational Chart: CA576003

DFO(6308581-01)

Affix patch 44°39'00.0"N 063°34'00.0"W
Download Patch - <ftp://ftp.dfo-mpo.gc.ca/patches/4202v3PA2 - Halifax Harbour Patch.pdf>
This notice affects Electronic Navigational Chart: CA576003

DFO(6308591-01)

4203 - Halifax Harbour: Black Point to / à Point Pleasant - New Edition - 28-DEC-2018 - NAD 1983

15-MAR-2019

Add outfall pipe joining 44°37'23.2"N 063°30'54.2"W
(See Chart No. 1, L41.1) 44°37'22.9"N 063°30'53.1"W
and 44°37'27.6"N 063°30'50.7"W

This notice affects Electronic Navigational Chart: CA576003

DFO(6308581-01)

4244 - Wedgeport and Vicinity / et les abords - New Edition - 26-DEC-2003 - NAD 1983

01-MAR-2019

LNMD. 09-JUN-2017

Delete green port hand can buoy, marked NS9 43°38'22.0"N 066°02'05.2"W
(See Chart No. 1, Qg)

This notice affects Electronic Navigational Chart: CA476048

(F2019002) DFO(6308561-01)

Add green port hand lighted pillar buoy FI G, marked NS9 43°38'22.0"N 066°02'05.2"W
(See Chart No. 1, Qg)

This notice affects Electronic Navigational Chart: CA476048

(F2019003) LL(274.9) DFO(6308561-02)

4255 - Georges Bank / Banc de Georges: Eastern Portion / Partie Est - New Chart - 27-JUL-1990 - NAD 1983

01-MAR-2019

LNMD. 02-SEP-2016

Add wreck, least depth unknown 42°08'18.0"N 066°42'06.0"W
(See Chart No. 1, K29)

This notice affects Electronic Navigational Chart: CA276367

DFO(6308575-01)

4307 - Canso Harbour to / au Strait of Canso - New Edition - 04-JAN-2008 - NAD 1983

01-MAR-2019

LNMD. 15-FEB-2019

Add yellow ODAS/SADO lighted pillar buoy, FI (5) Y 45°26'42.2"N 060°57'14.5"W
(See Chart No. 1, Q58)

This notice affects Electronic Navigational Chart: CA476277

(G2019007) LL(709.55) DFO(6308571-01)

Add yellow ODAS/SADO lighted pillar buoy, FI (5) Y 45°29'13.0"N 061°08'28.0"W
(See Chart No. 1, Q58)

This notice affects Electronic Navigational Chart: CA476277

(G2019008) LL(687.35) DFO(6308572-01)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

4308 - St. Peters Bay to / à Strait of Canso - New Edition - 21-MAR-2003 - NAD 1983

01-MAR-2019

LNM/D. 15-FEB-2019

Add yellow ODAS/SADO lighted pillar buoy, FI (5) Y 45°26'42.2"N 060°57'14.5"W
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA476277
(G2019007) LL(709.55) DFO(6308571-01)

Add yellow ODAS/SADO lighted pillar buoy, FI (5) Y 45°29'13.0"N 061°08'28.0"W
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA476277
(G2019008) LL(687.35) DFO(6308572-01)

4335 - Strait of Canso and Approaches / et les approches - New Edition - 04-JAN-2008 - NAD 1983

01-MAR-2019

LNM/D. 20-JUL-2018

Add yellow ODAS/SADO lighted pillar buoy, FI (5) Y 45°26'42.2"N 060°57'14.5"W
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA476277
(G2019007) LL(709.55) DFO(6308571-01)

Add yellow ODAS/SADO lighted pillar buoy, FI (5) Y 45°29'13.0"N 061°08'28.0"W
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA476277
(G2019008) LL(687.35) DFO(6308572-01)

4385 - Chebucto Head to / à Betty Island - New Edition - 07-JUN-1996 - NAD 1983

01-MAR-2019

LNM/D. 13-JUL-2018

Amend F R 48 ft 6 M to read LFI 6s8M against light 44°27'36.6"N 063°42'20.4"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: CA476189
(F2019001) LL(498) DFO(6308559-01)

4405 - Pictou Island to / aux Tryon Shoals - New Edition - 21-FEB-2003 - NAD 1983

08-MAR-2019

LNM/D. 11-JAN-2019

Replace depth of 44 feet with obstruction with known depth of 46 feet 44°03'56.4"N 063°14'39.6"W
(See Chart No. 1, I10, K41)
This notice affects Electronic Navigational Chart: CA376161
DFO(6308564-02)

4425 - Harbours on the North Shore / Hâvres sur la Côte Nord - New Edition - 01-NOV-2002 - NAD 1983

08-MAR-2019

LNM/D. 06-JAN-2017

Amend '1.6 feet (0.5 metres)' to read '0.9 feet (0.3 metres)' against the note Title block of chart: Depths
'DEPTHS/LÉS PROFONDEURS'
(See Chart No. 1, A13)
DFO(6308577-02)

4429 - Havre Saint-Pierre et les approches/and Approaches - New Edition - 18-FEB-2011 - NAD 1983

08-MAR-2019

LNM/D. 09-NOV-2018

Add depth of 11 metres 5 decimetres 50°13'22.7"N 063°33'34.3"W
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA379026, CA579004
DFO(6409937-02)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 12 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°12'02.3"N 063°33'14.8"W <i>DFO(6409937-03)</i>
Delete	depth of 7 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°12'18.0"N 063°32'57.2"W <i>DFO(6409937-04)</i>
Add	depth of 7 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°12'19.0"N 063°32'57.6"W <i>DFO(6409937-05)</i>
Add	depth of 11 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°12'12.5"N 063°32'55.0"W <i>DFO(6409937-06)</i>
Add	depth of 9 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°12'09.2"N 063°32'49.0"W <i>DFO(6409937-07)</i>
Add	depth of 9 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026, CA579004	50°12'10.8"N 063°32'36.0"W <i>DFO(6409937-10)</i>
Delete	depth of 12 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°12'25.6"N 063°32'08.2"W <i>DFO(6409937-11)</i>
Add	depth of 10 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°12'26.0"N 063°32'09.2"W <i>DFO(6409937-12)</i>
Add	depth of 9 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°13'42.9"N 063°33'32.8"W <i>DFO(6409940-03)</i>
Delete	depth of 9 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°14'36.4"N 063°41'18.8"W <i>DFO(6409941-07)</i>
Add	depth of 8 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°14'35.6"N 063°41'17.1"W <i>DFO(6409941-08)</i>
Delete	depth of 4 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°14'51.0"N 063°41'57.1"W <i>DFO(6409979-01)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 3 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579004	50°14'51.7"N 063°41'56.9"W <i>DFO(6409979-02)</i>
Delete	depth of 2 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026, CA579004	50°11'38.3"N 063°36'44.7"W <i>DFO(6409979-03)</i>
Add	depth of 1 metre 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026, CA579004	50°11'38.3"N 063°36'44.5"W <i>DFO(6409979-04)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4429-20190207.pdf	50°08'49.6"N 063°40'48.4"W <i>DFO(6409979-12)</i>
4432 - Archipel de Mingan - New Edition - 11-MAR-2011 - NAD 1983 08-MAR-2019		LNMD. 09-NOV-2018
Delete	depth of 12 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026	50°13'23.1"N 063°33'40.5"W <i>DFO(6409937-01)</i>
Add	depth of 11 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026, CA579004	50°13'22.7"N 063°33'34.3"W <i>DFO(6409937-02)</i>
Add	depth of 9 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026, CA579004	50°12'10.8"N 063°32'36.0"W <i>DFO(6409937-10)</i>
Delete	depth of 2 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026, CA579004	50°11'38.3"N 063°36'44.7"W <i>DFO(6409979-03)</i>
Add	depth of 1 metre 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026, CA579004	50°11'38.3"N 063°36'44.5"W <i>DFO(6409979-04)</i>
Delete	depth of 3 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026	50°11'35.6"N 063°46'38.6"W <i>DFO(6409979-05)</i>
Add	depth of 1 metre 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026	50°11'34.0"N 063°46'42.0"W <i>DFO(6409979-06)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Delete	depth of 2 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°13'38.2"N 063°29'31.0"W <i>DFO(6409979-07)</i>
Add	depth of 0 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°13'41.0"N 063°29'29.7"W <i>DFO(6409979-08)</i>
Delete	depth of 2 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°11'51.8"N 063°29'09.7"W <i>DFO(6409979-09)</i>
Add	depth of 1 metre 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°11'52.1"N 063°29'07.9"W <i>DFO(6409979-10)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4432-20170207.pdf	50°18'50.2"N 063°42'21.6"W <i>DFO(6409979-13)</i>
4432 - Havre de Mingan - New Edition - 11-MAR-2011 - NAD 1983 08-MAR-2019		LNMD. 09-NOV-2018
Delete	depth of 3 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479027	50°17'07.6"N 064°02'12.8"W <i>DFO(6410019-06)</i>
Add	depth of 1 metre 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479027	50°17'07.9"N 064°02'12.2"W <i>DFO(6410019-07)</i>
4452 - Baie de Kégaska - New Edition - 22-MAR-2013 - NAD 1983 22-MAR-2019		LNMD. 15-JUN-2018
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4452-20190212-1.pdf This notice affects Electronic Navigational Chart: CA479138	50°10'54.5"N 061°15'37.0"W <i>DFO(6409978-01)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4452-20190212-2.pdf This notice affects Electronic Navigational Chart: CA479138	50°10'54.5"N 061°12'16.0"W <i>DFO(6410060-01)</i>
4452 - Baie Johan-Beetz et/and Baie Piashti - New Edition - 22-MAR-2013 - NAD 1983 22-MAR-2019		LNMD. 15-JUN-2018
Add	depth of 0 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'46.8"N 062°46'43.5"W <i>DFO(6410068-01)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Delete	depth of 3 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'42.0"N 062°46'48.9"W <i>DFO(6410068-02)</i>
Add	depth of 2 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'42.2"N 062°46'47.9"W <i>DFO(6410068-03)</i>
Delete	depth of 4 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'36.0"N 062°46'44.7"W <i>DFO(6410068-04)</i>
Add	depth of 3 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'36.4"N 062°46'43.7"W <i>DFO(6410068-05)</i>
Delete	depth of 5 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'32.0"N 062°46'47.0"W <i>DFO(6410068-06)</i>
Add	depth of 4 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'32.4"N 062°46'46.7"W <i>DFO(6410068-07)</i>
Add	depth of 1 metre 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'30.3"N 062°46'23.9"W <i>DFO(6410068-08)</i>
Add	depth of 1 metre 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'28.3"N 062°45'35.9"W <i>DFO(6410068-19)</i>
4452 - Baie Washicoutai - New Edition - 22-MAR-2013 - NAD 1983		
22-MAR-2019		LNMD. 15-JUN-2018
Delete	depth of 5 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°09'57.5"N 060°57'30.6"W <i>DFO(6409980-01)</i>
Add	depth of 1 metre 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°10'00.1"N 060°57'34.3"W <i>DFO(6409980-02)</i>
Add	depth of 3 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°09'36.7"N 060°52'31.8"W <i>DFO(6409980-04)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Delete	depth of 25 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479136	50°08'48.6"N 060°51'35.4"W <i>DFO(6409980-05)</i>
Add	depth of 10 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°08'46.4"N 060°51'35.6"W <i>DFO(6409980-06)</i>
Add	depth of 4 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479136	50°09'20.4"N 060°51'04.0"W <i>DFO(6409980-07)</i>
Add	depth of 0 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°09'25.6"N 060°50'55.1"W <i>DFO(6409980-08)</i>
Add	depth of 4 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479136	50°10'26.5"N 060°53'15.4"W <i>DFO(6409980-09)</i>
Delete	depth of 7 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°11'15.6"N 060°53'06.3"W <i>DFO(6409980-10)</i>
Add	depth of 1 metre 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°11'17.5"N 060°53'08.0"W <i>DFO(6409980-11)</i>
Add	depth of 2 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479136	50°13'38.9"N 060°51'28.2"W <i>DFO(6409980-12)</i>
Add	depth of 5 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°09'40.5"N 060°54'09.4"W <i>DFO(6409980-14)</i>
4452 - Havre Gethsémani - New Edition - 22-MAR-2013 - NAD 1983		
22-MAR-2019		LNMD. 15-JUN-2018
Delete	depth of 7 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579135	50°12'40.1"N 060°41'24.2"W <i>DFO(6409981-01)</i>
Add	depth of 5 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579135	50°12'40.1"N 060°41'25.0"W <i>DFO(6409981-02)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Delete	depth of 6 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579135	50°12'37.3"N 060°41'25.3"W <i>DFO(6409981-03)</i>
Add	depth of 5 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579135	50°12'37.5"N 060°41'25.6"W <i>DFO(6409981-04)</i>
Delete	depth of 7 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579135	50°12'34.7"N 060°41'26.5"W <i>DFO(6409981-05)</i>
Add	depth of 6 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579135	50°12'34.6"N 060°41'27.7"W <i>DFO(6409981-06)</i>
Delete	depth of 3 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA579135	50°12'22.0"N 060°41'33.0"W <i>DFO(6409981-07)</i>
Add	depth of 3 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA579135	50°12'21.8"N 060°41'33.0"W <i>DFO(6409981-08)</i>
Add	depth of 3 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA579135	50°12'04.0"N 060°40'19.5"W <i>DFO(6409981-10)</i>
4453 - Île à la Brume à/to Pointe Curlew - New Edition - 14-DEC-2012 - NAD 1983		
22-MAR-2019		LN/M/D. 06-OCT-2017
Delete	depth of 5 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°09'57.5"N 060°57'30.6"W <i>DFO(6409980-01)</i>
Add	depth of 1 metre 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°10'00.1"N 060°57'34.3"W <i>DFO(6409980-02)</i>
Add	depth of 3 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°09'36.7"N 060°52'31.8"W <i>DFO(6409980-04)</i>
Add	depth of 10 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°08'46.4"N 060°51'35.6"W <i>DFO(6409980-06)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 0 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°09'25.6"N 060°50'55.1"W <i>DFO(6409980-08)</i>
Delete	depth of 7 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°11'15.6"N 060°53'06.3"W <i>DFO(6409980-10)</i>
Add	depth of 1 metre 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°11'17.5"N 060°53'08.0"W <i>DFO(6409980-11)</i>
Delete	depth of 12 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139	50°09'43.7"N 060°54'08.8"W <i>DFO(6409980-13)</i>
Add	depth of 5 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA479136	50°09'40.5"N 060°54'09.4"W <i>DFO(6409980-14)</i>
Delete	depth of 3 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA579135	50°12'22.0"N 060°41'33.0"W <i>DFO(6409981-07)</i>
Add	depth of 3 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA579135	50°12'21.8"N 060°41'33.0"W <i>DFO(6409981-08)</i>
Delete	depth of 3 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139	50°12'02.1"N 060°40'22.9"W <i>DFO(6409981-09)</i>
Add	depth of 3 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379139, CA579135	50°12'04.0"N 060°40'19.5"W <i>DFO(6409981-10)</i>
4454 - Pointe Curlew à/to Baie Washtawouka - New Edition - 16-NOV-2012 - NAD 1983		
22-MAR-2019		LNMD. 22-FEB-2019
Delete	depth of 14 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°11'22.5"N 061°59'52.9"W <i>DFO(6409988-01)</i>
Add	depth of 5 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°11'21.2"N 061°59'48.2"W <i>DFO(6409988-02)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 4 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°11'19.0"N 062°00'32.3"W <i>DFO(6409988-03)</i>
Delete	depth of 14 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°11'39.5"N 062°01'07.0"W <i>DFO(6409988-04)</i>
Add	depth of 6 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°11'38.6"N 062°01'01.6"W <i>DFO(6409988-05)</i>
Add	depth of 6 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°12'10.7"N 062°01'59.3"W <i>DFO(6409988-06)</i>
Delete	depth of 11 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°12'09.9"N 062°02'39.8"W <i>DFO(6409988-07)</i>
Add	depth of 3 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°12'09.1"N 062°02'40.0"W <i>DFO(6409988-08)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4454-20190212-1.pdf This notice affects Electronic Navigational Chart: CA379093	50°09'54.0"N 061°21'55.0"W <i>DFO(6409993-01)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4454-20190212-3.pdf This notice affects Electronic Navigational Chart: CA379093	50°11'47.0"N 061°25'00.0"W <i>DFO(6409993-02)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4454-20190212-2.pdf This notice affects Electronic Navigational Chart: CA379093	50°10'02.0"N 061°11'04.0"W <i>DFO(6409994-01)</i>
Delete	depth of 8 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379093	50°11'02.6"N 061°57'08.2"W <i>DFO(6410062-01)</i>
Add	depth of 4 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379093	50°11'02.1"N 061°57'09.4"W <i>DFO(6410062-02)</i>
Add	depth of 2 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379093	50°09'03.4"N 061°48'48.5"W <i>DFO(6410062-03)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 3 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379093	50°08'17.8"N 061°49'00.4"W <i>DFO(6410062-04)</i>
Add	depth of 1 metre 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379093	50°07'34.7"N 061°49'14.9"W <i>DFO(6410062-05)</i>
Add	depth of 0 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379093	50°07'07.8"N 061°49'23.4"W <i>DFO(6410062-06)</i>
Add	depth of 4 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379093	50°05'02.7"N 061°46'25.4"W <i>DFO(6410062-07)</i>
Add	depth of 2 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379093	50°05'01.4"N 061°45'42.4"W <i>DFO(6410062-08)</i>
4455 - Baie Washtawouka à/to Baie Piashti - New Edition - 22-FEB-2013 - NAD 1983		
22-MAR-2019		LNMD/09-SEP-2016
Delete	depth of 14 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°11'22.5"N 061°59'52.9"W <i>DFO(6409988-01)</i>
Add	depth of 5 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°11'21.2"N 061°59'48.2"W <i>DFO(6409988-02)</i>
Add	depth of 4 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°11'19.0"N 062°00'32.3"W <i>DFO(6409988-03)</i>
Delete	depth of 14 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°11'39.5"N 062°01'07.0"W <i>DFO(6409988-04)</i>
Add	depth of 6 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°11'38.6"N 062°01'01.6"W <i>DFO(6409988-05)</i>
Add	depth of 6 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°12'10.7"N 062°01'59.3"W <i>DFO(6409988-06)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Delete	depth of 11 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°12'09.9"N 062°02'39.8"W <i>DFO(6409988-07)</i>
Add	depth of 3 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°12'09.1"N 062°02'40.0"W <i>DFO(6409988-08)</i>
Delete	depth of 3 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'42.0"N 062°46'48.9"W <i>DFO(6410068-02)</i>
Add	depth of 2 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579134	50°17'42.2"N 062°46'47.9"W <i>DFO(6410068-03)</i>
Add	depth of 4 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°14'46.0"N 062°36'38.3"W <i>DFO(6410068-09)</i>
Add	depth of 6 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°14'32.0"N 062°36'41.4"W <i>DFO(6410068-10)</i>
Add	rock which covers and uncovers with drying height of 1 metre 0 decimetres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA379140	50°16'35.2"N 062°32'45.1"W <i>DFO(6410068-11)</i>
Delete	depth of 1 metre 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°15'58.3"N 062°23'32.9"W <i>DFO(6410068-12)</i>
Add	depth of 1 metre 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°15'59.2"N 062°23'29.0"W <i>DFO(6410068-13)</i>
Delete	depth of 0 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°15'54.3"N 062°21'20.7"W <i>DFO(6410068-14)</i>
Add	rock which covers and uncovers with drying height of 1 metre 4 decimetres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA379140	50°15'55.0"N 062°21'21.6"W <i>DFO(6410068-15)</i>
Delete	depth of 3 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°15'51.8"N 062°20'48.4"W <i>DFO(6410068-16)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	rock which covers and uncovers with drying height of 1 metre 4 decimetres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA379140	50°15'51.9"N 062°20'50.7"W <i>DFO(6410068-17)</i>
Add	depth of 2 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379140	50°16'00.2"N 062°20'22.3"W <i>DFO(6410068-18)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4455-20190220.pdf	50°20'37.0"N 062°44'24.0"W <i>DFO(6410082-01)</i>
4456 - Baie Piashti à/to Petite Île au Marteau - New Edition - 30-AUG-2013 - NAD 1983		
08-MAR-2019		LNMD. 14-OCT-2016
Delete	depth of 12 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026	50°13'23.1"N 063°33'40.5"W <i>DFO(6409937-01)</i>
Add	depth of 11 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026, CA579004	50°13'22.7"N 063°33'34.3"W <i>DFO(6409937-02)</i>
Add	depth of 9 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379026, CA579004	50°12'10.8"N 063°32'36.0"W <i>DFO(6409937-10)</i>
Delete	depth of 2 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°13'38.2"N 063°29'31.0"W <i>DFO(6409979-07)</i>
Add	depth of 0 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°13'41.0"N 063°29'29.7"W <i>DFO(6409979-08)</i>
Delete	depth of 2 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°11'51.8"N 063°29'09.7"W <i>DFO(6409979-09)</i>
Add	depth of 1 metre 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379026	50°11'52.1"N 063°29'07.9"W <i>DFO(6409979-10)</i>
Add	depth of 1 metre 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379131	50°11'52.4"N 063°25'38.1"W <i>DFO(6409979-11)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4456-20190208.pdf	50°21'00.7"N 063°05'49.1"W <i>DFO(6409979-16)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	rock which covers and uncovers with drying height of 0 metres 2 decimetres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA379131	50°12'29.0"N 063°06'22.0"W <i>DFO(6410014-02)</i>
Delete	depth of 2 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379131	50°12'17.7"N 063°06'25.5"W <i>DFO(6410014-03)</i>
Add	drying height of 0 metres (See Chart No. 1, I15) This notice affects Electronic Navigational Chart: CA379131	50°12'16.4"N 063°06'26.7"W <i>DFO(6410014-04)</i>
Add	depth of 1 metre 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379131	50°12'10.4"N 063°06'21.0"W <i>DFO(6410014-05)</i>
Delete	depth of 12 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379131	50°11'49.3"N 063°06'13.3"W <i>DFO(6410014-06)</i>
Add	depth of 9 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279044, CA379131	50°11'48.8"N 063°06'15.8"W <i>DFO(6410014-07)</i>
Add	depth of 7 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379131	50°11'55.3"N 063°06'09.9"W <i>DFO(6410014-08)</i>
Add	depth of 6 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379131	50°12'43.3"N 063°18'11.7"W <i>DFO(6410014-09)</i>
Delete	depth of 3 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379131	50°17'42.0"N 062°46'48.9"W <i>DFO(6410059-02)</i>
Add	depth of 2 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379131	50°17'42.2"N 062°46'47.9"W <i>DFO(6410059-03)</i>
 4459 - Summerside Harbour - New Edition - 25-JUN-1999 - NAD 1983		
15-MAR-2019		LNM/D. 12-OCT-2018
Replace	depth of 2.4 metres with depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576182	46°23'20.3"N 063°47'25.2"W <i>DFO(6308584-01)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Replace	depth of 3 metres with depth of 2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576182	46°23'16.4"N 063°47'25.3"W <i>DFO(6308584-02)</i>
Delete	depth of 2.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576182	46°23'17.3"N 063°47'27.6"W <i>DFO(6308584-03)</i>
Add	depth of 1.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576182	46°23'17.1"N 063°47'29.0"W <i>DFO(6308584-04)</i>
Replace	depth of 5.1 metres with depth of 4.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576182	46°23'14.0"N 063°47'29.8"W <i>DFO(6308584-05)</i>
Replace	depth of 2.7 metres with depth of 1.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA476181, CA576182	46°23'14.4"N 063°47'32.4"W <i>DFO(6308584-06)</i>
Replace	depth of 5.5 metres with depth of 4.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA476181, CA576182	46°23'11.8"N 063°47'17.7"W <i>DFO(6308584-07)</i>
 4459 - Summerside Harbour and Approaches / et les approches - New Edition - 25-JUN-1999 - NAD 1983		
	15-MAR-2019	LNM/D. 12-OCT-2018
Replace	depth of 2.7 metres with depth of 1.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA476181, CA576182	46°23'14.4"N 063°47'32.4"W <i>DFO(6308584-06)</i>
Replace	depth of 5.5 metres with depth of 4.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA476181, CA576182	46°23'11.8"N 063°47'17.7"W <i>DFO(6308584-07)</i>
 4466 - Hillsborough Bay - New Edition - 21-MAR-2003 - NAD 1983		
	08-MAR-2019	LNM/D. 31-AUG-2018
Add	obstruction with known depth of 46 feet (See Chart No. 1, K41) This notice affects Electronic Navigational Chart: CA476179	46°03'56.4"N 063°14'39.6"W <i>DFO(6308564-01)</i>
 4468 - Havre de Harrington - New Edition - 27-FEB-2015 - NAD 1983		
	08-MAR-2019	LNM/D. 17-NOV-2017
Delete	depth of 10 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA179245, CA379115, CA479116	50°25'44.1"N 059°28'17.4"W <i>DFO(6410017-14)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 9 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA179245, CA379115, CA479116	50°25'43.8"N 059°28'17.9"W	<i>DFO(6410017-15)</i>
Add	depth of 3 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479116	50°29'53.4"N 059°27'52.8"W	<i>DFO(6410017-17)</i>
Add	depth of 2 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479116	50°29'52.8"N 059°28'10.2"W	<i>DFO(6410017-19)</i>
4468 - Île du Petit Mécatina aux/to Îles Sainte-Marie - New Edition - 27-FEB-2015 - NAD 1983			
08-MAR-2019			LN/D. 17-NOV-2017
Add	depth of 10 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°22'01.5"N 059°40'03.3"W	<i>DFO(6410017-01)</i>
Add	depth of 8 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°23'50.2"N 059°37'19.9"W	<i>DFO(6410017-02)</i>
Add	depth of 1 metre 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°25'41.5"N 059°36'14.7"W	<i>DFO(6410017-03)</i>
Add	depth of 1 metre 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°26'56.1"N 059°36'22.8"W	<i>DFO(6410017-04)</i>
Add	depth of 3 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°27'06.1"N 059°36'57.2"W	<i>DFO(6410017-06)</i>
Delete	depth of 7 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°27'18.0"N 059°37'23.4"W	<i>DFO(6410017-07)</i>
Add	depth of 1 metre 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°27'19.4"N 059°37'26.9"W	<i>DFO(6410017-08)</i>
Add	depth of 2 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°27'49.1"N 059°34'38.6"W	<i>DFO(6410017-09)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Delete	depth of 13 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°28'13.8"N 059°31'38.6"W <i>DFO(6410017-10)</i>
Add	depth of 4 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°28'10.8"N 059°31'43.0"W <i>DFO(6410017-11)</i>
Delete	depth of 15 metres 5 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°27'52.9"N 059°31'16.0"W <i>DFO(6410017-12)</i>
Add	depth of 5 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°27'53.8"N 059°31'08.6"W <i>DFO(6410017-13)</i>
Delete	depth of 10 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA179245, CA379115, CA479116	50°25'44.1"N 059°28'17.2"W <i>DFO(6410017-14)</i>
Add	depth of 9 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA179245, CA379115, CA479116	50°25'43.8"N 059°28'17.9"W <i>DFO(6410017-15)</i>
Delete	depth of 13 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379115	50°20'49.4"N 059°44'47.9"W <i>DFO(6410017-21)</i>
Add	depth of 6 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°20'52.4"N 059°44'45.6"W <i>DFO(6410017-23)</i>
Add	depth of 5 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°21'29.6"N 059°41'57.5"W <i>DFO(6410017-24)</i>
Add	depth of 6 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°22'38.1"N 059°40'42.9"W <i>DFO(6410017-25)</i>
Add	depth of 5 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA279043, CA379115	50°23'44.1"N 059°40'17.2"W <i>DFO(6410017-26)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4468-20190207.pdf	50°22'39.3"N 059°57'54.6"W <i>DFO(6410017-27)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

4469 - Île Plate à/to Île du Petit Mécatina - New Edition - 08-NOV-1985 - NAD 1927

08-MAR-2019

LNM/D. 30-JUN-2017

Delete	depth of 6 fathoms 0 feet (See Chart No. 1, I10)	50°44'47.4"N 059°00'10.7"W <i>DFO(6410016-01)</i>
Add	depth of 5 fathoms 3 feet (See Chart No. 1, I10)	50°44'46.2"N 059°00'09.8"W <i>DFO(6410016-02)</i>
Delete	depth of 5 fathoms 1 foot (See Chart No. 1, I10)	50°29'50.8"N 059°27'57.5"W <i>DFO(6410017-16)</i>
Add	depth of 2 fathoms 1 foot (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479116	50°29'53.2"N 059°27'55.9"W <i>DFO(6410017-17)</i>
Add	depth of 1 fathom 3 feet (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479116	50°29'52.6"N 059°28'13.2"W <i>DFO(6410017-19)</i>
Delete	depth of 4 fathoms 2 feet (See Chart No. 1, I10)	50°39'56.5"N 059°13'48.5"W <i>DFO(6410018-01)</i>
Add	depth of 4 fathoms 1 foot (See Chart No. 1, I10)	50°39'55.8"N 059°13'49.9"W <i>DFO(6410018-02)</i>
Add	depth of 0 fathoms 4 feet (See Chart No. 1, I10)	50°40'47.4"N 059°14'25.7"W <i>DFO(6410018-03)</i>
Add	depth of 1 fathom 3 feet (See Chart No. 1, I10)	50°39'50.0"N 059°07'38.7"W <i>DFO(6410018-04)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4469-20190207.pdf	50°49'01.9"N 059°04'58.3"W <i>DFO(6410063-01)</i>

4474 - Baie de la Tabatière - New Edition - 28-MAY-1999 - NAD 1983

08-MAR-2019

LNM/D. 08-FEB-2019

Delete	depth of 3 fathoms 4 feet (See Chart No. 1, I10)	30°19', 498 m from South West corner of inset border <i>DFO(6410016-03)</i>
Add	depth of 3 fathoms 2 feet (See Chart No. 1, I10)	30°19', 498 m from South West corner of inset border <i>DFO(6410016-04)</i>
Delete	depth of 4 fathoms 5 feet (See Chart No. 1, I10)	23°55', 1011 m from South West corner of inset border <i>DFO(6410016-05)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add depth of 4 fathoms 2 feet 23°55', 1011 m from South West
(See Chart No. 1, I10) corner of inset border
DFO(6410016-06)

4474 - Îles Bun à/to Baie des Moutons - New Edition - 28-MAY-1999 - NAD 1983
08-MAR-2019

LNM/D. 08-FEB-2019

Add depth of 5 fathoms 3 feet 50°44'46.4"N 059°00'06.7"W
(See Chart No. 1, I10) *DFO(6410016-02)*

Delete depth of 6 fathoms 5 feet 50°51'05.6"N 058°57'23.1"W
(See Chart No. 1, I10) *DFO(6410016-07)*

Add depth of 6 fathoms 1 foot 50°51'05.2"N 058°57'20.8"W
(See Chart No. 1, I10) *DFO(6410016-08)*

4485 - Cap des Rosiers à/to Chandler - New Edition - 17-JUN-2011 - NAD 1983
15-MAR-2019

LNM/D. 01-FEB-2019

Add Ru against wharf 48°20'29.6"N 064°39'27.3"W
(See Chart No. 1, F33)
This notice affects Electronic Navigational Chart: CA379086, CA579071
DFO(6410075-01)

4486 - Baie des Chaleurs / Chaleur Bay - New Edition - 19-FEB-1999 - NAD 1983
01-MAR-2019

LNM/D. 02-NOV-2018

Amend 2Lts Fl G + Fl Y to read 2Lts Fl G & LFl against light 47°46'57.0"N 065°42'27.0"W
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: CA376187, CA576267
(G2019005) LL(1339) DFO(6308560-01)

15-MAR-2019 LNM/D. 01-MAR-2019
Add Ru against wharf 48°20'41.0"N 064°39'20.5"W
(See Chart No. 1, F33)
This notice affects Electronic Navigational Chart: CA379086, CA579071
DFO(6410075-01)

4615 - Harbours in Placentia Bay / Havres dans Placentia Bay: Petit forte to / à Broad Cove Head - New Edition - 20-AUG-1999 - NAD 1983
01-MAR-2019

LNM/D. 22-DEC-2017

Delete subsurface Ocean Data Acquisition System ODAS/SADO with 47°19'27.0"N 054°42'17.4"W
known depth of 5 metres
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA376173
DFO(6308568-01)

4622 - Cape St Mary's to / à Argentinia Harbour and / et Jude Island - New Edition - 03-OCT-2003 - NAD 1983
01-MAR-2019

LNM/D. 08-FEB-2019

Delete subsurface Ocean Data Acquisition System ODAS/SADO with 47°19'27.0"N 054°42'17.4"W
known depth of 2 fathoms, 4 feet
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA376173
DFO(6308568-01)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

4624 - Long Island to / à St. Lawrence Harbours - New Edition - 07-JAN-2000 - NAD 1983

01-MAR-2019

LNMD. 22-JUN-2018

Delete subsurface Ocean Data Acquisition System ODAS/SADO with
known depth of 5 metres
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA376173

47°19'27.0"N 054°42'17.4"W

DFO(6308568-01)

4653 - Bay of Islands - New Edition - 30-MAY-2003 - NAD 1983

29-MAR-2019

LNMD. 22-JUN-2018

Add pier
(See Chart No. 1, F14)
This notice affects Electronic Navigational Chart: CA476190

between 49°00'34.8"N 058°07'48.5"W
and 49°00'34.8"N 058°07'40.8"W

DFO(6308593-01)

4658 - Bonne Bay - New Edition - 10-OCT-2003 - NAD 1983

08-MAR-2019

LNMD. 22-JUN-2018

Amend Iso 4s to read Iso 4s1 15ft12M against light
(See Chart No. 1, P16)

49°36'09.5"N 057°57'14.9"W

LL(201) DFO(6308548-02)

4658 - Rocky Harbour - New Edition - 10-OCT-2003 - NAD 1983

08-MAR-2019

LNMD. 22-JUN-2018

Reposition light Iso 4s
(See Chart No. 1, P1)

from 49°36'10.6"N 057°57'24.5"W
to 49°36'10.2"N 057°57'21.1"W
(N2018104) *LL(201) DFO(6308548-01)*

Amend Iso 4s to read Iso 4s1 15ft12M against light
(See Chart No. 1, P16)

49°36'10.2"N 057°57'21.1"W

LL(201) DFO(6308548-02)

4659 - Port au Port - New Edition - 01-AUG-2003 - NAD 1983

15-MAR-2019

LNMD. 07-JUL-2017

Replace depth of 11 fathoms with depth of 9 fathoms
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA276138

48°46'31.4"N 058°39'04.7"W

DFO(6308583-01)

4679 - Hawkes Bay, Port Saunders, Back Arm - New Edition - 29-NOV-2002 - NAD 1983

15-MAR-2019

LNMD. 20-NOV-2015

Add pier
(See Chart No. 1, F14)

joining 50°42'22.1"N 057°21'01.8"W
50°42'22.0"N 057°21'05.0"W
and 50°42'21.7"N 057°21'06.1"W
DFO(6308587-01)

Add drying height of 1 foot
(See Chart No. 1, I15)

50°42'41.0"N 057°20'58.6"W

DFO(6308587-02)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

4722 - Terrington Basin - New Edition - 25-OCT-2013 - NAD 1983

08-MAR-2019

LNM/D. 23-DEC-2016

Replace depth of 15.9 metres with depth of 9.9 metres
 (See Chart No. 1, I10)
 This notice affects Electronic Navigational Chart: CA476215, CA576211

53°21'09.2"N 060°20'59.3"W

DFO(6308570-01)

Replace depth of 7.4 metres with depth of 5.9 metres
 (See Chart No. 1, I10)
 This notice affects Electronic Navigational Chart: CA576211

53°21'04.9"N 060°21'04.3"W

DFO(6308570-02)

Replace depth of 7.7 metres with depth of 6.3 metres
 (See Chart No. 1, I10)
 This notice affects Electronic Navigational Chart: CA476215, CA576211

53°21'02.7"N 060°21'09.8"W

DFO(6308570-03)

Delete depth of 7.8 metres
 (See Chart No. 1, I10)
 This notice affects Electronic Navigational Chart: CA576211

53°21'02.2"N 060°21'12.8"W

DFO(6308570-04)

Replace depth of 7.5 metres with depth of 6.4 metres
 (See Chart No. 1, I10)
 This notice affects Electronic Navigational Chart: CA576211

53°21'01.5"N 060°21'15.8"W

DFO(6308570-05)

Replace depth of 7.4 metres with depth of 6.1 metres
 (See Chart No. 1, I10)
 This notice affects Electronic Navigational Chart: CA576211

53°21'01.6"N 060°21'18.0"W

DFO(6308570-06)

Add sounding of 7.4 metres
 (See Chart No. 1, I10)
 This notice affects Electronic Navigational Chart: CA576211

53°21'01.7"N 060°21'12.3"W

DFO(6308570-07)

4728 - Epinette Point to / à Terrington Basin - New Edition - 22-NOV-2002 - NAD 1983

08-MAR-2019

LNM/D. 07-SEP-2018

Replace depth of 7 fathoms, 5 feet with depth of 5 fathoms, 2 feet
 (See Chart No. 1, I10)
 This notice affects Electronic Navigational Chart: CA476215, CA576211

53°21'09.2"N 060°20'59.3"W

DFO(6308570-01)

Replace depth of 4 fathoms, 2 feet with depth of 3 fathoms, 3 feet
 (See Chart No. 1, I10)
 This notice affects Electronic Navigational Chart: CA476215, CA576211

53°21'02.7"N 060°21'09.8"W

DFO(6308570-03)

15-MAR-2019

LNM/D. 08-MAR-2019

Replace depth of 7 fathoms, 1 foot with depth of 5 fathoms, 4 feet
 (See Chart No. 1, I10)
 This notice affects Electronic Navigational Chart: CA476215

53°25'22.9"N 060°00'05.1"W

DFO(6308582-01)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Replace	depth of 5 fathoms, 1 foot with depth of 3 fathoms, 1 foot (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA476215	53°25'06.4"N 060°00'44.1"W <i>DFO(6308582-02)</i>
Replace	depth of 7 fathoms, 3 feet with depth of 6 fathoms, 3 feet (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA476215	53°24'58.1"N 060°00'53.0"W <i>DFO(6308582-03)</i>
Add	depth of 4 fathoms, 1 foot (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA476215	53°22'51.9"N 060°10'35.0"W <i>DFO(6308582-04)</i>
Add	depth of 1 fathom, 3 feet (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA476215	53°22'48.7"N 060°10'47.7"W <i>DFO(6308582-05)</i>
Replace	depth of 4 fathoms with depth of 3 fathoms, 4 feet (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA476215	53°22'56.1"N 060°11'07.6"W <i>DFO(6308582-06)</i>
 4817 - Bay Bulls to / à St. Mary's Bay - New Edition - 23-AUG-2002 - NAD 1983		
	29-MAR-2019	LNMD. 06-APR-2018
Amend	"WHIS" to read "BELL" against red and white fairway pillar light buoy Mo(A), marked ME (See Chart No. 1, R15, R14) This notice affects Electronic Navigational Chart: CA376106, CA576107	46°41'15.0"N 053°24'45.0"W <i>(N2019005) LL(5.5) DFO(6308597-01)</i>
 4844 - Cape Pine to / à Renews Harbour - New Edition - 08-MAR-2002 - NAD 1983		
	29-MAR-2019	LNMD. 18-APR-2014
Amend	"WHIS" to read "BELL" against red and white fairway pillar light buoy Mo(A), marked ME (See Chart No. 1, R15, R14) This notice affects Electronic Navigational Chart: CA376106, CA576107	46°41'15.0"N 053°24'45.0"W <i>(N2019005) LL(5.5) DFO(6308597-01)</i>
 4844 - Trepassey Harbour - New Edition - 08-MAR-2002 - NAD 1983		
	29-MAR-2019	LNMD. 18-APR-2014
Amend	"WHIS" to read "BELL" against red and white fairway pillar light buoy Mo(A), marked ME (See Chart No. 1, R15, R14) This notice affects Electronic Navigational Chart: CA376106, CA576107	46°41'15.0"N 053°24'45.0"W <i>(N2019005) LL(5.5) DFO(6308597-01)</i>
 4846 - Motion Bay to / à Cape St Francis - New Edition - 15-DEC-1995 - NAD 1983		
	15-MAR-2019	LNMD. 28-SEP-2018
Add	subsurface Ocean Data Acquisition System ODAS/SADO with known depth of 100 metres (See Chart No. 1, L25) This notice affects Electronic Navigational Chart: CA376015	47°33'42.0"N 052°35'21.0"W <i>DFO(6308580-01)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

4846 - St John's Harbour - New Edition - 15-DEC-1995 - NAD 1983

15-MAR-2019

LNM/D. 28-SEP-2018

Replace	depth of 6.7 metres with depth of 8.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°34'03.0"N 052°42'05.9"W <i>DFO(6308573-01)</i>
Delete	depth of 6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°34'02.1"N 052°42'07.1"W <i>DFO(6308573-02)</i>
Add	depth of 8.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°34'01.8"N 052°42'07.4"W <i>DFO(6308573-03)</i>
Add	depth of 8.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'59.1"N 052°42'07.7"W <i>DFO(6308573-04)</i>
Delete	depth of 8.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'58.6"N 052°42'08.6"W <i>DFO(6308573-05)</i>
Add	depth of 7.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'58.1"N 052°42'09.2"W <i>DFO(6308573-06)</i>
Delete	depth of 8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'57.8"N 052°42'10.0"W <i>DFO(6308573-07)</i>
Add	depth of 7.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'57.4"N 052°42'10.4"W <i>DFO(6308573-08)</i>
Add	crib which does not cover (See Chart No. 1, Fb) This notice affects Electronic Navigational Chart: CA576386	47°34'00.1"N 052°42'06.5"W <i>DFO(6308573-09)</i>
Add	pier (See Chart No. 1, F14) This notice affects Electronic Navigational Chart: CA576386	between 47°34'12.8"N 052°41'49.4"W and 47°34'07.8"N 052°41'48.2"W <i>DFO(6308573-10)</i>
Replace	depth of 5.7 metres with depth of 4.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'22.6"N 052°42'31.5"W <i>DFO(6308586-01)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Add	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'23.4"N 052°42'31.1"W <i>DFO(6308586-02)</i>
Add	depth of 5.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'26.6"N 052°42'31.4"W <i>DFO(6308586-03)</i>
Replace	depth of 7.9 metres with depth of 7.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'25.8"N 052°42'35.4"W <i>DFO(6308586-04)</i>
Add	depth of 7.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'35.6"N 052°42'13.1"W <i>DFO(6308586-05)</i>
Add	depth of 9.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'38.2"N 052°42'12.7"W <i>DFO(6308586-06)</i>
Replace	depth of 14.3 metres with depth of 9.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°34'00.1"N 052°40'53.7"W <i>DFO(6308586-07)</i>
Add	depth of 4.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'58.4"N 052°40'39.6"W <i>DFO(6308586-08)</i>
Add	depth of 7.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA576386	47°33'48.8"N 052°40'42.2"W <i>DFO(6308586-09)</i>

4863 - Bacalhao Island to / à Black Island - New Edition - 30-NOV-2001 - NAD 1983
22-MAR-2019

LNM/D. 17-NOV-2017

Add	breakwater with legend Bkw (See Chart No. 1, F4.1) This notice affects Electronic Navigational Chart: CA476804	between 49°39'06.8"N 054°46'02.3"W and 49°39'05.7"N 054°46'04.6"W <i>DFO(6308592-02)</i>
-----	--	--

4886 - Fish Plant Wharf / Quai de l'usine de transformation de poisson - New Chart - 26-DEC-1997 - NAD 1983
22-MAR-2019

LNM/D. 08-JAN-2016

Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/4886v1PA1 - Twillingate Harbour Patch.pdf This notice affects Electronic Navigational Chart: CA576425	49°39'00.0"N 054°46'00.0"W <i>DFO(6308592-01)</i>
-------	--	--

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

4886 - Twillingate CCG Wharf / Quai GCC - New Chart - 26-DEC-1997 - NAD 1983

22-MAR-2019

LNMD. 08-JAN-2016

Delete coast guard station with rescue station
(See Chart No. 1, T11)
This notice affects Electronic Navigational Chart: CA576425

49°39'33.7"N 054°46'24.7"W

DFO(6308592-03)

4886 - Twillingate Harbours - New Chart - 26-DEC-1997 - NAD 1983

22-MAR-2019

LNMD. 08-JAN-2016

Affix patch
Download Patch - <ftp://ftp.dfo-mpo.gc.ca/patches/4886v1PA1 - Twillingate Harbour Patch.pdf>
This notice affects Electronic Navigational Chart: CA576425

49°39'00.0"N 054°46'00.0"W

DFO(6308592-01)

4913 - Caraquet Harbour, Baie de Shippegan and / et Miscou Harbour - New Chart - 07-AUG-1992 - NAD 1983

15-MAR-2019

LNMD. 12-OCT-2018

Add depth of 4.5 metres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA476275

47°48'28.4"N 064°53'45.1"W

DFO(6308574-01)

4920 - Quai / Wharf Petit-Rocher - New Edition - 14-DEC-2018 - NAD 1983

01-MAR-2019

Amend FIY 6s7m15M to read LFI 6s7m6M against light
(See Chart No. 1, P16)
This notice affects Electronic Navigational Chart: CA376187, CA576267

47°46'54.6"N 065°42'27.1"W

(G2019005) LL(1339) DFO(6308560-01)

4921 - Chandler - New Edition - 02-DEC-2016 - NAD 1983

15-MAR-2019

LNMD. 22-FEB-2019

Add Ru against wharf
(See Chart No. 1, F33)
This notice affects Electronic Navigational Chart: CA379086, CA579071

48°20'29.6"N 064°39'27.3"W

DFO(6410075-01)

4921 - L'Anse-à-Beaufils - New Edition - 02-DEC-2016 - NAD 1983

15-MAR-2019

LNMD. 22-FEB-2019

Add depth of 2 metres 2 decimetres
(See Chart No. 1, I10)
This notice affects Electronic Navigational Chart: CA579062

48°28'21.0"N 064°18'21.3"W

DFO(6410073-01)

4921 - Quai / Wharf Chandler - New Edition - 02-DEC-2016 - NAD 1983

15-MAR-2019

LNMD. 22-FEB-2019

Add Ru against wharf
(See Chart No. 1, F33)
This notice affects Electronic Navigational Chart: CA379086, CA579071

48°20'29.6"N 064°39'27.3"W

DFO(6410075-01)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

4938 - Pictou Wharves - New Chart - 25-JAN-2019 - World Geodetic System 1984

08-MAR-2019

Delete	"Battery Point" This notice affects Electronic Navigational Chart: CA576246	45°40'39.7"N 062°42'01.2"W <i>DFO(6308576-01)</i>
Add	"Battery Point" This notice affects Electronic Navigational Chart: CA576246	45°40'35.0"N 062°42'04.0"W <i>DFO(6308576-02)</i>

4950 - La Passe - New Edition - 19-JUL-2013 - NAD 1983

29-MAR-2019

		LNMD. 09-FEB-2018
Add	depth of 4 metres 9 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479226	47°16'07.6"N 061°43'12.0"W <i>DFO(6409913-01)</i>
Delete	depth of 3 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479226	47°15'56.4"N 061°43'06.3"W <i>DFO(6409913-02)</i>
Add	depth of 2 metres 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479226	47°15'55.8"N 061°43'04.6"W <i>DFO(6409913-03)</i>
Add	depth of 7 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479226	47°14'48.2"N 061°42'55.9"W <i>DFO(6409913-04)</i>
Add	depth of 8 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379216, CA479226	47°14'40.4"N 061°42'46.0"W <i>DFO(6409913-05)</i>
Add	depth of 3 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479226	47°16'48.1"N 061°44'07.4"W <i>DFO(6409915-01)</i>
Delete	depth of 7 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479226	47°17'04.3"N 061°44'38.0"W <i>DFO(6409915-02)</i>
Add	depth of 7 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA479226	47°17'02.6"N 061°44'36.8"W <i>DFO(6409915-03)</i>
		LNMD. 09-FEB-2018
Add	depth of 8 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379216, CA479226	47°14'40.4"N 061°42'46.0"W <i>DFO(6409913-05)</i>

4950 - Îles de la Madeleine - New Edition - 19-JUL-2013 - NAD 1983

29-MAR-2019

Add	depth of 8 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379216, CA479226	47°14'40.4"N 061°42'46.0"W <i>DFO(6409913-05)</i>
-----	---	--

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Delete	depth of 2 metres 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379216	47°23'17.6"N 061°48'48.8"W <i>DFO(6409914-01)</i>
Add	fish haven with depth of 4 metres 8 decimetres over an artificial feature (See Chart No. 1, K46.2, Ka) This notice affects Electronic Navigational Chart: CA379216	47°23'12.8"N 061°48'47.2"W <i>DFO(6409914-02)</i>
Add	depth of 5 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379216, CA579084	47°32'27.1"N 061°34'30.3"W <i>DFO(6409919-01)</i>
Add	depth of 3 metres 3 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379216	47°12'48.9"N 061°58'52.2"W <i>DFO(6409920-01)</i>
Add	depth of 10 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379216	47°19'51.9"N 061°50'36.2"W <i>DFO(6409992-01)</i>
Delete	depth of 8 metres, 7 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379216	47°32'13.5"N 061°43'20.6"W <i>DFO(6410015-01)</i>
Add	depth of 8 metres, 1 decimetre (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379216	47°32'12.0"N 061°43'21.2"W <i>DFO(6410015-02)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4950-20190211.pdf	On the right side of the chart <i>DFO(6410066-01)</i>
4954 - Chenal du Havre de la Grande Entrée - New Edition - 18-MAR-2016 - NAD 1983		
29-MAR-2019		LNMD. 27-JAN-2017
Add	depth of 5 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA379216, CA579084	47°32'27.1"N 061°34'30.3"W <i>DFO(6409919-01)</i>
Add	depth of 6 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579084	47°32'21.3"N 061°34'26.4"W <i>DFO(6409919-02)</i>
Add	depth of 6 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579084	47°32'24.6"N 061°34'23.6"W <i>DFO(6409919-03)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

Delete	depth of 5 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579084	47°32'21.2"N 061°34'24.2"W <i>DFO(6409919-04)</i>
Add	depth of 5 metres 4 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579084	47°32'22.2"N 061°34'23.7"W <i>DFO(6409919-05)</i>
Add	depth of 4 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579084	47°32'22.5"N 061°34'16.5"W <i>DFO(6409919-06)</i>

4955 - Havre-aux-Maisons - New Edition - 15-JUN-2018 - NAD 1983
29-MAR-2019

Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4955-20190211-1.pdf	On top of the chart <i>DFO(6410064-01)</i>
Affix	patch Download Patch - ftp://ftp.dfo-mpo.gc.ca/patches/pa4955-20190211-2.pdf	Below the chart title block <i>DFO(6410065-03)</i>

4956 - Cap-aux-Meules - New Edition - 02-SEP-2011 - NAD 1983
08-MAR-2019

		LNM/D. 07-DEC-2018
Delete	depth of 6 metres 0 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579046	47°22'47.1"N 061°51'17.0"W <i>DFO(6410021-01)</i>
Add	depth of 5 metres 6 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579046	47°22'46.6"N 061°51'17.3"W <i>DFO(6410021-02)</i>
Delete	depth of 6 metres 2 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579046	47°22'41.7"N 061°51'08.3"W <i>DFO(6410021-03)</i>
Add	depth of 5 metres 8 decimetres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA579046	47°22'41.7"N 061°51'07.8"W <i>DFO(6410021-04)</i>

5048 - Cape Harrigan to / aux Kidlit Islands - New Edition - 25-DEC-2015 - NAD 1983
01-MAR-2019

		LNM/D. 15-JUL-2016
Add	depth of 24.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA376368	55°51'52.4"N 060°10'52.5"W <i>DFO(6308567-01)</i>

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 2 – CHART CORRECTIONS

6370 - Great Slave Lake / Grand lac des Esclaves, Western Portion / Partie ouest - Sheet/Feuille 1 - New Edition - 03-AUG-1990 - Astronomic Positioning

08-MAR-2019

LNMD. 14-JUL-2017

Delete red and white fairway lighted pillar buoy Mo(A), marked ER
(See Chart No. 1, Qh)

61°21'38.4"N 113°41'52.8"W

(A2019001) LL(1680.1) DFO(6604521-01)

7736 - Simpson Strait - New Edition - 15-JUN-2018 - World Geodetic System 1984

15-MAR-2019

Reposition front leading beacon
(See Chart No. 1, Q120)
This notice affects Electronic Navigational Chart: CA473317

from 68°32'16.5"N 097°23'45.0"W
to 68°32'16.5"N 097°23'45.1"W

(A2019004) DFO(6604527-01)

Reposition rear leading beacon
(See Chart No. 1, Q120)
This notice affects Electronic Navigational Chart: CA473317

from 68°32'13.5"N 097°23'22.4"W
to 68°32'13.7"N 097°23'22.4"W

(A2019005) DFO(6604528-01)

8005 - Georges Bank - New Edition - 20-JUN-2003 - NAD 1983

01-MAR-2019

LNMD. 02-SEP-2016

Add wreck, least depth unknown
(See Chart No. 1, K29)
This notice affects Electronic Navigational Chart: CA276367

42°08'18.0"N 066°42'06.0"W

DFO(6308575-01)

8011 - Grand Bank / Grand Banc: Northern Portion / Partie Nord - New Edition - 30-AUG-2002 - NAD 1983

08-MAR-2019

LNMD. 01-JUN-2018

Reposition private yellow ODAS/SADO lighted pillar buoy FI Y
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA276101

from 46°31'55.0"N 048°32'37.5"W
to 46°31'24.8"N 048°33'41.7"W

DFO(6308566-01)

8012 - Flemish Pass / Passe Flamande - New Edition - 11-OCT-2002 - NAD 1983

08-MAR-2019

LNMD. 28-DEC-2018

Reposition private yellow ODAS/SADO lighted pillar buoy FI Y
(See Chart No. 1, Q58)
This notice affects Electronic Navigational Chart: CA276101

from 46°31'55.0"N 048°32'37.5"W
to 46°31'24.8"N 048°33'41.7"W

DFO(6308566-01)

8014 - Grand Bank / Grand Banc: Northeast Portion / Partie nord-est - New Edition - 25-JUL-2003 - NAD 1983

15-MAR-2019

LNMD. 28-SEP-2018

Add subsurface Ocean Data Acquisition System ODAS/SADO with
known depth of 55 fathoms
(See Chart No. 1, L25)
This notice affects Electronic Navigational Chart: CA376015

47°33'42.0"N 052°35'21.0"W

DFO(6308580-01)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019
SECTION 3 – RADIO AIDS TO MARINE NAVIGATION CORRECTIONS

NO CORRECTIONS FOR THIS SECTION.

SECTION 4 – SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

ARC 403 — Western Arctic, First Edition, 2011 —

Chapter 6 — After paragraph 125

Insert: 125.1 **Caution.** — A 2.3-m shoal, rising rapidly from a depth of 111 m when approaching from the south and a depth of 26.7 m when approaching from the north, is 1.3 miles NE of the easternmost of the Lawford Islands group.

(C2019-004.01)

Chapter 6 — Adjacent to paragraph 125.1, add a caution pictograph.

(C2019-004.02)

ATL 101 — Newfoundland — Northeast and East Coasts, Second Edition, 2013 —

Chapter 3 — After paragraph 1

Insert: 1.1 **Caution.** — The inshore areas of Notre Dame Bay are very active with **aquaculture** facilities. Marine farms and vessel traffic associated with the aquaculture industry may be encountered in many of these sheltered areas. Vessels transiting these inshore areas should exercise **caution.**

(N2019-00.1)

Chapter 3 — Adjacent to paragraph 1.1, add a caution pictograph.

(N2019-00.2)

Chapter 6 — Paragraph 349

Delete: a depth of 1.3 m (4 ft)

Replace by: a least depth of 1.5 m (5 ft)

(N2019-00.3)

Chapter 6 — Paragraph 350

Delete: “70 m (230 ft) ... ruins in 2011.”

Replace by: 65 m (213 ft) long, with depths of 4.6 to 4.8 m (15 to 16 ft), is located about 90 m (295 ft) SSE of the Public pier. A depth of 3.9 m (13 ft) is charted about 20 m (66 ft) north of the outer end of the wharf. **Ruins** of a previous wharf are charted about 130 m (427 ft) south of the fish plant wharf.

(N2019-00.4)

ATL 103 — Newfoundland — Southwest Coast, Second Edition, 2010 —

Chapter 1 — After paragraph 31

Insert: 31.1 **Caution.** — A **submarine cable** extending from Île Saint-Pierre enters Lamaline Road and is landed near the NW end of Allan’s Island. The chart should be consulted in the area for its location; **caution** is advised.

(N2019-00.5)

Chapter 1 — Adjacent to paragraph 31.1, add a caution pictograph.

(N2019-00.6)

SECTION 4 – SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 1 — After paragraph 56

Insert: 56.1 **Caution.** — **Submarine cables** extending from the settlements of Miquelon and Lamaline are landed close north of Cap Noir. The chart should be consulted in the area for their location; **caution** is advised.

(N2019-00.7)

Chapter 1 — Adjacent to paragraph 56.1, add a caution pictograph.

(N2019-00.8)

Chapter 1 — After paragraph 108

Insert: 108.1 **Caution.** — **Submarine cables** extending from Fortune and Île Saint-Pierre extend mid channel through Anse de Miquelon and are landed at the settlement of Miquelon. The chart should be consulted in the area for their location; **caution** is advised.

(N2019-00.9)

Chapter 1 — Adjacent to paragraph 108.1, add a caution pictograph.

(N2019-01.0)

Chapter 2 — After paragraph 22

Insert: 22.1 **Caution.** — A **submarine cable** extending from the settlement of Miquelon is landed on the shoreline about 1 mile east of Fortune Head. The chart should be consulted in the area for its location; **caution** is advised.

(N2019-01.1)

Chapter 2 — Adjacent to paragraph 22.1, add a caution pictograph.

(N2019-01.2)

ATL 106 — Gulf of Maine and Bay of Fundy, First Edition, 2001 —

Chapter 3 — Paragraph 8, after “NE of North Shoal.”

Insert: A **light** (5.8) is shown at an elevation of 14 m, from a white cylindrical tower with two red bands situated on the rock.

(A2019-006.3)

Chapter 3 — Adjacent to paragraph 8, add a light pictograph.

(A2019-006.4)

ATL 108 — Gulf of St. Lawrence (Southwest Portion), First Edition, 2006 —

Chapter 3 — Paragraph 179

Delete: “Holman wharf ... outer end of the wharf.”

Replace by: *Holman wharf*, 135 m long and 22 m wide, has depths from 1.5 to 2.4 m along the outer 90 m length on its east side. The approach depth is 2 m, but there is a depth of 1.9 m 50 m east of the outer end of the wharf.

(A2019-008.5)

SECTION 4 – SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 4 — Paragraph 188

Delete: A public **wharf**

Replace by: A wharf in ruins

(Q2019-015.1)

Chapter 4 — Paragraph 266

Delete: The wharves are in ruins.

Replace by: The wharf, in ruins, is closed to navigation and berthing is prohibited; vessels are not to approach the wharf within 65.6 feet (20 m).

(Q2019-009.1)

Chapter 4 — Delete paragraph 267

Replace by: ²⁶⁷ A 262-foot (80-m) long **breakwater** shelters the former ferry docking area. There is a dolphin 49 feet (15 m) east of the breakwater.

(Q2019-009.2)

ATL 109 — Gulf of St. Lawrence (Northeast Portion), First Edition, 2006 —

Chapter 2 — Paragraph 81, after “There are rocks”

Insert: , one with a depth of 2 feet (0.6 m),

(Q2019-007.1)

Chapter 2 — After paragraph 114

Insert: ^{114.1} **Caution.** — A rock with a depth of 31 feet (9.4 m) lies 3.2 miles SSE of **Île du Bord** (*51°02'N, 58°32.6'W*).

(Q2019-007.2)

Chapter 2 — Adjacent to paragraph 114.1, add a caution pictograph.

(Q2019-007.3)

Chapter 2 — After paragraph 115

Insert: ^{115.1} **Caution.** — A rock with a depth of 0.6 foot (0.2 m) lies 0.6 mile SE of **Îles aux Renards**.

(Q2019-007.5)

Chapter 2 — Adjacent to paragraph 115.1, add a caution pictograph.

(Q2019-007.6)

INDEX — After “Bonne-Espérance, Île de, C2/P43” (Print-on-Demand Version)

Insert: Bord, Île du, C2/P114.1

(Q2019-007.4)

INDEX — After “Bonne-Espérance, Île de, 33” (2006 Print Version)

Insert: Bord, Île du, 38

(Q2019-007.4)

INDEX — After “Reefs Harbour, C3/P37” (Print-on-Demand Version)

Insert: Renards, Îles aux, C2/P115.1

(Q2019-007.7)

SECTION 4 – SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

INDEX — After “Reefs Harbour, 54” (2006 Print Version)

Insert: Renards, Îles aux, 38

(Q2019-007.7)

ATL 110 — St. Lawrence River — Cap Whittle/Cap Gaspé to Les Escoumins and Anticosti Island, Third Edition, 2011 —

Chapter 1 — Paragraph 49

Delete: 6 m

Replace by: 7 m

(Q2019-011.1)

Chapter 1 — Paragraph 49

Delete: 3 m

Replace by: 2 m

(Q2019-011.2)

Chapter 1 — Paragraph 55

Delete: 3.4 m

Replace by: 3.3 m

(Q2019-011.3)

Chapter 1 — Paragraph 56

Delete: 44 m

Replace by: 50 m

(Q2019-011.4)

Chapter 1 — Paragraph 56

Delete: 5.4 m

Replace by: 5.6 m

(Q2019-011.5)

Chapter 1 — Paragraph 56

Delete: 2.2 m

Replace by: 2.9 m

(Q2019-011.6)

Chapter 1 — Paragraph 69

Delete: 4.6 m

Replace by: 4.5 m

(Q2019-012.1)

Chapter 1 — Paragraph 69

Delete: 6.9 m

Replace by: 7 m

(Q2019-012.2)

Chapter 1 — Paragraph 77

Delete: 4.2 m

Replace by: 4.3 m

(Q2019-005.1)

SECTION 4 – SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 1 — Paragraph 77

Delete: 1.3 m

Replace by: 1.6 m

(Q2019-012.4)

Chapter 1 — After paragraph 279

Insert: 279.1 **Caution.** — There are concrete artificial **reefs** (*50°12.6'N, 66°24.8'W*), with depths of 2.5 m, located in the NE part of the bay.

(Q2018-065.1)

Chapter 1 — Adjacent to paragraph 279.1, add a caution pictograph.

(Q2018-065.2)

Chapter 1 — In the vicinity of paragraph 283, **Table 1.3 Port of Sept-Îles Wharves**
Make the following changes in the “**Depth †**” column.

Berth	Depth † metres
7	8.3
14, 15	7.4 to 8.3
31	11.6

(Q2018-065.3)

ATL 111 — St. Lawrence River — Île Verte to Québec and Fjord du Saguenay, Third Edition, 2007 —

Chapter 1 — Paragraph 46

Delete: “On the SW side ... 15 minutes.”

(Q2019-013.1)

Chapter 2 — Paragraph 100

Delete: , Chandler

(Q2019-010.3)

Chapter 4 — Paragraph 4

Delete: 49 m

Replace by: 47 m

(Q2019-017.1)

Chapter 4 — After paragraph 14

Insert: 14.1 Guidelines for the Transit of Wide Beam Vessels and Long Vessels are described in Notice C27A of the *Annual Edition of Notices to Mariners*.

(Q2019-018.1)

Chapter 4 — Paragraph 54

Delete: 62 m

Replace by: 61 m

(Q2019-017.2)

SECTION 4 – SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

ATL 112 — St. Lawrence River — Cap-Rouge to Montréal and Rivière Richelieu, Third Edition, 2009 —

Chapter 1 — After paragraph 4.1

Insert: 4.2 Guidelines for the Transit of Wide Beam Vessels and Long Vessels are described in Notice C27A of the *Annual Edition of Notices to Mariners*.

(Q2019-018.2)

Chapter 2 — After paragraph 4.1

Insert: 4.2 Guidelines for the Transit of Wide Beam Vessels and Long Vessels are described in Notice C27A of the *Annual Edition of Notices to Mariners*.

(Q2019-018.3)

Chapter 2 — Paragraphs 69.1, 227 and 230.1

Delete: *May 2016*

Replace by: *July 2017*

(Q2019-010.1)

Chapter 2 — Paragraph 273

Delete: , Chandler

(Q2019-010.2)

ATL 121 — Labrador, Hamilton Inlet to Cape Chidley (including Button Islands and Gray Strait), Second Edition, 2016 —

Chapter 3 — Paragraph 193, after “surveyed channel.”

Insert: The NE Calf Cow and Bull Islands, 7 m (23 ft) in elevation, has a rock drying 2.1 m (7 ft) lying close SE of its east end; **caution** is advised.

(N2019-01.3)

CEN 301 — St. Lawrence River, Montréal to Kingston, Second Edition, 2010 —

Chapter 4 — After paragraph 93

Insert: 93.1 **Anchorage**. — There is an anchorage area off Carleton Island. (See **33 CFR 110.209**, chapter 2 [of U.S. Coast Pilot 6] for limits and regulations.)

(C2019-002.01)

CEN 302 — Lake Ontario, First Edition, 1996 —

Chapter 1 — After paragraph 247

Insert: ^{247.1} *Stillwater Basin Marina*, 0.5 mile west of the *Norris Whitney Bridge*, has depths of 2.4 m (8 ft), and offers dockage with water and power, **ramp**, pump out, repairs, picnic area, showers, laundromat, mast stepper and a 35-ton (32-tonne) crane is available. There is grocery shopping nearby.

(C2019-001.01)

SECTION 4 – SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 2 — After paragraph 11

Insert: 11.1 **Anchorages.** — There is an anchorage area off Tibbetts Point. (See **33 CFR 110.209**, chapter 2 [of U.S. Coast Pilot 6] for limits and regulations.)

(C2019-001.02)

Chapter 2 — Paragraph 168, last line

Add: Scotch Bonnet Island is a *National Wildlife Area*.

(C2019-001.03)

Chapter 2 — Paragraph 181, last line

Add: Wellers Bay is a *National Wildlife Area*.

(C2019-001.04)

CEN 307 — North Channel of Lake Huron, First Edition, 2000 —

Chapter 1 — After paragraph 27

Insert: 27.1 **Caution.** — **Marine farm** facilities extend approximately 525 feet (160 m) offshore from the NE arm of Little La Cloche Island.

(C2019-005.01)

Chapter 1 — Adjacent to paragraph 27.1, add a caution pictograph.

(C2019-005.02)

Chapter 1 — After paragraph 154

Insert: 154.1 **Caution.** — A **submerged power cable** crosses the east entrance channel to Little Current from Gibbons Point to a point west of Bird Point.

(C2019-005.03)

Chapter 1 — Adjacent to paragraph 154.1, add a caution pictograph.

(C2019-005.04)

Chapter 2 — After paragraph 4

Insert: 4.1 **Caution.** — **Marine farm** facilities extend approximately 427 feet (130 m) offshore 0.8 mile south of Mosquito Island.

(C2019-005.05)

Chapter 2 — Adjacent to paragraph 4.1, add a caution pictograph.

(C2019-005.06)

Chapter 4 — Delete paragraph 18 and adjacent marina pictograph.

(C2019-005.07)

Chapter 5 — Paragraph 71, last line

Add: There is a 0.3-foot (0.1-m) sounding on the north side of this channel.

(C2019-005.08)

SECTION 4 – SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Chapter 5 — Adjacent to paragraph 71, add a caution pictograph. (C2019-005.09)

Chapter 5 — After paragraph 81
Insert: ^{81.1} **Caution.** — There is a rock awash
0.3 mile ENE of the 12-foot (3.7-m) rock. (C2019-005.10)

Chapter 5 — Adjacent to paragraph 81.1, add a caution pictograph. (C2019-005.11)

Chapter 6 — Paragraph 147
Delete: Two **submerged telephone cables** cross
Replace by: An **overhead** telephone **cable** with a vertical
clearance of 7.2 m crosses (C2019-003.01)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019

SECTION 5 – LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

The amendments are highlighted and deletions are crossed out. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#) and [Pacific Coast](#).

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NEWFOUNDLAND AND LABRADOR COAST

CAPE RACE TO ST. SHOTTS (LL 1 – 7.4)

5.5	Powles Head light and bell buoy ME	46 41 15.0 053 24 45.0	Mo(A) W 6s	Red and white vertical stripes, marked "ME".	Year round.
							Chart:4844 Edn 03/19 (N19-005)

PLACENTIA BAY (LL 14.4 – 79)

19.5	Red Island Shoal ODAS buoy	47 19 03.0 054 07 30.0	Fl(5) Y 20s	ODAS, yellow.	Operates 24 h. Year round.
							Chart:4841 Edn 03/19 (N18-099)

WEST COAST (LL 173 – 208.2)

199 H0175	Trout River Light	W. side of river mouth. 49 28 51.1 058 07 57.2	Fl W 6s	24.3	6	Red and white Square skeleton tower, red and white rectangular daymark, red band at top and bottom. 4.3	Flash 1 s; eclipse 5 s. Seasonal.
							Chart:4661 Edn 03/19 (N18-100)
200 H0168	Woody Point Light	Bonne Bay. 49 30 17.2 057 54 44.9	Fl R 4s	13.7	4	White pyramid tower, red top. 7.3	Visible 180°. Year round.
							Chart:4658 Edn 03/19 (N18-101, N19-008)
200.3 H0165	Rocky Harbour Wharf Light	49 35 27.4 057 55 08.1	Fl G 4s	2	Cylindrical Mast. 2.6	Year round.
							Chart:4658 Edn 03/19 (N18-103)
201 H0164	Lobster Cove Head Light (Bonne Bay)	Bonne Bay. 49 36 10.2 057 57 21.1	Iso W 4s	35.0	12	White lighthouse. 8.4	Year round.
							Chart:4658 Edn 03/19 (N18-104, N19-009)

NOTRE DAME BAY (LL 326 – 346.4, 354 – 395)

360 H0648	Duck Island Light (Main Tickle)	SW. of Main Tickle, Friday Bay. 49 35 33.0 054 43 32.7	Fl W 6s	17.4	6	Square skeleton tower, white rectangular daymark, red band at top and bottom. 4.3	Flash 1 s; eclipse 5 s. Seasonal.
							Chart:4863 Edn 03/19 (N18-096, N19-007)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019

SECTION 5 – LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ATLANTIC COAST

NOVA SCOTIA, SOUTHWEST COAST (LL 271 – 300.5)

274.9	Allen Rock light buoy NS9	Schooner Passage, Tusket Islands. 43 38 22.1 066 02 05.3	Fl G 4s	Green, marked "NS9".	Year round. Chart:4244 Edn 03/19 (F19-002, 003)
-------	------------------------------	---	---------	-------	-------	----------------------	---

NOVA SCOTIA, SOUTHEAST COAST (LL 327 – 664.8, 666.8 – 684.02)

498 H3650	Terence Bay	On Tennant Point. 44 27 36.6 063 42 20.4	Fl W 6s	8	White pyramid tower, red top. 7.3	Operates at night only. Flash 2 s; eclipse 4 s. Year round. Chart:4385 Edn 03/19 (F19-001)
--------------	-------------	--	---------	-------	---	--------------------------------------	--

663 H3472	Little Dover Harbour	Burnt Island. 45 16 41.5 061 01 12.4	Fl W 4s	8.1	7	Square skeleton tower, red and white rectangular daymark, red band at top and bottom. 6.7	Operates at night only. Year round. Chart:4233 Edn 03/19 (G18-136)
--------------	-------------------------	--	---------	-----	---	--	---

NOVA SCOTIA AND CAPE BRETON ISLAND (LL 686.5 – 704.1)

687.35	Chedabucto Bay West ODAS buoy	45 29 13.0 061 08 28.0	ODAS, yellow. Year round. Chart:4307 Edn 03/19 (G19-008)
--------	----------------------------------	---------------------------	-------	-------	-------	-------	---

CAPE BRETON ISLAND, N.S. (LL 704.85 – 882.5)

709.55	Chedabucto Bay East ODAS buoy	45 26 42.2 060 57 14.5	ODAS, yellow. Year round. Chart:4307 Edn 03/19 (G19-007)
--------	----------------------------------	---------------------------	-------	-------	-------	-------	---

GULF OF ST. LAWRENCE (LL 883.2 – 940.3, 1169.1 – 1426, 1477.5 – 1584)

900.5	Pictou light buoy SJ	N. of Mackenzie Shoal. 45 42 10.0 062 36 45.0	Mo(A) W 6s	Red and white vertical stripes, marked "SJ".	Seasonal. Chart:4938 Edn 03/19 (G19-006)
-------	-------------------------	--	------------	-------	-------	--	--

901	Pictou Harbour light buoy SJ4	S. of Cole Point. 45 41 33.0 062 38 37.0	Q R 1s	Red, marked "SJ4".	Seasonal. Chart:4938 Edn 03/19 (G19-006, 010)
-----	----------------------------------	--	--------	-------	-------	--------------------	---

901.5	Lighthouse Beach light buoy SJ7	Off bar. 45 41 23.3 062 39 37.7	Q G 1s	Green spar, marked "SJ7".	Seasonal. Chart:4938 Edn 03/19 (G19-006)
-------	------------------------------------	---------------------------------------	--------	-------	-------	---------------------------	--

901.6	Murdock Shoal light buoy SJ6	45 41 27.3 062 39 30.7	Fl R 4s	Red, marked "SJ6".	Seasonal. Chart:4938 Edn 03/19 (G19-006)
-------	---------------------------------	---------------------------	---------	-------	-------	--------------------	--

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019

SECTION 5 – LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
903 H1256	Pictou Harbour range	On N. side of entrance to harbour. 45 41 18.3 062 40 42.9	F W	6.8	11	White square tower, red at top, red vertical stripe. 7.0	Visible in line of range. Year round. Mariners requiring the operation of the range light will have to select VHF channel 65A and key their microphones five (5) times in quick succession. The range light will be in operation for 30 minutes. If additional time is required, repeat the process above.
904 H1256.1		261°57' 140.6 m from front.	F W	16.9	11	Square skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Year round. Mariners requiring the operation of the range lights will have to select VHF channel 65A and key their microphones five (5) times in quick succession. The range lights will be in operation for 30 minutes. If additional time is required, repeat the process above.
905	Pictou Landing light buoy SJ11	S. of Grave Point. 45 40 52.3 062 40 43.7	Fl G 4s	Green spar, marked "SJ11".	Seasonal. Chart: 4938 Edn 03/19 (G19-006)
905.2	Pictou Harbour light buoy SJ12	45 40 51.5 062 41 30.5	Fl R 4s	Red spar, marked "SJ12".	Seasonal. Chart: 4938 Edn 03/19 (G19-006)
905.3	Pictou Harbour light buoy SJ15	45 40 38.7 062 41 04.7	Fl G 4s	Green spar, marked "SJ15".	Seasonal. Chart: 4938 Edn 03/19 (G19-006)
905.4	Pictou Landing East light buoy	45 40 33.6 062 40 59.7	Fl G 4s	Privately maintained. Seasonal. Operates at night only. Position is approximate. Owned by Small Craft Harbours. Chart: 4938 Edn 03/19 (G19-006)
905.5	Pictou Landing West light buoy	45 40 33.5 062 41 00.7	Fl R 4s	2	Privately maintained. Seasonal. Operates at night only. Position is approximate. Owned by Small Craft Harbours. Chart: 4938 Edn 03/19 (G19-006)
905.6	Norway Reach light buoy SJ19	East River of Pictou. 45 39 50.3 062 42 46.7	Q G 1s	Green spar, marked "SJ19".	Seasonal. Chart: 4938 Edn 03/19 (G19-006)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019

SECTION 5 – LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
906 H1248.1	Pictou	45 40 37.6 062 42 08.8	Iso R 4s	28.7	16	Red square skeleton tower. 12.7	Operates at night only. Year round. Chart:4938 Edn 03/19 (G19-006)
906.4 H1248.05	Lighthouse Beach	S. side of entrance to harbour. 45 41 14.1 062 39 48.2	Fl W 4s	8.9	6	Square skeleton tower, red and white rectangular daymark, red band at top and bottom. 7.2	Flash 1 s; eclipse 3 s. Radar reflector. Year round. Chart:4938 Edn 03/19 (G19-006)
906.6 H1260.5	Pictou Marina	End of the floating dock. 45 40 27.9 062 42 39.4	Q G 1s	2.0 1.8	Private aid. Operates 24 h. Maintained by Pictou Development Corporation. Seasonal. Chart:4938 Edn 03/19 (G19-006)
909	Norway Reach light buoy SJ27/3	S. of Indian Cross Point. 45 38 28.3 062 41 26.7	Fl G 4s	Green spar, marked "SJ27/3".	Seasonal. Chart:4938 Edn 03/19 (G19-006)
909.5	Stonehouse Point light buoy SJ38	45 37 32.2 062 39 07.7	Q R 1s	Red spar, marked "SJ38".	Seasonal. Chart:4938 Edn 03/19 (G19-006)
911.5	Maccdonald Reef light buoy SP6	E. of reef. 45 42 44.2 062 37 25.7	Fl R 4s	Red spar, marked "SP6".	Seasonal. Chart:4938 Edn 03/19 (G19-006)
924 H1283	Wallace Harbour Sector	45 48 46.8 063 27 43.6	F AI RW AI GW	R W G	12.4 21	White pyramid tower, white top. 8.1 Red from 254° to 256°; AI RW from 256° to 257°; white from 257° to 258°; AI GW from 258° to 259°; green from 259° to 261°. White sector indicates preferred channel. Operates 24 h. Seasonal. Chart:4402 Edn 03/19 (G19-011, 014)
1339 H1606	Petit-Rocher	On outer end of wharf ell. 47 46 54.6 065 42 27.2	Fl W 6s	7.5	9.4	Square skeleton tower. 6.9	Flash 2 s; eclipse 4 s. Operates 24 h. Seasonal. Chart:4920 Edn 03/19 (G19-005, 009, 020)
1531.2 H0130	Middle Bay Sector	51 28 01.9 057 29 26.2	Iso R W G 4s	38.7	16	Square skeleton tower, red trapezoid daymark, black vertical stripe. 6.4	Visible on an arc of 7°; green from 002°12' to 000°12'; white from 000°12' through N. to 357°12'; red from 357°12' to 355°12'. White sector indicates preferred channel. Operates 24 h. Seasonal. Chart:4971 Edn 03/19 (Q18-143)

MONTHLY NOTICES TO MARINERS
EASTERN EDITION 03/2019

SECTION 5 – LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE RIVER (LL 1584.5 – 1772, 1823.8 – 2185.7, 2273 – 2365.95)

1962.3	Marina de la Chaudière Entrance light buoy QC2	46 44 43.7 071 16 42.6	Q R 1s	Red, marked "QC2".	Private aid. Seasonal. Chart:1316 Edn 03/19 (Q19-001)
1962.5	Marina de la Chaudière Entrance light buoy QC3	46 44 43.7 071 16 40.8	Q G 1s	Green, marked "QC3".	Private aid. Seasonal. Chart:1316 Edn 03/19 (Q19-002)
2105.2	Pont Laviolette North	46 18 29.1 072 33 45.8	F R	47.7	On bridge. Flash 40s, eclipse 10s. Visible 360°. Operates at night only. Year round. Chart:1313 Edn 03/19 (Q19-024)
2105.6	Pont Laviolette South	46 18 24.4 072 33 37.6	F R	48.0	On bridge. Flash 40s, eclipse 10s. Visible 360°. Operates at night only. Year round. Chart:1313 Edn 03/19 (Q18-172)

INLAND WATERS

ST. LAWRENCE SEAWAY (LL 0.1 – 78, 84 – 141.5, 143 – 158, 164 – 353, 372 – 391.92, 1193 – 1204.5)

133.2	Highlander Shoal lighted spar buoy						Delete from list. Chart:1432 Edn 03/19 (B18-014)
-------	---------------------------------------	--	--	--	--	--	--

OTTAWA RIVER (LL 1233.3 – 1322)

1305.5	Davidson	On outer end of wharf. 45 52 21.3 076 46 25.3	Fl Y 4s	3.0	Mast. 2.4	Private aid. Seasonal. Chart:1552 Edn 03/19 (B19-001)
--------	----------	--	---------	-----	-------	------------------	--

GREAT SLAVE LAKE (LL 1671.7 – 1716)

1680.1	Resdelta Channel light buoy ER						Delete from list. Chart:6370 Edn 03/19 (A19-001)
--------	-----------------------------------	--	--	--	--	--	--

CANADIAN COAST GUARD – MARINE INFORMATION REPORT AND SUGGESTION SHEET

Name of Ship or Sender: Date:

Address of Sender:
Street # Street Name

Town / City: Prov / State: Postal Code / Zip Code:

Tel / Fax / E-mail address of sender:

Observation Date: Time (UTC):

Geographical Position:

Coordinate Position: Lat: Long:

Position Method: DGPS GPS with WAAS GPS Radar Other

Horizontal Datum Used: WGS 84 NAD 27 Other

Estimated Position Accuracy:

Chart #: Datum: NAD 27 NAD 83

Chart Edition: Last Correction applied:

Publications affected (Quote edition and page number):

*Full details (Attach additional sheets as necessary):

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on the chart, which will be promptly replaced by the Canadian Hydrographic Service.

Reports should be made to the nearest Marine Communications and Traffic Services Centre (MCTS) and should be confirmed in writing to:

Leader, Notices to Mariners
Canadian Coast Guard
Department of Fisheries and Oceans
Montreal, QC H2Y 2E7
Notmar.XNCR@dfo-mpo.gc.ca

In the case of information concerning aids to navigation or the List of Lights, Buoys and Fog Signals book.

OR

Director General, Canadian Hydrographic Service & Oceanographic Services
Department of Fisheries and Oceans
Ottawa, ON K1A 0E6
CHSINFO@dfo-mpo.gc.ca

In the case of new or suspected dangers to navigation or where corrections to "Sailing Directions" appear to be necessary.

For general questions on Canadian Coast Guard programs or services, please send an e-mail to:
info@dfo-mpo.gc.ca