



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

# Notices to Mariners

**Edition No. 03/2022**  
**March 25, 2022**



Safety First, Service Always

## Monthly Eastern Edition

Canada 

Notices to Mariners – Monthly Eastern Edition  
Edition No. 03/2022

Aussi disponible en français :  
Avis aux navigateurs – Édition mensuelle de l'Est  
Édition n° 03/2022

**Published under the Authority of:**

Canadian Coast Guard Programs  
Aids to Navigation and Waterways  
Fisheries and Oceans Canada  
Montreal, QC H2Y 2E7

For more information, contact [Notmar.XNCR@dfo-mpo.gc.ca](mailto:Notmar.XNCR@dfo-mpo.gc.ca).

© Her Majesty the Queen in Right of Canada,  
as represented by the Minister of Fisheries, Oceans  
and the Canadian Coast Guard, 2022.

Cat. No. Fs152-5E-PDF (Electronic PDF, English)  
ISSN 1719-7678

Cat. No. Fs152-5F-PDF (Electronic PDF, French)  
ISSN 1719-7694

A web version is available here:

<https://www.notmar.gc.ca/monthly> (English)

<https://www.notmar.gc.ca/mensuel> (French)

## Explanatory Notes – Notices to Mariners (NOTMAR)

**Geographical positions** refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

**Bearings** refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

**Visibility** of lights is that in clear weather.

**Depths** - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

**Elevations** are normally given above Higher High Water, Large Tide (unless otherwise indicated).

**Distances** may be calculated as follows:

- 1 nautical mile = 1,852 metres (6,076.1 feet)
- 1 statute mile = 1,609.3 metres (5,280 feet)
- 1 metre = 3.28 feet

### Temporary and Preliminary Notices to Mariners – Section 1A of *Notices to Mariners*

These notices are indicated by a (T) or a (P), respectively. Please note that nautical charts are not amended by the Canadian Hydrographic Service for temporary (T) and preliminary (P) notices. It is recommended that mariners chart these corrections in pencil. For the list of charts affected by (T) & (P) notices, please refer to the current [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication.

### Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications. It is available [online](#) and also in [fillable PDF format](#) included with the monthly publication ZIP file.

To report chart discrepancies and/or corrections to the *Sailing Directions* booklets: Fill out the [Marine Information Reporting Form](#) and/or email [chsinfo@dfo-mpo.gc.ca](mailto:chsinfo@dfo-mpo.gc.ca).

To report emergencies or navigational hazards: [Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- \*16 on a cellphone (where available)

### NOTMAR Website – Monthly Editions, Chart Corrections and Chart Patches

The NOTMAR website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new Monthly Edition of *Notices to Mariners* is published.

In addition, the monthly publication and related files to download, such as chart patches and *Sailing Directions* diagrams, can be obtained all together through the download of a single ZIP file.


## Explanatory Notes – Canadian Hydrographic Service (CHS)

### Chart Corrections – Section 2 of *Notices to Mariners*

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:



The last correction number is identified with the **LNMD** or **Last Notice to Mariners Number / Date**.

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in “Section 2 – Chart Corrections.” This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the [List of Lights, Buoys and Fog Signals](#) publication.

**Note:** In the case of a discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

### Canadian Nautical Charts & Publications

A source list of Canadian nautical charts and publications is published in Notice No. 14 of the *Notices to Mariners Annual Edition 2022*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates, please refer to the following website: [www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp](http://www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp).

## Explanatory Notes – Marine Communications and Traffic Services (MCTS)

### Navigational Warnings / Notices to Shipping

The Canadian Coast Guard (CCG) is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping<sup>1</sup>, that are broadcast by the CCG, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARN) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

NAVWARN are accessible on the applicable regional page on the CCG Navigational Warnings website at <http://nis.ccg-gcc.gc.ca>.

CHS is reviewing the impact of these changes with CCG and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional NAVWARN Issuing Desk.

<p><b>Atlantic Region (North)</b> <b>*Port aux Basques MCTS Centre</b></p> <p>“N” Series NAVWARN</p> <p>Canadian Coast Guard 49 Stadium Rd. P.O. Box 99 Port aux Basques, NL A0M 1C0</p> <p>Telephone: 709-695-2168 or 1-800-563-9089 Facsimile: 709-695-7784</p> <p>Email: <a href="mailto:NAVWARN.MCTSPortAuxBasques@innav.gc.ca">NAVWARN.MCTSPortAuxBasques@innav.gc.ca</a></p>	<p><b>Central Region</b> <b>*Prescott MCTS Centre</b></p> <p>“Q” and “C” Series NAVWARN</p> <p>Canadian Coast Guard 401 King Street West P.O. Box 1000 Prescott, ON K0E 1T0</p> <p>Telephone: 613-925-0666 Facsimile: 613-925-4519</p> <p>Email: <a href="mailto:NAVWARN.MCTSPrescott@innav.gc.ca">NAVWARN.MCTSPrescott@innav.gc.ca</a></p>
<p><b>Atlantic Region (South)</b> <b>*Sydney MCTS Centre</b></p> <p>“M” Series NAVWARN</p> <p>Canadian Coast Guard 1190 Westmount Road Sydney, NS B1R 2J6</p> <p>Telephone: 902-564-7751 or 1-800-686-8676 Facsimile: 902-564-7662</p> <p>Email: <a href="mailto:NAVWARN.MCTSSydney@innav.gc.ca">NAVWARN.MCTSSydney@innav.gc.ca</a></p>	<p><b>Arctic Region</b> <b>*Iqaluit MCTS Centre</b></p> <p><i>Operational from approximately mid-May until late December.</i></p> <p>“A” and “H” Series NAVWARN</p> <p>Canadian Coast Guard P.O. Box 189 Iqaluit, NU X0A 0H0</p> <p><u>“A” Series NAVWARN</u> Telephone: 867-979-5269</p> <p><u>“H” Series NAVWARN</u> Telephone: 867-979-0310 Facsimile: 867-979-4264</p> <p>Email: <a href="mailto:NAVWARN.MCTSIqaluit@innav.gc.ca">NAVWARN.MCTSIqaluit@innav.gc.ca</a></p>

\*Service available in English and in French.

<sup>1</sup> The expression “Notice to Shipping” was changed to “Navigational Warning” in January 2019.

## Table of Contents

<b>Section 1: General and Safety Information</b>	<b>1</b>
Canadian Coast Guard Publication – Comments and Suggestions on Notices to Mariners (NOTMAR) Publications .....	1
Transport Canada – COVID-19 Measures, Updates and Guidance.....	1
Transport Canada – Annual Edition of Notices to Mariners 2022 - Section A3, Notice 7A: Voyage Planning for Vessels Intending to Navigate in Canada's Northern Waters .....	1
*302/22 Canadian Hydrographic Service – Nautical Charts.....	1
*303/22 Canadian Hydrographic Service – Electronic Navigational Charts.....	1
*304/22 Canadian Hydrographic Service – Raster Digital Charts (BSB V3).....	3
*305/22 Transport Canada – Ship Safety Bulletins #24/2020, #05 and #06/2022.....	3
*306/22 Canadian Hydrographic Service – Raster Navigational Charts Discontinued .....	4
<b>Section 1A: Temporary and Preliminary Notices</b>	<b>7</b>
Reminder – Comment Period for Active Preliminary Notices .....	7
*307(T)/22 Port de Québec – Waterway Information.....	7
*308(T)/22 Cap-aux-Meules – Wharf Construction.....	7
*309(P)/22 West Point à / to Baie de Tracadie – 81 Stakes to be Discontinued.....	8
*310(P)/22 Cape Hurd to/à Tobermory and/et Cove Island – Range Light to be Discontinued .....	9
<b>Section 2: Chart Corrections</b>	<b>10</b>
<b>Section 3: Radio Aids to Marine Navigation Corrections</b>	<b>24</b>
No corrections for this section. ....	24
<b>Section 4: Sailing Directions and Small Craft Guide Corrections</b>	<b>25</b>
No corrections for this section. ....	25
<b>Section 5: List of Lights, Buoys and Fog Signals Corrections</b>	<b>26</b>

## Numerical Index of Canadian Charts Affected

This numerical index lists all nautical charts mentioned in this monthly edition of Notices to Mariners. Only charts appearing in Section 2 of this publication require a chart correction. The appearance of charts in all other sections, particularly those related to the correction of other nautical publications, is included here for reference.

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1316	<a href="#">7</a>	4625	<a href="#">17, 26</a>		
1431	<a href="#">1</a>	4640	<a href="#">17, 27</a>		
1437	<a href="#">10, 30</a>	4641	<a href="#">17, 27</a>		
2048	<a href="#">30</a>	4644	<a href="#">17, 18, 26, 27</a>		
2110	<a href="#">10, 31</a>	4665	<a href="#">27</a>		
2228	<a href="#">31</a>	4667	<a href="#">18, 27</a>		
2257	<a href="#">10</a>	4823	<a href="#">18</a>		
2268	<a href="#">10</a>	4824	<a href="#">18</a>		
2274	<a href="#">9</a>	4825	<a href="#">18, 27</a>		
2299	<a href="#">10</a>	4832	<a href="#">18</a>		
2300	<a href="#">1</a>	4841	<a href="#">18, 19, 26</a>		
4011	<a href="#">10, 11</a>	4843	<a href="#">19, 26</a>		
4012	<a href="#">11</a>	4847	<a href="#">7, 29</a>		
4015	<a href="#">11</a>	4853	<a href="#">28, 29</a>		
4016	<a href="#">11</a>	4863	<a href="#">19, 28</a>		
4022	<a href="#">11, 27</a>	4906	<a href="#">8</a>		
4118	<a href="#">11, 12, 29</a>	4920	<a href="#">30</a>		
4233	<a href="#">30</a>	4956	<a href="#">7</a>		
4234	<a href="#">12, 29</a>	5032	<a href="#">28</a>		
4301	<a href="#">12</a>	5138	<a href="#">19, 28</a>		
4335	<a href="#">12</a>	5164	<a href="#">20</a>		
4363	<a href="#">12, 30</a>	5165	<a href="#">20, 28</a>		
4365	<a href="#">13, 30</a>	6108	<a href="#">7</a>		
4367	<a href="#">13</a>	6021	<a href="#">20</a>		
4426	<a href="#">13, 14, 15</a>	6370	<a href="#">20</a>		
4448	<a href="#">15, 30</a>	6371	<a href="#">20</a>		
4462	<a href="#">15, 16</a>	6419	<a href="#">20, 21</a>		
4463	<a href="#">16, 30</a>	6426	<a href="#">21, 22</a>		
4509	<a href="#">16, 27, 28</a>	6428	<a href="#">22</a>		
4529	<a href="#">28</a>	6432	<a href="#">22, 23</a>		
4530	<a href="#">16, 28</a>	7195	<a href="#">1</a>		
4615	<a href="#">26</a>	7485	<a href="#">1</a>		
4616	<a href="#">16, 17, 26</a>	7621	<a href="#">1</a>		
4622	<a href="#">17</a>				
4624	<a href="#">17</a>				

## Section 1: General and Safety Information

### Canadian Coast Guard Publication – Comments and Suggestions on Notices to Mariners (NOTMAR) Publications

In an effort to continuously improve the Notices to Mariners publications and to provide the most efficient service possible, the Notices to Mariners team invites all mariners and other interested parties to submit comments and suggestions on possible improvements to its various publications and services at the following email address: [Notmar.XNCR@dfo-mpo.gc.ca](mailto:Notmar.XNCR@dfo-mpo.gc.ca).

### Transport Canada – COVID-19 Measures, Updates and Guidance

(Recurrent publication of notice \*401/20, originally published in the *Notices to Mariners – Monthly Eastern Edition 04/2020* publication.)

Please refer to the link below for the latest updates to transportation related measures taken by Transport Canada in response to the evolving novel Coronavirus disease (COVID-19):  
<https://www.tc.gc.ca/en/initiatives/covid-19-measures-updates-guidance-tc.html>.

For travel advice and all other updates, please visit: [Canada.ca/coronavirus](https://Canada.ca/coronavirus).

### Transport Canada – Annual Edition of Notices to Mariners 2022 - Section A3, Notice 7A: Voyage Planning for Vessels Intending to Navigate in Canada's Northern Waters

(Recurrent publication of notice \*206/22, originally published in the *Notices to Mariners – Monthly Eastern Edition 02/2022* publication.)

Transport Canada has revised notice 7A, Voyage Planning for Vessels Intending to Navigate in Canada's Northern Waters, of the *Annual Edition of Notices to Mariners* to reflect Arctic Shipping Safety and Pollution Prevention Regulations ([ASSPPR](#)) and to provide further guidance on voyage planning.

### \*302/22 Canadian Hydrographic Service – Nautical Charts

Charts	Main Title	Scale	Published	Cat#	Price
<b>New Editions</b>					
1431	Canal de Beauharnois	1:25 000	2022-03-25	3	\$20.00
2300	Lake Superior/Lac Supérieur	1:600 000	2022-03-25	3	\$20.00
7195	Kangok Fiord and Approaches/et les Approches	1:40 000	2022-03-11	4	\$20.00
7485	Parry Bay to/au Navy Channel	1:150 000	2022-03-18	4	\$20.00
7621	Amundsen Gulf	1:500 000	2022-03-25	4	\$20.00

### \*303/22 Canadian Hydrographic Service – Electronic Navigational Charts

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
<b>New Charts</b>			
CA372006 (Edn 1.000)	Superior Shoal	1:45 000	2022-03-11
CA372007 (Edn 1.000)	Ikahuak (Sachs Harbour)	1:45 000	2022-03-11
CA373533 (Edn 1.000)	Tanquary Fjord	1:50 000	2022-03-04



S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA373534 (Edn 1.000)	Glacier Fjord	1:50 000	2022-03-04
CA471406 (Edn 1.000)	Kootenay Lake (7 of 18)	1:90 000	2022-03-11
CA471407 (Edn 1.000)	Kootenay Lake (8 of 18)	1:90 000	2022-03-11
CA571068 (Edn 1.000)	CA571068	1:3 000	2022-03-18
CA571400 (Edn 1.000)	Kootenay Lake (1 of 18)	1:22 000	2022-03-11
CA571401 (Edn 1.000)	Kootenay Lake (2 of 18)	1:22 000	2022-03-11
CA571402 (Edn 1.000)	Kootenay Lake (3 of 18)	1:22 000	2022-03-11
CA571403 (Edn 1.000)	Kootenay Lake (4 of 18)	1:22 000	2022-03-11
CA571404 (Edn 1.000)	Kootenay Lake (5 of 18)	1:22 000	2022-03-11
CA571405 (Edn 1.000)	Kootenay Lake (6 of 18)	1:22 000	2022-03-11
CA571408 (Edn 1.000)	Kootenay Lake (9 of 18)	1:22 000	2022-03-11
CA571409 (Edn 1.000)	Kootenay Lake (10 of 18)	1:22 000	2022-03-11
CA571410 (Edn 1.000)	Kootenay Lake (11 of 18)	1:22 000	2022-03-11
CA571411 (Edn 1.000)	Kootenay Lake (12 of 18)	1:22 000	2022-03-11
CA571412 (Edn 1.000)	Kootenay Lake (13 of 18)	1:22 000	2022-03-11
CA571413 (Edn 1.000)	Kootenay Lake (14 of 18)	1:22 000	2022-03-11
CA571414 (Edn 1.000)	Kootenay Lake (15 of 18)	1:22 000	2022-03-11
CA571415 (Edn 1.000)	Kootenay Lake (16 of 18)	1:22 000	2022-03-11
CA571416 (Edn 1.000)	Kootenay Lake (17 of 18)	1:22 000	2022-03-11
CA571417 (Edn 1.000)	Kootenay Lake (18 of 18)	1:22 000	2022-03-11
CA670736 (Edn 1.000)	Esquimalt Graving Dock	1:2 000	2022-03-04
<b>New Editions</b>			
CA176030 (Edn 11.000)	Gulf of Maine to/à Strait of Belle Isle including/y compris Gulf of St.Lawrence/Golfe Saint-Laurent	1:1 750 000	2022-03-04
CA276652 (Edn 5.000)	Nanaksaluk Island to/à Cape Kiglapait	1:100 000	2022-03-11
CA376176 (Edn 2.000)	Long Island to St. Lawrence Harbours	1:40 000	2022-03-11
CA376363 (Edn 2.000)	Cut Throat Island to/à Quaker Hat	1:30 000	2022-03-18
CA376625 (Edn 2.000)	Cape Ray to/à Garia Bay	1:37 500	2022-03-11
CA570127 (Edn 9.000)	Vancouver Harbour Eastern Portion/Partie Est	1:10 000	2022-03-04
CA576005 (Edn 6.000)	Saint John Harbour and Approaches / et les approches	1:7 500	2022-03-18
CA576177 (Edn 7.000)	Charlottetown Harbour	1:6 000	2022-03-04
CA576592 (Edn 2.000)	Humber Arm, Meadows Point to/à Humber River	1:10 000	2022-03-04
CA576679 (Edn 2.000)	Canso Lock and Causeway/Écluse et Chaussée Surélevée de Canso	1:5 000	2022-03-04
CA576680 (Edn 2.000)	Point Tupper to/à Ship Point	1:7 500	2022-03-18

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
<b>Charts Permanently Withdrawn</b>			
CA476365	Holton Harbour	Cancelled by CA376363	
CA570242	Lax Kw'alaams	Cancelled by CA571068	
CA676583	Charlottetown Marinas	Cancelled by CA576177	
CA676584	Saint John Harbour Docking Chart	Cancelled by CA576005	
CA676585	Mispec Point Canaport Terminal	Cancelled by CA576005	
CA676837	Aulds Cove, Porcupine Mountain Quarry	Cancelled by CA576679	
CA676838	Mulgrave Marine Terminal, NS	Cancelled by CA576680	
CA676840	Madden Point, NS	Cancelled by CA576680	
CA676841	Peebles Point, NS	Cancelled by CA576680	
CA676842	Wright Point, NS	Cancelled by CA576680	
CA676843	Port Hawkesbury Government Wharf	Cancelled by CA576680	
CA676848	Pleasant Cove	Cancelled by CA576592	

**\*304/22 Canadian Hydrographic Service – Raster Digital Charts (BSB V3)**

Charts	Main Title	Scale	Published
<b>New Editions</b>			
RM-1431	Canal de Beauharnois	1:25 000	2022-03-25
RM-7195	Kangok Fiord and Approaches/et les Approches	1:40 000	2022-03-11
RM-7485	Parry Bay to/au Navy Channel	1:150 000	2022-03-25

**\*305/22 Transport Canada – Ship Safety Bulletins #24/2020, #05 and #06/2022**

New and updated **Ship Safety Bulletins** have recently been posted on the [Transport Canada website](#).

To view or download these bulletins, please click on the links below:

[SSB#24/2020](#) – New policy for authorized service providers for life saving appliances  
(modified February 23, 2022)

RDIMS# 16741016

[SSB#05/2022](#) – Implementation of extended certificate validity for marine medical certificates for voyages in domestic waters

RDIMS# 17958536

[SSB#06/2022](#) – Updated guidelines respecting the mobility of asymptomatic, presumed non-Covid-19-carrying\* seafarers in the marine sector during the COVID-19 pandemic

RDIMS# 18348027

Sign up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our website.

Contact us at [marinesafety-securitemaritime@tc.gc.ca](mailto:marinesafety-securitemaritime@tc.gc.ca) or 1-855-859-3123 (Toll Free).

**\*306/22 Canadian Hydrographic Service – Raster Navigational Charts Discontinued**

The Canadian Hydrographic Service (CHS) is beginning the discontinuation, in progressive phases, of its digital Raster Navigational Charts (RNC) offered in BSB format.

Charts to be cancelled effective immediately as part of the first phase of this initiative are listed below.

CHS will support Global Navigation Satellite System (GNSS) users by offering Electronic Navigational Charts (ENC) in S-57 format, as well as non-GNSS users by continuing to offer Paper Charts. To learn more about the advantages of ENC over RNC, please visit <https://charts.gc.ca/charts-cartes/digital-electronique/raster-enc-eng.html>.

<b>BSB Chart</b>	<b>Title</b>	<b>BSB Chart</b>	<b>Title</b>
RM-1201	Saint-Fulgence à/to Saguenay	RM-1351B	Île Sainte-Thérèse à/to Pointe à la Meule
RM-1202	Cap Éternité à/to St-Fulgence	RM-1351C	Pointe à la Meule à/to Pointe Naylor
RM-1203	Tadoussac à/to Cap Éternité	RM-1351D	Pointe Naylor au Lac/to Lake Champlain
RM-1220	Baie des Sept Îles	RM-1360	Lac Memphrémagog
RM-1221	Pointe de Moisie à/to Île du Grand Caoui	RM-1429	Canal de la Rive Sud
RM-1223	Chenal du Bic et les approches / and approches	RM-1430	Lac Saint-Louis
RM-1226	Mouillages et Installations Portuaires / Anchorages and Harbours Installations / Haute Côte-Nord	RM-1509	Rivière des Prairies
RM-1230	Plans Péninsule de la Gaspésie	RM-1510	Lac des Deux Montagnes
RM-1233	Cap aux Oies à/to Sault-au-Cochon	RM-1514A	Carillon à/to l'Original
RM-1234	Cap de la Tête au Chien au/to Cap aux Oies	RM-1514B	L'Original à/to Papineauville
RM-1236	Pointes des Monts aux/to Escoumins	RM-1515A	Papineauville à/to Becketts Creek
RM-1310	Port de Montréal	RM-1515B	Becketts Creek à/to Ottawa
RM-1311	Sorel-Tracy à/to Varennes	RM-2000	Lake Ontario/Lac Ontario
RM-1312	Lac Saint-Pierre	RM-2100	Lake Erie / Lac Érié
RM-1313	Batiscan au/to Lac Saint-Pierre	RM-2200	Lake Huron/Lac Huron
RM-1314	Donnacona à/to Batiscan	RM-2201	Georgian Bay/Baie Georgienne
RM-1315	Québec à/to Donnacona	RM-2300	Lake Superior / Lac Supérieur
RM-1316	Port de Québec	RM-3651	Scouler Entrance
RM-1317	Sault-au-Cochon à/to Québec	RM-3674	Clayoquot Sound, Millar Channel to / à Estevan Point
RM-1320	Île Du Bic au/to Cap de la Tête au Chien	RM-3675	Nootka Sound
RM-1350A	Sorel-Tracy à/to Ruisseau Lahaise	RM-3676	Esperanza Inlet
RM-1350B	Ruisseau Lahaise à/to Saint-Antoine-Sur-Richelieu	RM-3677	Kyuquot Sound
RM-1350C	Saint-Antoine-Sur-Richelieu à/to Île aux Cerfs	RM-3680	Brooks Bay
RM-1350D	Île aux Cerfs à/to Otterburn Park	RM-3681	Plans - Quatsino Sound
RM-1351A	Bassin de Chambly à/to Île Sainte-Thérèse	RM-3683	Checkleset Bay

RM-3794	Stewart	RM-4403	East Point to / à Cape Bear
RM-3994	Portland Inlet, Khutzeymateen Inlet and / et Pearse Canal	RM-4404	Cape George to / à Pictou
RM-3807	Atli Inlet to / à Selwyn Inlet	RM-4405	Pictou Island to / aux Tryon Shoals
RM-3808	Juan Perez Sound	RM-4406	Tryon Shoals to / à Cape Egmont
RM-3809	Carpenter Bay to / à Burnaby Island	RM-4416	Havre de Gaspé
RM-3825	Cape St James to / à Houston Stewart Channel	RM-4428	Havre de Natashquan et les approches / and approaches
RM-3855	Houston Stewart Channel	RM-4429	Havre Saint-Pierre et les approches / and approaches
RM-3860	Shields Bay	RM-4430	Plans - Île D'anticosti
RM-3890	Approches to Skidegate Inlet	RM-4432	Archipel de Mingan
RM-3891	Skidegate Channel East Narrows to West Narrows	RM-4440	Îles Sainte-Marie à/to Île à la Brume
RM-3892	Masset Harbour and / et Naden Harbour	RM-4448	Port Hood and/et Mabou Harbour
RM-3895	Plans Dixon Entrance	RM-4452	Havres et Mouillages / Harbour and Anchorages
RM-3933	Portland Canal and / et Observatory Inlet	RM-4453	Île à la Brume à/to Pointe Curlew
RM-3948	Gardner Canal	RM-4454	Pointe Curlew à/to Baie Washtawouka
RM-3960	Approches to / Approches à Portland Inlet	RM-4455	Baie Washtawouka à/to Baie Piashti
RM-3963	Work Channel	RM-4456	Baie Piashti à/to Petite Île au Marteau
RM-4002	Golfe Du Saint-Laurent / Gulf Of St. Lawrence	RM-4459	Summerside Harbour and approaches / et les approches
RM-4022	Cabot Strait and approaches / Déroit de Cabot et les Approches	RM-4460	Charlottetown Harbour
RM-4023	Northumberland Strait / Déroit de Northumberland	RM-4462	St George's Bay
RM-4024	Baie des Chaleurs / Chaleur Bay aux / to Îles de la Madeleine	RM-4463	Chéticamp to/à Cape Mabou
RM-4025	Cap Whittle à/to Havre Saint-Pierre et/and Île D'anticosti	RM-4464	Chéticamp to / à Cape St Lawrence
RM-4026	Havre-Saint-Pierre et/and Cap des Rosiers à/to Pointe des Monts	RM-4466	Hillsborough Bay
RM-4275	St. Peters Bay	RM-4468	Île Du Petit Mécatina aux / to Îles Sainte-Marie
RM-4276	Little Bras D'or	RM-4469	Île Plate à/to Île Du Petit Mécatina
RM-4277	Great Bras D'or	RM-4474	Îles Bun à/to Baie Des Moutons
RM-4278	Great Bras D'or and / et St Patricks Channel	RM-4483	Caribou Harbour
RM-4279	Bras D'or Lake	RM-4485	Cap Des Rosiers à/to Chandler
RM-4301	Canso Harbour to / au Strait Of Canso	RM-4486	Baie Des Chaleurs / Chaleur Bay
RM-4302	Strait Of Canso	RM-4498	Pugwash Harbour and approaches / et les approches
RM-4363	Cape Smokey to / à St Paul Island	RM-4905	Cape Tormentine à/to West Point
RM-4365	Ingonish Harbour and approaches/et les approches	RM-4906	West Point à/to Baie De Tracadie
RM-4367	Flint Island to / à Cape Smokey	RM-4909	Déroit De Northumberland/Northumberland Strait Partie Ouest/Western Portion

RM-4911	Entrée à / Entrance to Miramichi River	RM-4971	Blanc-Sablon à/to Baie De Bonne-Espérance
RM-4912	Miramichi	RM-5505	Bélanger Island à/to Cotter Island
RM-4913	Caraquet Harbour Baie De Shippegan et / and Miscou Harbour	RM-6100A	Lac Saint-Jean
RM-4920	Plans: Baie Des Chaleurs / Chaleur Bay: Côte Sud / South Shore	RM-6100B	Rivière Mistassini
RM-4921	Plans Baie Des Chaleurs/Chaleur Bay - Côte Nord/North Shore	RM-6100C	Rivière Péribonka
RM-4935	Murray Harbour to/à Boughton Bay	RM-6100D	La Grande Décharge et les approches/and approaches
RM-4938	Pictou Harbour and East River Of Pictou	RM-7220	Lancaster Sound Eastern approaches/approches Est
RM-4950	Îles De la Madeleine	RM-7310	Jones Sound
RM-4954	Chenal Du Havre De la Grande Entrée	RM-7568	Lancaster Sound and/et Admiralty Inlet
RM-4955	Havre-aux-Maisons	RM-7569	Barrow Strait and/et Wellington Channel
RM-4956	Cap-aux-Meules	RM-7573	M'clintock Channel Larsen Sound and/et Franklin Strait
RM-4957	Havre-Aubert	RM-7620	Demarcation Bay to/à Liverpool Bay
RM-4969	Île Mistanoque aux / to Îles Mack	RM-7621	Amundsen Gulf
RM-4970	Baie De Bonne-Espérance à/to Île Mistanoque	RM-7950	Jones Sound Norwegian Bay and / et Queens Channel

## Section 1A: Temporary and Preliminary Notices

### Reminder – Comment Period for Active Preliminary Notices

This is a reminder that the comment period is still open for the following active Preliminary notices:

Notice #	Reference Chart #	Aids Affected (LL #)	Intent of Notice
<b>Newfoundland and Labrador Coast</b>			
<a href="#">104(P)/22</a>	4847	497	Fog Horn to be Discontinued
<b>Inland Waters</b>			
<a href="#">211(P)/22</a>	6108	1468	Aid to navigation to be Discontinued

Please refer to the [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication for details.

### Newfoundland and Labrador Coast

No notices applicable for this edition.

### Atlantic Coast

### Temporary Notices

#### \*307(T)/22 Port de Québec – Waterway Information

Reference chart: 1316

Repair work with scaffolding taking place on the Pierre-Laporte bridge Monday to Saturday. Bridge clearance reduced by 2.6 metres.

(NW-Q-0182-22)

#### \*308(T)/22 Cap-aux-Meules – Wharf Construction

Reference chart: 4956

Dolphin construction and wharf repair works are taking place daily from 1100 UTC until 2300 UTC at 47° 22.760'N 061° 51.148'W since 03 January 2022. A crane is working from the wharf and from a temporary work bridge. The construction area is marked with a yellow cautionary buoy.

(NW-Q-0011-22)

## Preliminary Notices

### Atlantic Region

#### Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,  
Aids to Navigation & Waterways  
Canadian Coast Guard, Atlantic Region  
P.O. Box 1000  
50 Discovery Drive  
Dartmouth, NS B2Y 3Z8  
Telephone: (902) 802-3490  
Email: [Darlene.Sampson@dfo-mpo.gc.ca](mailto:Darlene.Sampson@dfo-mpo.gc.ca)

### **\*309(P)/22 West Point à / to Baie de Tracadie – 81 Stakes to be Discontinued**

Reference chart: 4906

The Canadian Coast Guard proposes to permanently discontinue 81 stakes marking the northern portion of Baie de Tracadie.

Initial publication date: Friday, March 25, 2022

**Comment submission deadline:** Thursday, June 23, 2022

(G2022-002)

## Inland Waters

### Temporary Notices

No notices applicable for this edition.

## Preliminary Notices

### Central Region

#### Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent, Mathieu Roy  
Aids to Navigation & Waterways  
Canadian Coast Guard, Central Region  
1550 D'Estimauville Avenue  
Québec, QC G1J 5E9  
Telephone: (418) 648-7450  
Email: [mathieu.roy@dfo-mpo.gc.ca](mailto:mathieu.roy@dfo-mpo.gc.ca)

**\*310(P)/22 Cape Hurd to/à Tobermory and/et Cove Island – Range Light to be Discontinued**

Reference Chart: 2274

The Canadian Coast Guard proposes to permanently discontinue the light on the following aid to navigation:

Aid Name	LL #	Position
Otter Islands front range	817	45° 17' 09.2"N 081° 41' 41.2"W

Initial publication date: Friday, March 25, 2022

[Comment submission deadline](#): Thursday, June 23, 2022

(D2022-015)



## Section 2: Chart Corrections

### 1437 - Summerland Group to/à Grindstone Island - New Edition - 27-JUL-2018 - World Geodetic System 1984

04-MAR-2022

LNMD. 17-DEC-2021

Reposition red starboard hand lighted spar buoy FI R, marked H18 from 44°20'53.0"N 076°00'37.0"W  
(See Chart No. 1, Qf) to 44°20'53.2"N 076°00'35.1"W  
This notice affects Electronic Navigational Chart: CA473034  
(B2021034) LL(363.4) DFO(6604824-01)

### 2110 - Long Point Bay - New Edition - 23-FEB-2018 - World Geodetic System 1984

25-MAR-2022

LNMD. 08-OCT-2021

Amend FI R 9m to read FI R 10m against light 42°37'07.5"N 080°21'23.9"W  
(See Chart No. 1, P16)  
This notice affects Electronic Navigational Chart: CA373093, CA473305  
(B2021036) LL(576) DFO(6604831-01)

Amend FI R 11m to read FI R 8m against light 42°39'18.4"N 080°24'20.4"W  
(See Chart No. 1, P16)  
This notice affects Electronic Navigational Chart: CA373093, CA473305  
(B2021037) LL(574) DFO(6604832-01)

### 2257 - Clapperton Island to/à John Island - New Edition - 11-JAN-2002 - NAD 1983

25-MAR-2022

LNMD. 05-NOV-2021

Delete starboard hand daybeacon 46°10'28.7"N 082°22'42.3"W  
(See Chart No. 1, Qt)  
This notice affects Electronic Navigational Chart: CA473251  
(D2022004) DFO(6604836-01)

### 2268 - Boyd Island to/à Spanish River - New Edition - 31-MAR-1989 - NAD 1927

25-MAR-2022

LNMD. 05-NOV-2021

Delete starboard hand daybeacon 46°10'28.7"N 082°22'42.3"W  
(See Chart No. 1, Qt)  
This notice affects Electronic Navigational Chart: CA473251  
(D2022004) DFO(6604836-01)

### 2299 - Clapperton Island to/à Meldrum Bay - New Edition - 25-MAY-2001 - NAD 1983

25-MAR-2022

LNMD. 05-NOV-2021

Delete starboard hand daybeacon 46°10'28.7"N 082°22'42.3"W  
(See Chart No. 1, Qt)  
This notice affects Electronic Navigational Chart: CA473251  
(D2022004) DFO(6604836-01)

### 4011 - Approaches to / Approches à Bay of Fundy / Baie de Fundy - New Edition - 03-JAN-2003 - NAD 1983

04-MAR-2022

LNMD. 07-JAN-2022

Delete legend Fog Sig against light 44°24'08.7"N 066°12'58.8"W  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024, CA476028  
(F2021081) LL(216) DFO(6309915-01)

Delete legend Fog Sig against light 44°17'12.0"N 066°20'32.0"W  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024, CA476027  
(F2021082) LL(221) DFO(6309916-01)

Delete legend Fog Sig against light 44°14'55.0"N 066°23'23.0"W  
(See Chart No. 1, R1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024  
(F2021085) LL(223) DFO(6309962-01)

**4012 - Yarmouth to / à Halifax - New Edition - 14-FEB-2003 - NAD 1983**

04-MAR-2022 LNM/D. 25-FEB-2022

Delete legend Fog Sig against light 44°24'08.7"N 066°12'55.5"W  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024, CA476028  
(F2021081) LL(216) DFO(6309915-01)

Delete legend Fog Sig against light 44°17'12.0"N 066°20'30.0"W  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024, CA476027  
(F2021082) LL(221) DFO(6309916-01)

Delete legend Fog Sig against light 44°14'55.0"N 066°23'23.0"W  
(See Chart No. 1, R1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024  
(F2021085) LL(223) DFO(6309962-01)

**4015 - Sydney to / à Saint-Pierre - New Edition - 28-MAR-2003 - NAD 1983**

25-MAR-2022 LNM/D. 18-FEB-2022

Delete fog signal Fog Sig against light 47°33'51.0"N 059°07'11.0"W  
(See Chart No. 1, R1)  
This notice affects Electronic Navigational Chart: CA276271, CA376625, CA576304  
(N2022029) LL(160) DFO(6310030-01)

**4016 - Saint-Pierre to / à St. John's - New Edition - 06-JUN-2003 - NAD 1983**

04-MAR-2022 LNM/D. 03-DEC-2021

Add light Fl 6s8M 47°21'16.8"N 053°59'38.5"W  
(See Chart No. 1, P1)  
This notice affects Electronic Navigational Chart: CA276274, CA376296, CA576298  
(N2021269) LL(37) DFO(6310001-01)

**4022 - Cabot Strait and approaches / Détroit de Cabot et les approches - New Edition - 17-JAN-2003 - NAD 1983**

25-MAR-2022 LNM/D. 18-FEB-2022

Delete fog signal Fog Sig against light 47°33'50.0"N 059°07'15.0"W  
(See Chart No. 1, R1)  
This notice affects Electronic Navigational Chart: CA276271, CA376625, CA576304  
(N2022029) LL(160) DFO(6310030-01)

**4118 - Grand Passage - New Edition - 13-NOV-1998 - NAD 1983**

04-MAR-2022 LNM/D. 20-AUG-2021

Delete legend FogSig30s against light 44°17'13.0"N 066°20'31.2"W  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024, CA476027  
(F2021082) LL(221) DFO(6309916-01)

Delete legend FogSig 20s against light 44°15'25.7"N 066°20'13.1"W  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA376024, CA476027  
(F2021086) LL(227) DFO(6309963-01)

**4118 - Petit Passage - New Edition - 13-NOV-1998 - NAD 1983**

04-MAR-2022

LNMD. 20-AUG-2021

Delete legend FogSig(3)60s against light 44°24'14.5"N 066°12'54.6"W  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024, CA476028  
(F2021081) LL(216) DFO(6309915-01)

**4118 - St. Marys Bay - New Edition - 13-NOV-1998 - NAD 1983**

04-MAR-2022

LNMD. 20-AUG-2021

Delete legend FogSig(3)60s against light 44°24'14.5"N 066°12'54.6"W  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024, CA476028  
(F2021081) LL(216) DFO(6309915-01)

Delete legend FogSig30s against light 44°17'13.0"N 066°20'31.2"W  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024, CA476027  
(F2021082) LL(221) DFO(6309916-01)

Delete legend Fog Sig (2) 60s against light 44°14'55.0"N 066°23'32.0"W  
(See Chart No. 1, R1, R20)  
This notice affects Electronic Navigational Chart: CA276206, CA376024  
(F2021085) LL(223) DFO(6309962-01)

Delete legend FogSig20s against light 44°15'26.5"N 066°20'14.9"W  
(See Chart No. 1, R20)  
This notice affects Electronic Navigational Chart: CA376024, CA476027  
(F2021086) LL(227) DFO(6309963-01)

**4234 - Port Bickerton - New Chart - 10-APR-1987 - NAD 1983**

11-MAR-2022

LNMD. 24-DEC-2021

Affix patch 45°06'19.0"N 061°43'21.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4234\\_6309979\\_1\\_202202041406.pdf](https://www.notmar.gc.ca/chsftp/patches/4234_6309979_1_202202041406.pdf)  
This notice affects Electronic Navigational Chart: CA376109, CA576110  
DFO(6309979-01)

**4301 - Canso Harbour to Strait of Canso - New Chart - 31-MAY-2019 - World Geodetic System 1984**

11-MAR-2022

LNMD. 14-MAY-2021

Reposition anchorage berth E and swinging circle with a radius of 0.42 nautical miles from 45°26'43.0"N 061°11'40.0"W  
(See Chart No. 1, N11.2) to 45°26'58.8"N 061°10'37.2"W  
This notice affects Electronic Navigational Chart: CA476675  
DFO(6309967-01)

**4335 - Strait of Canso and Approaches / et les approches - New Edition - 04-JAN-2008 - NAD 1983**

11-MAR-2022

LNMD. 18-FEB-2022

Reposition anchorage berth E and swinging circle with a radius of 0.42 nautical miles from 45°26'42.0"N 061°11'40.0"W  
(See Chart No. 1, N11.2) to 45°26'58.8"N 061°10'37.2"W  
This notice affects Electronic Navigational Chart: CA476675  
DFO(6309967-01)

**4363 - Cape Smoky to / à St Paul Island - New Edition - 24-FEB-2017 - NAD 1983**

04-MAR-2022

LNMD. 29-DEC-2017

Amend Q R to read FI R against light 46°41'15.1"N 060°21'33.1"W  
(See Chart No. 1, P16)  
This notice affects Electronic Navigational Chart: CA376167, CA576742  
(G2021258) LL(849.4) DFO(6309996-01)

**4365 - Ingonish Harbour and Approches / et les Approches - New Edition - 06-DEC-2002 - NAD 1983**

04-MAR-2022

LNMD. 11-NOV-2011

Amend QR to read FI R against light 46°41'14.7"N 060°21'32.5"W  
(See Chart No. 1, P16)  
This notice affects Electronic Navigational Chart: CA376167, CA576742  
(G2021258) LL(849.4) DFO(6309996-01)

**4367 - Flint Island to / à Cape Smokey - New Edition - 03-APR-2003 - NAD 1983**

04-MAR-2022

LNMD. 26-FEB-2021

Amend QR to read FI R against light 46°41'15.1"N 060°21'35.1"W  
(See Chart No. 1, P16)  
This notice affects Electronic Navigational Chart: CA376167, CA576742  
(G2021258) LL(849.4) DFO(6309996-01)

**4426 - Rivière Restigouche / Restigouche River - New Edition - 02-AUG-2002 - NAD 1983**

11-MAR-2022

LNMD. 01-OCT-2021

Add depth of 7 fathoms, 4 feet 48°05'13.4"N 066°25'40.4"W  
(See Chart No. 1, I10)  
DFO(6309801-01)

Add depth of 4 feet 48°05'13.7"N 066°26'33.4"W  
(See Chart No. 1, I10)  
DFO(6309801-02)

Replace depth of 10 fathoms, 3 feet with depth of 8 fathoms, 5 feet 48°03'40.1"N 066°30'37.4"W  
(See Chart No. 1, I10)  
DFO(6309801-03)

Replace depth of 4 fathoms with depth of 3 fathoms, 2 feet 48°02'56.2"N 066°33'23.3"W  
(See Chart No. 1, I10)  
DFO(6309801-04)

Replace depth of 3 fathoms, 5 feet with depth of 2 fathoms, 4 feet 48°02'51.7"N 066°33'50.5"W  
(See Chart No. 1, I10)  
DFO(6309801-05)

Replace depth of 3 fathoms, 3 feet with depth of 2 fathoms, 5 feet 48°02'48.9"N 066°33'59.0"W  
(See Chart No. 1, I10)  
DFO(6309801-06)

Replace depth of 5 fathoms with depth of 3 fathoms, 2 feet 48°02'37.5"N 066°34'38.1"W  
(See Chart No. 1, I10)  
DFO(6309801-07)

Replace depth of 2 fathoms, 1 foot with depth of 1 fathom, 3 feet 48°02'27.4"N 066°35'19.7"W  
(See Chart No. 1, I10)  
DFO(6309801-08)

Replace depth of 2 fathoms, 1 foot with depth of 1 fathom, 2 feet 48°02'13.9"N 066°36'26.6"W  
(See Chart No. 1, I10)  
DFO(6309801-09)

Delete depth of 2 fathoms, 3 feet 48°02'14.8"N 066°36'33.2"W  
(See Chart No. 1, I10)  
DFO(6309801-11)

Replace depth of 2 fathoms, 1 foot with depth of 1 fathom, 4 feet 48°02'08.4"N 066°36'52.0"W  
(See Chart No. 1, I10)  
DFO(6309801-12)

Notices to Mariners – Monthly Eastern Edition  
Section 2: Chart Corrections

Replace	depth of 2 fathoms, 2 feet with depth of 1 fathom, 5 feet (See Chart No. 1, I10)	48°03'01.1"N 066°33'16.8"W <i>DFO(6309801-13)</i>
Replace	depth of 1 fathom, 5 feet with depth of 1 fathom, 1 foot (See Chart No. 1, I10)	48°02'20.0"N 066°36'08.1"W <i>DFO(6309801-14)</i>
Replace	depth of 1 fathom, 5 feet with depth of 1 fathom, 2 feet (See Chart No. 1, I10)	48°02'02.8"N 066°36'54.3"W <i>DFO(6309801-15)</i>
Replace	depth of 2 fathoms, 1 foot with depth of 1 fathom, 3 feet (See Chart No. 1, I10)	48°02'07.4"N 066°37'09.9"W <i>DFO(6309801-16)</i>
Add	depth of 1 fathom, 5 feet (See Chart No. 1, I10)	48°02'03.1"N 066°37'06.1"W <i>DFO(6309801-17)</i>
Replace	depth of 2 fathoms with depth of 1 fathom, 4 feet (See Chart No. 1, I10)	48°01'57.2"N 066°37'08.7"W <i>DFO(6309801-18)</i>
Add	depth of 1 fathom, 5 feet (See Chart No. 1, I10)	48°01'53.7"N 066°37'25.8"W <i>DFO(6309801-19)</i>
Replace	depth of 1 fathom, 3 feet with depth of 5 feet (See Chart No. 1, I10)	48°01'50.0"N 066°37'36.4"W <i>DFO(6309801-20)</i>
Replace	depth of 1 fathom, 5 feet with depth of 1 fathom (See Chart No. 1, I10)	48°01'45.7"N 066°37'39.6"W <i>DFO(6309801-21)</i>
Replace	depth of 2 fathoms with depth of 1 fathom, 3 feet (See Chart No. 1, I10)	48°01'32.1"N 066°37'47.6"W <i>DFO(6309801-22)</i>
Replace	depth of 2 fathoms, 5 feet with depth of 1 fathom, 5 feet (See Chart No. 1, I10)	48°01'31.7"N 066°37'59.6"W <i>DFO(6309801-23)</i>
Add	depth of 4 feet (See Chart No. 1, I10)	48°01'21.8"N 066°38'04.1"W <i>DFO(6309801-24)</i>
Replace	depth of 2 fathoms, 1 foot with depth of 1 fathom, 5 feet (See Chart No. 1, I10)	48°01'19.7"N 066°38'12.6"W <i>DFO(6309801-25)</i>
Replace	depth of 2 fathoms with depth of 1 fathom, 3 feet (See Chart No. 1, I10)	48°01'14.0"N 066°38'14.7"W <i>DFO(6309801-26)</i>
Replace	depth of 2 fathoms, 2 feet with depth of 1 fathom, 3 feet (See Chart No. 1, I10)	48°01'02.1"N 066°38'55.6"W <i>DFO(6309801-27)</i>

Replace	depth of 2 fathoms, 2 feet with depth of 1 fathom, 5 feet (See Chart No. 1, I10)	48°01'03.1"N 066°39'04.7"W <i>DFO(6309801-28)</i>
Replace	depth of 2 fathoms 1 foot with depth of 1 fathom, 4 feet (See Chart No. 1, I10)	48°00'56.7"N 066°39'12.4"W <i>DFO(6309801-29)</i>
Replace	depth of 2 fathoms, 2 feet with depth of 1 fathom, 4 feet (See Chart No. 1, I10)	48°00'54.3"N 066°39'58.1"W <i>DFO(6309801-30)</i>
Replace	depth of 4 fathoms with depth of 2 fathoms, 4 feet (See Chart No. 1, I10)	48°00'46.5"N 066°40'03.8"W <i>DFO(6309801-31)</i>
Replace	depth of 2 fathoms with depth of 1 fathom, 1 foot (See Chart No. 1, I10)	48°00'46.5"N 066°40'26.3"W <i>DFO(6309801-32)</i>
Delete	depth of 2 fathoms, 1 foot (See Chart No. 1, I10)	48°00'37.4"N 066°40'43.5"W <i>DFO(6309801-33)</i>
Add	depth of 1 fathom, 3 feet (See Chart No. 1, I10)	48°00'39.8"N 066°40'46.7"W <i>DFO(6309801-34)</i>

**4448 - Port Hood - New Edition - 13-DEC-2002 - NAD 1983**

25-MAR-2022

LNMD. 03-SEP-2021

Delete	light FIG (See Chart No. 1, P1) This notice affects Electronic Navigational Chart: CA376242, CA576661 <i>(G2022001) LL(878.1) DFO(6310028-01)</i>	46°01'01.7"N 061°32'25.2"W
Amend	sector light F R W G red from 077° to 121°, white from 121° to 123°, green from 123° to 161° to read sector light F R W G red from 093° to 121°, white from 121° to 123°, green from 123° to 155° (See Chart No. 1, P40.1) This notice affects Electronic Navigational Chart: CA376242, CA576661 <i>(G2022010) LL(881.3) DFO(6310048-01)</i>	45°57'28.9"N 061°31'37.2"W

**4462 - St George's Bay - New Edition - 07-MAR-2003 - NAD 1983**

18-MAR-2022

LNMD. 03-SEP-2021

Add	light FI G (See Chart No. 1, P1) This notice affects Electronic Navigational Chart: CA376242 <i>(G2022006) LL(874.4) DFO(6310033-01)</i>	46°08'02.8"N 061°27'46.4"W
25-MAR-2022		LNMD. 18-MAR-2022
Delete	light FIG (See Chart No. 1, P1) This notice affects Electronic Navigational Chart: CA376242, CA576661 <i>(G2022001) LL(878.1) DFO(6310028-01)</i>	46°01'02.7"N 061°32'27.4"W

Amend sector light F R W G red from 077° to 121°, white from 121° to 123°, green from 123° to 161° to read sector light F R W G red from 093° to 121°, white from 121° to 123°, green from 123° to 155°  
(See Chart No. 1, P40.1)  
This notice affects Electronic Navigational Chart: CA376242, CA576661  
45°57'28.9"N 061°31'37.2"W  
(G2022010) LL(881.3) DFO(6310048-01)

**4463 - Chéticamp to / à Cape Mabou - New Edition - 29-JUN-2018 - NAD 1983**  
18-MAR-2022

Add light FI G  
(See Chart No. 1, P1)  
This notice affects Electronic Navigational Chart: CA376242  
LN/D. 23-JUL-2021  
46°08'01.0"N 061°27'47.1"W  
(G2022006) LL(874.4) DFO(6310033-01)

**4509 - Cape Norman Bay and / et Cooks Harbour - New Edition - 06-JUN-2003 - Unknown**  
18-MAR-2022

Delete green port hand lighted spar buoy FIG, marked XC1  
(See Chart No. 1, Qg)  
LN/D. 25-APR-2014  
51°37'06.7"N 055°49'57.0"W  
(N2022018) LL(233.2) DFO(6310020-01)

Add green port hand lighted spar buoy FI G, marked XC1  
(See Chart No. 1, Qg)  
51°37'15.5"N 055°49'32.7"W  
(N2022018) LL(233.2) DFO(6310020-02)

**4509 - Pistolet Bay - New Edition - 06-JUN-2003 - Unknown**  
18-MAR-2022

Delete green port hand lighted spar buoy FIG, marked XC1  
(See Chart No. 1, Qg)  
LN/D. 25-APR-2014  
51°37'07.0"N 055°49'55.0"W  
(N2022018) LL(233.2) DFO(6310020-01)

Add green port hand lighted spar buoy FI G, marked XC1  
(See Chart No. 1, Qg)  
51°37'15.5"N 055°49'32.7"W  
(N2022018) LL(233.2) DFO(6310020-02)

**4530 - Carmanville - New Edition - 15-MAR-2002 - NAD 1983**  
18-MAR-2022

Replace green port hand lighted pillar buoy FI G, marked DC7 with green port hand lighted spar buoy FI G, marked DC7.  
(See Chart No. 1, Qg)  
LN/D. 31-DEC-2021  
49°24'46.9"N 054°16'11.6"W  
(N2022014) LL(390) DFO(6310016-01)

**4530 - Hamilton Sound: Eastern Portion / Partie-est - New Edition - 15-MAR-2002 - NAD 1983**  
18-MAR-2022

Replace green port hand lighted pillar buoy FI G, marked DC7 with green port hand lighted spar buoy FI G, marked DC7.  
(See Chart No. 1, Qg)  
LN/D. 31-DEC-2021  
49°24'46.9"N 054°16'11.6"W  
(N2022014) LL(390) DFO(6310016-01)

**4616 - Burin Harbours and Approches / et les approches - New Edition - 06-JUN-2003 - NAD 1983**  
25-MAR-2022

Amend FIR to read Q R against red starboard hand lighted pillar buoy, marked PB2  
(See Chart No. 1, Qf)  
This notice affects Electronic Navigational Chart: CA376176  
LN/D. 24-SEP-2021  
46°59'49.3"N 055°10'59.6"W  
(N2022035) LL(70) DFO(6310038-01)

Delete red starboard hand lighted pillar buoy FI R, marked PB8 47°02'29.1"N 055°09'21.6"W  
(See Chart No. 1, Qf)  
(N2022036) LL(67.4) DFO(6310039-01)

Add red starboard hand lighted spar buoy Q R, marked PB8 47°02'29.1"N 055°09'21.6"W  
(See Chart No. 1, Qf)  
(N2022036) LL(67.4) DFO(6310039-02)

**4622 - Cape St Mary's to / à Argentinia Harbour and / et Jude Island - New Edition - 20-DEC-2019 - NAD 1983**

04-MAR-2022 LNM/D. 17-DEC-2021  
Add light FI 6s8M 47°21'16.9"N 053°59'43.9"W  
(See Chart No. 1, P1)  
This notice affects Electronic Navigational Chart: CA276274, CA376296, CA576298  
(N2021269) LL(37) DFO(6310001-01)

**4624 - Long Island to / à St. Lawrence Harbours - New Edition - 07-JAN-2000 - NAD 1983**

25-MAR-2022 LNM/D. 25-FEB-2022  
Amend FI R to read Q R against red starboard hand lighted pillar buoy, marked 46°59'48.7"N 055°10'59.8"W  
PB2  
(See Chart No. 1, Qf)  
This notice affects Electronic Navigational Chart: CA376176  
(N2022035) LL(70) DFO(6310038-01)

**4625 - Burin Peninsula to / à Saint-Pierre - New Edition - 24-JAN-2003 - NAD 1983**

04-MAR-2022 LNM/D. 11-FEB-2022  
Delete red starboard hand lighted pillar buoy FIR, marked PC2 46°52'17.5"N 055°39'52.0"W  
(See Chart No. 1, Qf)  
This notice affects Electronic Navigational Chart: CA376164  
(N2021262) LL(74.6) DFO(6309983-01)

**4640 - Isle aux Morts and Approches / et les approches - New Edition - 27-AUG-1999 - NAD 1983**

18-MAR-2022 LNM/D. 18-FEB-2022  
Amend FI G to read Q G against green port hand lighted spar buoy, marked QM3 47°34'15.7"N 059°03'50.2"W  
(See Chart No. 1, Qf)  
(N2022009) LL(159.3) DFO(6310012-01)  
Amend FI R to read Q R against red starboard hand lighted spar buoy, marked 47°34'13.8"N 059°03'51.5"W  
QM2.4  
(See Chart No. 1, Qf)  
(N2022010) LL(159.12) DFO(6310013-01)

**4641 - Port aux Basques - New Edition - 31-OCT-2014 - NAD 1983**

25-MAR-2022 LNM/D. 20-SEP-2019  
Delete fog signal FogSig60s against light 47°33'57.0"N 059°07'24.6"W  
(See Chart No. 1, R1)  
This notice affects Electronic Navigational Chart: CA276271, CA376625, CA576304  
(N2022029) LL(160) DFO(6310030-01)

**4644 - Bay D'Espoir and / et Hermitage Bay - New Edition - 25-JUN-1999 - NAD 1983**

25-MAR-2022 LNM/D. 05-NOV-2021  
Amend FI G to read FI Y against light 47°51'46.9"N 055°50'06.5"W  
(See Chart No. 1, P16)  
This notice affects Electronic Navigational Chart: CA476479  
(N2022032) LL(132.5) DFO(6310034-01)



**4644 - Hermitage - New Edition - 25-JUN-1999 - NAD 1983**

25-MAR-2022

LNMD. 05-NOV-2021

Add light Fl G  
(See Chart No. 1, P1)  
This notice affects Electronic Navigational Chart: CA576482  
47°33'26.8"N 055°55'28.5"W  
(N2022033) LL(127.52) DFO(6310035-01)

Add light Fl R  
(See Chart No. 1, P1)  
This notice affects Electronic Navigational Chart: CA576482  
47°33'26.9"N 055°55'29.8"W  
(N2022034) LL(127.51) DFO(6310036-01)

**4667 - Savage Cove to / à St Barbe Bay - New Edition - 30-MAR-2007 - NAD 1983**

04-MAR-2022

LNMD. 26-NOV-2021

Amend Q G to read Fl G against green port hand lighted pillar buoy, marked XB1  
(See Chart No. 1, Qg)  
This notice affects Electronic Navigational Chart: CA476568, CA576587  
51°12'50.5"N 056°46'56.8"W  
(N2021264) LL(216.09) DFO(6309987-01)

**4823 - Cape Ray to / à Garia Bay - New Chart - 16-JAN-2004 - NAD 1983**

25-MAR-2022

LNMD. 18-FEB-2022

Delete fog signal Fog Sig 60s against light  
(See Chart No. 1, R1)  
This notice affects Electronic Navigational Chart: CA276271, CA376625, CA576304  
47°33'57.0"N 059°07'24.6"W  
(N2022029) LL(160) DFO(6310030-01)

**4824 - Garia Bay to / à Burgeo - New Chart - 25-OCT-2002 - NAD 1983**

18-MAR-2022

LNMD. 04-FEB-2022

Reposition green port hand lighted spar buoy Fl G, marked QV3.7  
(See Chart No. 1, Qg)  
This notice affects Electronic Navigational Chart: CA376616, CA476622  
from 47°35'56.0"N 057°39'00.0"W  
to 47°35'55.2"N 057°38'45.0"W  
(N2022012) LL(144.54) DFO(6310014-01)

**4825 - Burgeo and / et Ramea Islands - New Chart - 01-MAR-2002 - NAD 1983**

18-MAR-2022

LNMD. 18-FEB-2022

Reposition green port hand lighted spar buoy Fl G, marked QV3.7  
(See Chart No. 1, Qg)  
This notice affects Electronic Navigational Chart: CA376616, CA476622  
from 47°35'56.0"N 057°39'00.0"W  
to 47°35'55.2"N 057°38'45.0"W  
(N2022012) LL(144.54) DFO(6310014-01)

**4832 - Fortune Harbour - New Chart - 02-OCT-1987 - NAD 1983**

18-MAR-2022

LNMD. 11-FEB-2022

Affix patch  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4832\\_6310050\\_1\\_202202171431.pdf](https://www.notmar.gc.ca/chsftp/patches/4832_6310050_1_202202171431.pdf)  
This notice affects Electronic Navigational Chart: CA576235  
47°04'26.2"N 055°49'47.5"W  
DFO(6310050-01)

**4841 - Argentia - New Edition - 29-MAY-2015 - NAD 1983**

04-MAR-2022

LNMD. 02-APR-2021

Add light Fl 6s8M  
(See Chart No. 1, P1)  
This notice affects Electronic Navigational Chart: CA276274, CA376296, CA576298  
47°21'16.9"N 053°59'43.9"W  
(N2021269) LL(37) DFO(6310001-01)

**4841 - Cape St Mary's to / à Argentinia - New Edition - 29-MAY-2015 - NAD 1983**

04-MAR-2022

LNMD. 02-APR-2021

Add light Fl 6s8M 47°21'16.9"N 053°59'43.9"W  
(See Chart No. 1, P1)  
This notice affects Electronic Navigational Chart: CA276274, CA376296, CA576298  
(N2021269) LL(37) DFO(6310001-01)

**4843 - St Mary's Harbour and Adjacent Anchorages / et mouillages adjacents - New Edition - 26-DEC-2003 - NAD 1983**

04-MAR-2022

LNMD. 26-NOV-2021

Amend Fl R to read Q R against red starboard hand lighted spar buoy, marked 46°57'50.9"N 053°31'37.8"W  
MH6  
(See Chart No. 1, Qf)  
This notice affects Electronic Navigational Chart: CA376293, CA476294  
(N2021271) LL(8.12) DFO(6310002-01)

**4863 - Bacalhao Island to / à Black Island - New Edition - 30-NOV-2001 - NAD 1983**

18-MAR-2022

LNMD. 11-FEB-2022

Delete red starboard hand lighted spar buoy QR, marked DCC2 49°32'20.1"N 054°47'28.2"W  
(See Chart No. 1, Qf)  
This notice affects Electronic Navigational Chart: CA476803  
(N2022015) LL(360.52) DFO(6310017-01)

Add red starboard hand lighted spar buoy Fl R, marked DCC2 49°32'19.9"N 054°47'25.2"W  
(See Chart No. 1, Qf)  
This notice affects Electronic Navigational Chart: CA476803  
(N2022015) LL(360.52) DFO(6310017-02)

Amend QR to read Fl R against red starboard hand lighted spar buoy, marked 49°32'43.0"N 054°45'35.0"W  
DVA2  
(See Chart No. 1, Qf)  
This notice affects Electronic Navigational Chart: CA476803  
(N2022016) LL(360.49) DFO(6310018-01)

**5138 - Cartwright Harbour - New Edition - 17-APR-1998 - NAD 1983**

18-MAR-2022

LNMD. 25-DEC-2020

Add green port hand lighted spar buoy Fl G, marked NCH1 53°40'44.7"N 057°04'38.0"W  
(See Chart No. 1, Qg)  
This notice affects Electronic Navigational Chart: CA476494, CA576498  
(N2022023) LL(284.73) DFO(6310024-01)

Add green port hand lighted spar buoy Q G, marked NCH3 53°40'42.3"N 057°04'38.3"W  
(See Chart No. 1, Qg)  
This notice affects Electronic Navigational Chart: CA476494, CA576498  
(N2022024) LL(284.74) DFO(6310025-01)

**5138 - Sandwich Bay - New Edition - 17-APR-1998 - NAD 1983**

18-MAR-2022

LNMD. 25-DEC-2020

Add green port hand lighted spar buoy Fl G, marked NCH1 53°40'44.7"N 057°04'38.0"W  
(See Chart No. 1, Qg)  
This notice affects Electronic Navigational Chart: CA476494, CA576498  
(N2022023) LL(284.73) DFO(6310024-01)

Add green port hand lighted spar buoy Q G, marked NCH3 53°40'42.3"N 057°04'38.3"W  
(See Chart No. 1, Qg)  
This notice affects Electronic Navigational Chart: CA476494, CA576498  
(N2022024) LL(284.74) DFO(6310025-01)

**5164 - Lake Melville - New Chart - 27-MAR-2020 - NAD 1983**

18-MAR-2022

LNMD. 08-OCT-2021

Add yellow, black and yellow West cardinal lighted pillar buoy Q(9)15s,  
marked HN  
(See Chart No. 1, Q130.3)  
This notice affects Electronic Navigational Chart: CA376739

53°33'50.3"N 060°00'52.6"W

(N2022025) LL(298.2) DFO(6310026-01)

**5165 - Epinette Point to/à Terrington Basin - New Chart - 28-FEB-2020 - NAD 1983**

18-MAR-2022

LNMD. 11-FEB-2022

Add yellow, black and yellow West cardinal lighted pillar buoy Q(9)15s,  
marked HN  
(See Chart No. 1, Q130.3)  
This notice affects Electronic Navigational Chart: CA376739

53°33'50.3"N 060°00'52.6"W

(N2022025) LL(298.2) DFO(6310026-01)

**6021 - Lake Muskoka - Sheet/Feuille 1 - New Edition - 30-JUL-2004 - NAD 1983**

25-MAR-2022

LNMD. 01-OCT-2021

Add red starboard hand spar buoy, marked EK2/2  
(See Chart No.1, Qf)

45°01'03.7"N 079°24'47.5"W

(D2022002) DFO(6604833-01)

**6370 - Hay River - Sheet/Feuille 1 - New Edition - 03-AUG-1990 - Astronomic Positioning**

18-MAR-2022

LNMD. 08-MAR-2019

Delete radar reflector against light  
(See Chart No. 1, S4)

60°51'39.9"N 115°44'09.7"W

DFO(6604761-01)

**6371 - Hay River - Sheet/Feuille 1 - New Edition - 27-MAY-2005 - Not applicable**

18-MAR-2022

LNMD. 26-MAY-2006

Delete radar reflector against light  
(See Chart No. 1, S4)

60°51'40.2"N 115°44'05.6"W

DFO(6604761-01)

Amend FR 14m to read FR 13m against light  
(See Chart No. 1, P16)

60°51'40.2"N 115°44'05.6"W

DFO(6604761-02)

Reposition front range leading light FR 13m  
(See Chart No. 1, P20.2)

from 60°51'40.2"N 115°44'05.6"W  
to 60°51'38.7"N 115°44'05.9"W

DFO(6604761-03)

**6419 - Norman Wells to/à Carcajou Ridge Kilometre 910 / Kilomètre 980 - New Edition - 27-APR-2018 - World Geodetic System 1984**

11-MAR-2022

LNMD. 16-JUL-2021

Reposition green port hand can buoy  
(See Chart No. 1, Qg)

from 65°35'03.0"N 127°57'35.7"W  
to 65°35'10.5"N 127°57'07.2"W

DFO(6604830-01)

Reposition green port hand can buoy  
(See Chart No. 1, Qg)

from 65°35'16.3"N 127°58'25.5"W  
to 65°35'33.1"N 127°58'34.1"W

DFO(6604830-02)

Reposition red starboard hand conical buoy  
(See Chart No. 1, Qf)

from 65°35'29.3"N 127°59'09.7"W  
to 65°35'34.0"N 127°58'52.0"W

DFO(6604830-03)

Reposition	port hand daybeacon (See Chart No. 1, Qt)	from 65°36'19.6"N 128°00'20.7"W to 65°36'23.5"N 128°00'31.1"W <i>DFO(6604830-04)</i>
Delete	red starboard hand conical buoy (See Chart No. 1, Qf)	65°31'01.2"N 127°40'17.0"W <i>DFO(6604830-05)</i>
Delete	green port hand can buoy (See Chart No. 1, Qg)	65°31'43.8"N 127°42'01.9"W <i>DFO(6604830-06)</i>
Add	green port hand can buoy (See Chart No. 1, Qg)	65°30'58.8"N 127°40'24.8"W <i>DFO(6604830-07)</i>
Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 65°31'28.7"N 127°41'27.0"W to 65°31'35.2"N 127°40'53.8"W <i>DFO(6604830-08)</i>
Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 65°30'45.2"N 127°40'10.6"W to 65°31'20.6"N 127°40'43.4"W <i>DFO(6604830-09)</i>
Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 65°30'23.8"N 127°39'42.2"W to 65°30'21.3"N 127°39'42.2"W <i>DFO(6604830-10)</i>

**6426 - Adam Cabin Creek to à Point Separation Kilometre 1400 / Kilomètre 1480 - New Edition - 30-JAN-2015 - World Geodetic System 1984**

11-MAR-2022

LNMD. 16-JUL-2021

Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 67°21'04.8"N 133°26'48.3"W to 67°21'03.6"N 133°26'39.1"W <i>DFO(6604829-01)</i>
Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 67°21'32.7"N 133°27'44.5"W to 67°21'33.2"N 133°27'28.2"W <i>DFO(6604829-02)</i>
Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 67°21'53.6"N 133°28'29.3"W to 67°21'55.3"N 133°28'07.3"W <i>DFO(6604829-03)</i>
Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 67°22'15.0"N 133°28'59.8"W to 67°22'12.5"N 133°28'46.5"W <i>DFO(6604829-04)</i>
Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 67°22'50.4"N 133°30'04.7"W to 67°22'50.0"N 133°29'56.0"W <i>DFO(6604829-05)</i>
Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 67°23'15.6"N 133°30'39.8"W to 67°23'16.8"N 133°30'45.7"W <i>DFO(6604829-06)</i>
Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 67°23'39.5"N 133°31'15.9"W to 67°23'38.4"N 133°31'26.3"W <i>DFO(6604829-07)</i>

Delete	red starboard hand conical buoy (See Chart No. 1, Qf)	67°20'27.5"N 133°25'18.4"W <i>DFO(6604829-08)</i>
Add	green port hand can buoy (See Chart No. 1, Qg)	67°20'17.4"N 133°24'32.7"W <i>DFO(6604829-09)</i>
Reposition	green port hand can buoy (See Chart No. 1, Qg)	from 67°12'19.1"N 133°00'23.8"W to 67°12'27.6"N 133°01'20.9"W <i>DFO(6604829-10)</i>
Reposition	green port hand can buoy (See Chart No. 1, Qg)	from 67°13'02.1"N 133°01'44.3"W to 67°13'09.0"N 133°02'21.0"W <i>DFO(6604829-11)</i>
Reposition	starboard hand daybeacon, marked RAM (See Chart No. 1, Qt)	from 67°12'03.8"N 133°00'00.4"W to 67°12'11.7"N 133°00'58.0"W <i>DFO(6604829-12)</i>
Reposition	red starboard hand conical buoy (See Chart No. 1, Qf)	from 67°13'47.4"N 133°03'19.0"W to 67°14'01.6"N 133°03'58.0"W <i>DFO(6604829-13)</i>

**6428 - Aklavik Channel to Napoiak Channel Including Aklavik Channel to Aklavik (Kilometre 1530 to Kilometre 1597) -  
New Edition - 24-APR-2020 - NAD 1983  
25-MAR-2022**

Delete	front leading beacon and pecked line (See Chart No. 1, Q120 Pe)	between 68°04'24.7"N 134°30'43.6"W and 68°06'42.4"N 134°25'22.3"W <i>DFO(6604835-01)</i>
Delete	rear leading beacon with leading line (See Chart No. 1, Q120)	68°04'19.1"N 134°30'57.6"W <i>DFO(6604835-02)</i>
Add	starboard hand daybeacon, marked RAM (See Chart No. 1, Qt)	68°04'19.1"N 134°30'57.6"W <i>DFO(6604835-03)</i>
Add	green port hand can buoy (See Chart No. 1, Qg)	68°05'44.8"N 134°27'49.5"W <i>DFO(6604835-04)</i>

**6432 - Kilometre/Kilomètre 1500 to/à Inuvik East Channel - New Edition - 27-APR-2018 - NAD 1983  
25-MAR-2022**

Delete	green port hand can buoy (See Chart No. 1, Qg)	LNMD. 24-MAY-2019 67°46'53.3"N 134°11'45.9"W <i>DFO(6604834-01)</i>
Delete	green port hand can buoy (See Chart No. 1, Qg)	67°46'30.0"N 134°11'51.2"W <i>DFO(6604834-02)</i>
Delete	green port hand can buoy (See Chart No. 1, Qg)	67°45'51.2"N 134°12'08.2"W <i>DFO(6604834-03)</i>
Delete	red starboard hand conical buoy (See Chart No. 1, Qf)	67°45'22.7"N 134°12'09.2"W <i>DFO(6604834-04)</i>

Add	red starboard hand conical buoy (See Chart No. 1, Qf)	67°46'59.7"N 134°12'07.9"W <i>DFO(6604834-05)</i>
Add	green port hand can buoy (See Chart No. 1, Qg)	67°45'59.8"N 134°12'43.8"W <i>DFO(6604834-06)</i>

### **Section 3: Radio Aids to Marine Navigation Corrections**

---

No corrections for this section.

## **Section 4: Sailing Directions and Small Craft Guide Corrections**

---

No corrections for this section.



## Section 5: List of Lights, Buoys and Fog Signals Corrections

The amendments are highlighted and deletions are crossed out. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#) and [Pacific Coast](#).

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### NEWFOUNDLAND AND LABRADOR COAST

#### ST. MARY'S BAY (LL 7.5 – 14)

8 <b>H0436</b>	<b>La Haye Point Light Station and Fog Signal</b>	On point, <b>St. Mary's Bay.</b> 46 54 15.6 053 36 58.8	Fl W 6s	18.9	<b>17</b>	Square skeleton tower with octagonal upper portion. 11.3	Flash 1 s; eclipse 5 s. Year round.  Horn - Blast 3 s; sil. 27s. Horn points 225°.  Chart:4843 <b>Edn 03/22 (N22-040)</b>
-------------------	---	---	---------	------	-----------	--	--

8.12	Riverhead Inner light buoy MH6	46 57 50.9 053 31 37.8	Q R 1s	.....	.....	Red spar, marked "MH6".	Year round.  Chart:4843 <b>Edn 03/22 (N21-271)</b>
------	-----------------------------------	---------------------------	--------	-------	-------	-------------------------	---

#### PLACENTIA BAY (LL 14.4 – 79)

<b>37</b>	<b>Fox Island</b>	At the entrance to Long Harbour. 47 21 16.9 053 59 43.9	Fl W 6s	.....	<b>8</b>	Square skeleton tower, red and white rectangular daymark.	Flash 1 s; eclipse 5 s. Operates 24 h. Year round.  Chart:4841 <b>Edn 03/22 (N21-269)</b>
-----------	-------------------	--	---------	-------	----------	---	--

55.3	Baine Harbour light buoy PJ5	47 21 38.8 054 53 27.5	Fl G 4s	.....	.....	Green spar, marked "PJ5".	Seasonal (in place year round).  Chart:4615 <b>Edn 03/22 (N22-013)</b>
------	---------------------------------	---------------------------	---------	-------	-------	---------------------------	---

67.4	Little Burin Harbour Entrance light buoy PB8	47 02 29.4 055 09 21.6	Q R 1s	.....	.....	Red spar, marked "PB8".	Year round.  Chart:4616 <b>Edn 03/22 (N22-036)</b>
------	--	---------------------------	--------	-------	-------	-------------------------	---

70	Shalloway Island, Burin light buoy PB2	46 59 49.2 055 10 59.8	Q R 1s	.....	.....	Red, marked "PB2".	Year round.  Chart:4616 <b>Edn 03/22 (N22-035)</b>
----	--	---------------------------	--------	-------	-------	--------------------	---

74.6	Lord's Cove light buoy PC2						Delete from list.  Chart:4625 <b>Edn 03/22 (N21-262)</b>
------	-------------------------------	--	--	--	--	--	---

#### SOUTHWEST COAST (LL 121 – 172)

127.4 <b>H0288.2</b>	Hermitage Wharf Light	47 33 37.3 055 55 40.0	Fl R 4s	4.3	<b>4</b>	Cylindrical Mast. 2.6	Flash 1 s; eclipse 3 s. Year round.  Chart:4644 <b>Edn 03/22 (N22-031)</b>
-------------------------	--------------------------	---------------------------	---------	-----	----------	--------------------------	--

<b>127.51</b>	Hermitage West Breakwater Light	47 33 26.9 055 55 29.9	Fl R 4s	.....	<b>2</b>	Mast.	Flash 1 s; eclipse 3 s. Operates 24 h. Year round.  Chart:4644 <b>Edn 03/22 (N22-034)</b>
---------------	------------------------------------	---------------------------	---------	-------	----------	-------	--

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
127.52	Hermitage East Breakwater Light	47 33 27.0 055 55 28.6	Fl G 4s	.....	2	Mast.	Flash 1 s; eclipse 3 s. Operates 24 h. Year round.  Chart:4644 Edn 03/22 (N22-033)	
132.5 H0279	St. Alban's Wharf Light	On wharf. 47 51 46.9 055 50 06.5	Fl Y 4s	4.0	6	Cylindrical Mast. 2.5	Flash 1 s; eclipse 3 s. Year round.  Chart:4644 Edn 03/22 (N22-032)	
144.54	Sandbanks #2 light buoy QV3.7	Burgeo Islands. 47 35 55.2 057 38 45.0	Fl G 4s	.....	.....	Green spar, marked "QV3.7".	Operates 24 h. Year round.  Chart:4825 Edn 03/22 (N22-012)	
159.12	Shag Rock light buoy QM2.4	Margaree. 47 34 13.8 059 03 51.5	Q R 1s	.....	.....	Red spar, marked "QM2.4".	Seasonal.  Chart:4640 Edn 03/22 (N22-010)	
159.3	Western Island light buoy QM3	SSE. of island, Margaree Harbour. 47 34 15.7 059 03 50.2	Q G 1s	.....	.....	Green spar, marked "QM3".	Seasonal.  Chart:4640 Edn 03/22 (N22-009)	
160 H222	Channel Head Light Station  Racon --. (C) X & S Bands	On island, W. side of entrance to Port aux Basques. 47 33 57.0 059 07 24.6	Fl W 10s	29.0	17	White cylindrical tower.	Flash 1 s; eclipse 9 s. Year round.  Horn - Blast 4 s; sil. 56 s. Horn points 178°.	Chart:4641 Edn 03/22 (N22-029)
<b>WEST COAST (LL 173 – 208.2)</b>								
176.12	Crabbes River Channel #2 light buoy XD1	48 13 16.8 058 51 57.5	Fl G 4s	.....	.....	Green spar, marked "XD1".	Seasonal.  Chart:4022 Edn 03/22 (N22-008)	
<b>STRAIT OF BELLE ISLE (LL 211 – 234)</b>								
216.09	St Barbe Outer light buoy XB1	At the entrance. 51 12 50.5 056 46 56.8	Fl G 4s	.....	.....	Green, marked "XB1".	Seasonal.  Chart:4667 Edn 03/22 (N21-264)	
220 H0148	New Ferolle Peninsula Light Station and Fog Signal	NE. of Férolle Point. 51 01 22.1 057 05 44.5	Fl(4) W 7.5s	27.7	20	White octagonal tower with red upper portion. 19.2	Flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 4.25 s. Operates 24 h. Seasonal.  Horn - Blast 4 s; sil. 56 s. Horn points 314°30'.	Chart:4665 Edn 03/22
233.2	Green Island light buoy XC1	Cooks Harbour entrance. 51 36 53.6 055 49 05.9	Fl G 4s	.....	.....	Green spar, marked "XC1".	Seasonal.  Chart:4509 Edn 03/22 (N22-018)	

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
233.21	Cooks Harbour Middle light buoy XC5	51 36 20.0 055 51 21.3	Fl G 4s	.....	.....	Green spar, marked "XC5".	Seasonal.  Chart:4509 Edn 03/22 (N22-017)
232.22 233.22	Cooks Harbour light buoy XC7	51 36 19.7 055 51 39.0	Fl G 4s	.....	.....	Green spar, marked "XC7".	Seasonal.  Chart:4509 Edn 03/22 (N22-020)
<b>NEWFOUNDLAND AND LABRADOR COAST (LL 269.99 – 325.23)</b>							
279.286	Pinsents Arm Outer light buoy NMP3	52 41 14.4 055 53 04.2	Fl G 4s	.....	.....	Green spar, marked "NMP3".	Seasonal.  Chart:5032 Edn 03/22 (N22-021)
284.73	Woody Island Rock light buoy NCH1	Woody Island, near Cartwright. 53 40 44.7 057 04 38.0	Fl G 4s	.....	.....	Green spar, marked "NCH1".	Operates 24 h. Seasonal.  Chart:5138 Edn 03/22 (N22-023)
284.74	Woody Island light buoy NCH3	Near Cartwright. 53 40 42.3 057 04 38.3	Q G 1s	.....	.....	Green spar, marked "NCH3".	Operates 24 h. Seasonal.  Chart:5138 Edn 03/22 (N22-024)
298.2	Montagnais Shoal light buoy HN	Outside the entrance to North West River. 53 33 50.3 060 00 52.6	Q(9) W 15s	.....	.....	Yellow, black and yellow, marked "HN".	Operates 24 h. Seasonal.  Chart:5165 Edn 03/22 (N22-025, 037)
<b>NOTRE DAME BAY (LL 326 – 346.36, 354 – 395)</b>							
360.49	Virgin Arm Shoal light buoy DVA2	49 32 43.0 054 45 35.0	Fl R 4s	.....	.....	Red spar, marked "DVA2".	Seasonal.  Chart:4863 Edn 03/22 (N22-016)
360.52	Carter's Cove Rock light buoy DCC2	49 32 19.9 054 47 25.2	Fl R 4s	.....	.....	Red spar, marked "DCC2".	Seasonal.  Chart:4863 Edn 03/22 (N22-015)
365 H0618	Rags Island (Fogo Island) Light	E. approach to Fogo Harbour. 49 43 46.4 054 15 35.2	Fl W 4s	25.0	6	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4529 Edn 03/22 (N22-004)
390	Carters Rock light buoy DC7	Carmanville. 49 24 46.9 054 16 11.6	Fl G 4s	.....	.....	Green spar, marked "DC7".	Operates 24 h. Seasonal (in place year round).  Chart:4530 Edn 03/22 (N22-014)
<b>TRINITY BAY (LL 450.1 – 471.51)</b>							
463.1	Old Bonaventure Entrance light buoy TRB3	48 17 03.8 053 25 37.5	Q G 1s	.....	.....	Green spar, marked "TRB3".	Seasonal.  Chart:4853 Edn 03/22 (N22-003)
463.29	Old Bonaventure Inner light buoy TRB4	48 17 01.7 053 25 35.3	Q R 1s	.....	.....	Red spar, marked "TRB4".	Seasonal.  Chart:4853 Edn 03/22 (N22-002)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

463.35	Old Bonaventure Inner light buoy TRB6	Inner part of harbour. 48 17 05.3 053 25 36.3	Fl R 4s	.....	.....	Red spar, marked "TRB6"	Operates 24 h. Seasonal.  Chart:4853 Edn 03/22 (N22-001)
--------	---	--	---------	-------	-------	-------------------------	--

**CONCEPTION BAY (LL 471.7 – 498.5)**

483 H0483.5	Spaniard's Bay Wharf Light	47 37 20.5 053 16 16.9	Fl R 4s	.....	2	Mast.  2.6	Year round.  Chart:4847 Edn 03/22 (N22-030)
----------------	-------------------------------	---------------------------	---------	-------	---	------------------	--

**ATLANTIC COAST**

**BAY OF FUNDY, N.S. (LL 163 – 268)**

216 H3884	Boars Head	On W. side of N. entrance to Petit Passage. 44 24 14.5 066 12 55.0	Fl W 4s	28.0	7	White tower with red top. 11.6	Flash 1 s; eclipse 3 s. Operates 24 h. Year round.  Horn – Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s. Horn points 315°.  Chart:4118 Edn 03/22 (F21-081)
--------------	------------	--	---------	------	---	-----------------------------------	---

221 H3874	Grand Passage	N. point of Brier Island. 44 17 13.0 066 20 31.2	Fl W 9s	14.3	21	White rectangular tower with red upper portion. 8.6	Flash 1 s; eclipse 8 s. Operates 24 h. Year round.  Horn – Blast 3 s; sil. 27 s. Horn points 333°.  Chart:4118 Edn 03/22 (F21-082)
--------------	---------------	---	---------	------	----	---	--

223 H3872	Brier Island	On W. point of island. 44 14 55.0 066 23 32.0	F(3) W 18s	22.2	14	White octagonal tower, three horizontal red bands. 16.7	Flash 0.2 s; eclipse 2.8 s; flash 0.2 s; eclipse 2.8 s; flash 0.2 s; eclipse 11.8 s. Operates 24 h. Year round.  Horns(2) – Blast 3 s; sil. 3 s; blast 3 s; sil. 54 s. Horns point 270° and 315°. Horns sound in unison.  Chart:4118 Edn 03/22 (F21-085)
--------------	--------------	--	------------	------	----	---	--

227 H3878	Peter Island	S. entrance to Grand Passage. 44 15 25.7 066 20 13.1	LFl G 6s	.....	6	Square skeleton tower, three red rectangular daymark with white band and green square in center.	Flash 2 s; eclipse 4 s. Year round.  Horn – Blast 2 s; sil. 18 s.  Chart:4118 Edn 03/22 (F21-086)
--------------	--------------	---	----------	-------	---	--	---

**NOVA SCOTIA, SOUTHEAST COAST (LL 327 – 684.02)**

638 H3508	Drum Head	On outer end of breakwater. 45 08 43.2 061 36 09.2	Fl R 4s	4.2	5	Cylindrical mast, red and white triangular daymark with red triangle in center. 3.6	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  Chart:4234 Edn 03/22 (G22-005)
--------------	-----------	---	---------	-----	---	--	--

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
641 H3502	Coddles Harbour	On Thrumcap Island, entrance to harbour. 45 09 21.3 061 31 01.0	Fl W 4s	9.8	6	Pipe swing pole, red and white rectangular daymark. 6.5	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  Chart:4233 Edn 03/22 (G22-007)

**CAPE BRETON ISLAND, N.S. (LL 704.85 – 882.5)**

849.4 H0865.1	The Point Breakwater	Outer end of wharf, Ingonish. 46 41 14.9 060 21 33.2	Fl R 4s	4.2	5	Pipe swing pole, red and white rectangular daymark with red triangle in centre. 3.5	Operates at night only. Flash 1 s; eclipse 3 s. Year round.  Chart:4365 Edn 03/22 (G21-258, G22-008)
850.6 H0866.1	Neils Harbour Breakwater Light	Outer end of breakwater. 46 48 24.0 060 19 16.9	Fl R 4s	10.0	3	Pipe swing pole. 2.8	Operates at night only. Seasonal.  Chart:4363 Edn 03/22 (G22-009)
874.4	Finlay Point	46 08 01.0 061 27 47.0	Fl G 4s	.....	2	Pipe swing pole.	Seasonal.  Chart:4463 Edn 03/22 (G22-006)
878.1 H1222	Port Hood Wharf						Delete from list.  Chart:4448 Edn 03/22 (G22-001)
881.3 H1223	Little Judique Harbour Wharf Sector	Near outer end of W. breakwater. 45 57 28.9 061 31 37.2	F R W G	.....	8.2	8 Square skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.9	Red from 093° to 121°; white from 121° to 123°; green from 123° to 155°. White sector indicates preferred channel. Seasonal.  Chart:4448 Edn 03/22 (G22-010)

**GULF OF ST. LAWRENCE (LL 883.2 – 940.3, 1169.1 – 1426, 1477.5 – 1584)**

1250.5 H1531	Shippegan Gully Breakwater	Outer end of W. breakwater. 47 43 04.6 064 39 57.8	Fl G 4s	4.5	6	Cylindrical mast, green, white and black square daymark.	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4920 Edn 03/22 (G21-260)
-----------------	-------------------------------	---	---------	-----	---	--	---

**INLAND WATERS**

**ST. LAWRENCE RIVER SEAWAY (LL 0.05 - 401, 1193 – 1204.5)**

363.4	Myers Island light buoy H18	44 20 53.2 076 00 35.1	Fl R 4s	.....	.....	Red spar, marked "H18".	Seasonal (in place year round).  Chart:1437 Edn 03/22 (B21-032, 034)
-------	--------------------------------	---------------------------	---------	-------	-------	-------------------------	---

**LAKE ONTARIO (LL 403.4 – 551)**

523	Port Credit East Breakwater Extension	43 32 50.9 079 34 35.0	Q R 1s	11.2	4	White cylindrical tower with red upper portion. 5.0	Private aid. Seasonal (in place year round).  Chart:2048 Edn 03/22 (B21-033)
-----	---	---------------------------	--------	------	---	---	--

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**LAKE ERIE (LL 552 – 623)**

574	St. Williams	On outer SW. end of crib. 42 39 <b>18.4</b> 080 24 20.4	Fl R 4s	<b>7.6</b>	4	White <b>rectangular</b> tower <b>with</b> red upper portion. <b>5.9</b>	Seasonal.  <b>Chart:2110</b> <b>Edn 03/22 (B21-037)</b>
576	Long Point Inner Bay EC10	42 37 07.5 080 21 23.9	Fl R 4s	<b>9.5</b>	<b>6</b>	White <b>rectangular</b> tower <b>with</b> red upper portion, marked "EC10". <b>5.9</b>	Seasonal.  <b>Chart:2110</b> <b>Edn 03/22 (B21-036)</b>

**LAKE HURON (LL 768 – 813)**

780	<b>Goderich North Pier range</b>	On N. pier. 43 44 46.6 081 43 50.0	F R .....	10.0	<b>15</b>	Square skeleton tower, white daymark with orange vertical stripe. 8.2	Operates 24 h. Seasonal (in place year round).
781		086°30' <b>205.0</b> m from front.	F R .....	<b>19.8</b>	<b>15</b>	Square skeleton tower, white daymark <b>with</b> orange vertical stripe. <b>16.1</b>	<b>Operates 24 h.</b> Seasonal ( <b>in place year round</b> ).  <b>Chart:2228</b> <b>Edn 03/22 (D20-003)</b>