

Canadian Coast Guard Pêches et Océans Canada

Garde côtière canadienne

Notices to Mariners

Edition No. 01/2021 January 29, 2021



Monthly Summary of Temporary and Preliminary Notices



Notices to Mariners – Monthly Summary of Temporary and Preliminary Notices Edition No. 01/2021

Aussi disponible en français :

Avis aux navigateurs – Sommaire mensuel des avis temporaires et préliminaires Édition n° 01/2021

Published under the Authority of:

Canadian Coast Guard Programs Aids to Navigation and Waterways Fisheries and Oceans Canada Montreal, QC H2Y 2E7

For more information, contact Notmar.XNCR@dfo-mpo.gc.ca.

© Her Majesty the Queen in Right of Canada, as represented by the Minister of Fisheries, Oceans and the Canadian Coast Guard, 2021.

Cat. No. Fs151-19E-PDF (Electronic PDF, English) ISSN 2561-5106

Cat. No. Fs151-19F-PDF (Electronic PDF, French) ISSN 2561-5114

A web version is available here:

https://www.notmar.gc.ca/temp-pre-mensuel-en.php (English) https://www.notmar.gc.ca/temp-pre-mensuel-fr.php (French)

Explanatory Notes

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tide (unless otherwise indicated).

Explanation of Temporary and Preliminary Notices to Mariners

Certain Notices to Mariners appearing in the monthly editions have a (T) or (P) appended to the regular number. These letters indicate that the information contained in the notice is of a temporary or preliminary nature, respectively.

Temporary (T) Notices

If a temporary change in conditions affecting navigation exists and if the change will be effective for a period of over three months, a temporary (T) notice will be published. Temporary changes which are effective for periods of less than three months will not normally be published (unless it is of exceptional interest). Otherwise, information will be promulgated as a Navigational Warning (NAVWARN) by the Canadian Coast Guard Marine Communications and Traffic Services (MCTS) Centre(s) in the affected area. (T) notices will be cancelled as necessary.

Please note that (T) notices with an end date will be automatically cancelled once the end date has passed. In the event of a change to these notices, a new Notice to Mariners will be issued.

Preliminary (P) Notices

- a. When important changes affecting navigation are to take place in the near future, a Notice to Mariners describing the change will be published, so that mariners will have advance information on the change. Such notices will be designated (P).
- b. When a change in conditions affecting navigation has taken place but full information is not available, a preliminary (P) notice giving available information will be published. This notice will be followed by a regular notice when complete information becomes available. The regular notice will cancel the (P) notice.
- c. When a change has taken place which is too complex to describe in a written notice, a (P) notice giving general information will be published. This notice will explain that follow up action will be taken to update charts by publishing patch corrections, new editions or new charts.

Please note that following the expiry of the 90-day comment or objection period, (P) notices describing proposed changes or intention to discontinue will be automatically cancelled. In the event of a change to these notices, a new Notice to Mariners will be issued.

Action Required on Receipt Of (T) & (P) Notices

It is not customary to make permanent corrections to charts and publications from (T) & (P) notices. On receipt of such notices, the information they contain should be noted in pencil on the affected charts and/or publications.

Caution

Mariners are reminded that charts and publications are not corrected from (T) & (P) notices when purchased from suppliers. For the list of charts affected by (T) & (P) notices, please refer to the index on page ii of this publication.

Table of Contents

Newfoundla	and and Labrador Coast	1
Temporary N	<u>lotices</u>	
No notices ap	oplicable for this edition.	
Preliminary N	<u>Notices</u>	
*1107(P)/20	Green Bay to / à Double Island – Fog Horn to be Discontinued	1
*1209(P)/20	Sandwich Bay – Light Buoy to be Discontinued	1
*109(P)/21	St. Lewis Sound and / et Inlet – Light Buoy to be Discontinued	2
*110(P)/21	Approaches to / à White Bear Arm – Notice of Proposed Change	2
Atlantic Co	ast	3
Temporary N	<u>lotices</u>	
*716(T)/19	Rivière Ristigouche / Restigouche River – Federal Wharf Closed to Navigation	3
*1118(T)/19	Plans, Baie des Chaleurs/Chaleur Bay (côte nord/North Shore) – Federal Wharf Closed to Navigation	
*416(T)/20	Saint John Harbour and Approaches / et les approches – Wharf Construction	3
*111(T)/21	Rivière des Prairies – Construction Operations	3
Preliminary N	Notices	
*1105(P)/20	LaHave River: West Ironbound Island to / à Riverport – Fog Horn to Be Discontinued	4
*1106(P)/20	Pictou Harbour and East River of Pictou – Light to be Discontinued	4
*1208(P)/20	Canso Harbour to Strait of Canso – Notice of Proposed Changes	5
Inland Wate	ers	6
Temporary N	lotices	
*909(T)/14	Kingston Harbour and Approaches/et les approches – Dock Unserviceable	6
*1005(T)/15	Port Dalhousie – East and West Piers: Access Forbidden	6
*515(T)/16	Harbours on the East Shore of Lake Superior/Ports sur la rive est du lac Supérieur – Buoys Temporarily Discontinued	6
*814(T)/16	Main Duck Island to/à Scotch Bonnet Island – Partially Submerged Fixed Steel Barges	7
*818(T)/16	Cape Hurd to/à Lonely Island – Light Characteristics Temporarily Changed	7
*1011(T)/16	Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Silting Reported	7
*1218(T)/16	Hamilton Harbour – Silting Reported	7
*1219(T)/16	Toronto to/à Hamilton – Construction Operations	7
*108(T)/17	Harbours in Lake Erie/Havres dans le lac Érié – Unlit Buoys Temporarily Repositioned	8
*309(T)/17	Pelee Passage to/à la Detroit River – Low Water Levels Reported	8
*1205(T)/17	Toronto Harbour – Breakwater Entrance to Marina Closed Due to the Collapse of the	
*4000(T) /4=	Breakwater	
*1206(T)/17	Lake Rosseau and/et Lake Joseph – Unlit Buoy Temporary Established	9
*709(T)/18	Kingston Harbour and Approaches/et les approches – Information Regarding Mooring and Anchoring	9
*809(T)/18	Cobourg to/à Oshawa – Dredging Operations	9

*816(T)/19	Point Clark to/à Southampton – Obstruction Below the Surface of the Water Reported. 9			
*1117(T)/19	Lac Saint-Louis – Submerged Objects9			
*314(T)/20	Toronto Harbour – Construction Operations			
*710(T)/20	Murray Canal to Healey Falls Locks / Murray Canal aux Écluses de Healey Falls – Construction Operations			
*908(T)/20	Smith Falls to/à Kingston including/y compris Tay River to/à Perth – Construction Operations			
*1012(T)/20	Kingston Harbour and Approaches/et les approches – Construction Operations 11			
*1210(T)/20	Demarcation Bay to/à Philips Bay – Mobile Offshore Drilling Unit Temporarily Established11			
*112(T)/21	Upper Gap to/à Telegraph Narrows – Construction Operations			
Pacific Coa	st 13			
Temporary N	<u>lotices</u>			
No notices ap	oplicable for this edition.			
Preliminary N	Notices			
No notices ap	oplicable for this edition.			
Other (T) &	(P) Notices			
Temporary N	lotices			
*1105(T)/15	Canada – Safety of Offshore Exploration and Exploitation Vessels			
*819(T)/16	Automatic Identification System (AIS)14			
Preliminary N	Notices			
*1207(P)/20				

List of Charts Affected by (T) & (P) Notices

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1430	9	2086	7	4938	4
1509	3	2123	8	5030	1
1513	11	2181	8	5031	2
2006	12	2235	7	5032	2
2017	6, 9, 11	2291	9	5138	1
2021	11	2315	6	6022	9
2044	6	4002	17	7661	11
2058	9	4117	3		
2060	7	4301	5		
2067	7	4394	4		
2077	7	4426	3		
2085	8, 10	4921	3		

Newfoundland and Labrador Coast

Temporary Notices

No notices applicable for this edition.

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent, Aids to Navigation & Waterways Canadian Coast Guard, Atlantic Region P.O. Box 1236 Charlottetown, PE C1A 7M8 Telephone: (902) 566-7936

Email: claire.maclaren@dfo-mpo.gc.ca

*1107(P)/20 Green Bay to / à Double Island - Fog Horn to be Discontinued

Reference chart: 5030

The Canadian Coast Guard proposes to permanently discontinue the fog horn of the following aid to navigation:

Aid Name	LL#	Position	Notes
Camp Islands	279	52° 10' 00.7"N 055° 38' 24.8"W	The light and structure will remain.

Initial publication date: Friday, November 27, 2020

Comment submission deadline: Friday, February 26, 2021

(N2020-096)

*1209(P)/20 Sandwich Bay - Light Buoy to be Discontinued

Reference chart: 5138

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Aid Name	LL#	Position
Divers Island light buoy NCD2	284.45	53° 42′ 35.4″N 057° 06′ 17.4″W

Initial publication date: Friday, December 25, 2020 Comment submission deadline: Friday, March 26, 2021

(N2020-015)

*109(P)/21 St. Lewis Sound and / et Inlet - Light Buoy to be Discontinued

Reference chart: 5031

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Aid Name	LL#	Position
Nimrod Shoal light buoy NS	276.9	52° 16' 30.0"N 055° 42' 58.1"W

Initial publication date: Friday, January 29, 2021

Comment submission deadline: Thursday, April 29, 2021

(N2021-009)

*110(P)/21 Approaches to / à White Bear Arm - Notice of Proposed Change

Reference chart: 5032

The Canadian Coast Guard proposes to establish the following aid to navigation:

Aid Name	LL#	Position	Proposed Changes
Bar Tickle North light buoy NMN1	279.9	52° 46′ 56.9″N 055° 54′ 07.0″W	Establish a port hand buoy equipped with a green lantern with flash characteristics: Fl 0.3 s, Ec 0.7 s.

Initial publication date: Friday, January 29, 2021

Comment submission deadline: Thursday, April 29, 2021

(N2021-010)

Atlantic Coast

Temporary Notices

*716(T)/19 Rivière Ristigouche / Restigouche River – Federal Wharf Closed to Navigation

Reference chart: 4426

The federal wharf at Miguasha is closed to navigation. For reasons of safety and because of the collapsing risk, it is not permitted to berth at the wharf or to come closer than 20 metres from these structures.

For more information, please contact the regional representative of port operations at Transport Canada, Quebec region, Mme Myriam Rouleau at 418-446-8402.

(NAVWARN NW-Q-0318-16)

*1118(T)/19 Plans, Baie des Chaleurs/Chaleur Bay (côte nord/North Shore) – Federal Wharf Closed to Navigation

Reference chart: 4921

The federal wharf at Chandler is closed to navigation. For safety reasons, it is not permitted to berth at the wharf.

For more information, please contact Jean-Guy Fullum, Harbour Master, at 418-680-3203.

(NAVWARN NW-Q-1580-16)

*416(T)/20 Saint John Harbour and Approaches / et les approches – Wharf Construction

Reference chart: 4117

Effective April 13, 2020 until April 13, 2021, wharf construction underway at Piers 1, 2, 3 and Rodney Terminal at the following position: 45° 15′ 57.4″N 066° 04′ 11.0″W.

Authorized vessels should use the small craft base at Pier 3A, transit via the Rodney Slip side and remain well clear of any work vessels. Unauthorized vessels should remain well clear of the construction site safety area and work vessels. Minimum wash.

(NW-M-0449-20)

*111(T)/21 Rivière des Prairies – Construction Operations

Reference chart: 1509

Repair work is taking place 24 hours a day at the Pie-IX bridge as of August 17th, 2020.

Buoys, jetties, and a turbidity curtain are in place.

(NW-Q-1112-20)

Preliminary Notices

Atlantic Region

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,

Aids to Navigation & Waterways
Canadian Coast Guard, Atlantic Region

P.O. Box 1236

Charlottetown, PE C1A 7M8 Telephone: (902) 566-7936

Email: claire.maclaren@dfo-mpo.gc.ca

*1105(P)/20 LaHave River: West Ironbound Island to / à Riverport – Fog Horn to Be Discontinued

Reference chart: 4394

The Canadian Coast Guard proposes to permanently discontinue the fog horn of the following aid to navigation:

Aid Name	LL#	Position	Notes
Moshers Island	423	44° 14' 14.6"N 064° 18' 59.1"W	The light and structure will remain.

Initial publication date: Friday, November 27, 2020

Comment submission deadline: Friday, February 26, 2021

(F2020-048)

*1106(P)/20 Pictou Harbour and East River of Pictou – Light to be Discontinued

Reference chart: 4938

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Aid Name	LL#	Position
Pictou	906	45° 40' 37.6"N 062° 42' 08.8"W

Initial publication date: Friday, November 27, 2020

Comment submission deadline: Friday, February 26, 2021

(G2020-260P)

*1208(P)/20 Canso Harbour to Strait of Canso – Notice of Proposed Changes

Reference chart: 4301

The Canadian Coast Guard proposes to permanently change the following aid to navigation:

Aid Name	LL#	Position	Proposed Changes
West Arichat Wharf	706	45° 30' 50.8"N 061° 04' 59.2"W	Increase intensity of lantern. Change lantern colour from white to green.

Initial publication date: Friday, December 25, 2020 Comment submission deadline: Friday, March 26, 2021

(G2020-270)

Inland Waters

Temporary Notices

*909(T)/14 Kingston Harbour and Approaches/et les approches - Dock Unserviceable

Reference chart: 2017

The Kingston psychiatric hospital dock is unserviceable and out of bounds for use as dockage until further notice.

(NOTSHIP C2409/10)

*1005(T)/15 Port Dalhousie – East and West Piers: Access Forbidden

Reference chart: 2044

A recent engineering investigation identified structural issues and safety concerns with both the East and West piers at Port Dalhousie. In light of the inspection findings, the Department of Fisheries and Oceans is taking action to protect the safety of the public by prohibiting vessel, vehicular, and pedestrian access to the piers.

Vessels can still safely navigate the waters surrounding the piers, but will be unable to moor at the piers. The City of St. Catharines will accommodate boaters as possible at other local wharves.

Mark Sandeman Area Manager, Client Services Small Craft Harbours Central & Arctic Region Fisheries and Oceans Canada

3027 Harvester Road, Unit 310 Burlington, ON L7N 3G7 Telephone: (905) 639-2050 Facsimile: (905) 639-5975

Email: mark.sandeman@dfo-mpo.gc.ca

(NOTSHIP C567/15)

*515(T)/16 Harbours on the East Shore of Lake Superior/Ports sur la rive est du lac Supérieur – Buoys Temporarily Discontinued

Reference chart: 2315

The Canadian Coast Guard has temporarily discontinued the following aids to navigation: XT1, XT2, XT3, XT4, XT5, XT6, XT7, XT8, XT9, XT10, XT11, XT12.

(NOTSHIP C1045)

*814(T)/16 Main Duck Island to/à Scotch Bonnet Island – Partially Submerged Fixed Steel Barges

Reference chart: 2060

There are 3 partially submerged fixed steel barges in North end of West Lake (43° 57' 02.3"N 077° 20' 12.8"W), which have been reported just below the water line.

Barges are marked with cautionary buoys.

(NOTSHIP C1641/14)

*818(T)/16 Cape Hurd to/à Lonely Island – Light Characteristics Temporarily Changed

Reference chart: 2235

The light characteristics of Cove Island (LL 805) (U.S. LL 12675) have temporarily changed to flash 1 second, eclipse 9 seconds and night-time operation only.

(NOTSHIP C2522/11)

*1011(T)/16 Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Silting Reported

Reference chart: 2077

Silting reported in main entrance channel to Fifty Point Marina. Centre of channel depth reported to be 1.9 metres with shallower depths on the sides.

Mariners are requested to use caution in the area.

(NOTSHIP C2266/16)

*1218(T)/16 Hamilton Harbour – Silting Reported

Reference chart: 2067

Silting reported along the North faces of Pier 11 and Pier 12:

Pier 11 North Face between positions 43° 16' 31"N 079° 50' 56"W and 43° 16' 29"N 079° 50' 49"W, and at position 43° 16' 28"N 079° 50' 42"W.

Pier 12 North Face between positions 43° 16' 27"N 079° 50' 39"W and 43° 16' 26"N 079° 50' 33"W.

Mariners are requested to use caution and reduce speed upon arrival and departure. Seaway draft will be affected when water level is less than 0.70 metres above chart datum in these areas.

(NOTSHIP C1831/13)

*1219(T)/16 Toronto to/à Hamilton – Construction Operations

Reference chart: 2086

Construction operations taking place from November 14, 2016 until approximately 2026 at Lakeview Water Treatment Plant between Marie Curtis Park and Serson Creek. A variety of equipment will be used to expand the land mass along the shoreline. Landfill and 3 islands will be lit and marked.

(NOTSHIP C2533/16)

*108(T)/17 Harbours in Lake Erie/Havres dans le lac Érié – Unlit Buoys Temporarily Repositioned

Reference chart: 2181

The following unlit spar buoys have been temporarily repositioned due to silting:

Aid Name	LL#	Temporary Changes
ES2	7169	Reposition to 42° 39' 10.0"N 081° 12' 32.0"W
ES3	7170	Reposition to 42° 39' 15.4"N 081° 12' 40.7"W
ES4	7171	Reposition to 42° 39' 16.8"N 081° 12' 37.7"W

The shallowest depth to 3.5M occurs between ES3 and ES4 with the deepest water off the red side of the channel. Mariners are requested to use caution in the area.

(B2017-003)

*309(T)/17 Pelee Passage to/à la Detroit River - Low Water Levels Reported

Reference chart: 2123

Low water levels have been reported from the south end of the entrance to Sturgeon Creek Harbour northward.

Annette Winter Project and Divestiture Officer Small Craft Harbours Fisheries and Oceans Canada

Canada Centre for Inland Waters (CCIW) 867 Lakeshore Road Burlington, ON L7S 1A1 Telephone: (905) 315-5286

Email: annette.winter@dfo-mpo.gc.ca

(NOTSHIP C58/13)

*1205(T)/17 Toronto Harbour – Breakwater Entrance to Marina Closed Due to the Collapse of the Breakwater

Reference chart: 2085

The breakwater entrance to the west of Ontario Place Marina has been closed due to the collapse of the breakwater.

Sub-surface hazards exist in the breakwater gap and on the inner and outer edge of the breakwater wall.

Green spar buoy BW1 has been removed, and 3 white and orange keep out markers have been placed in the breakwater entrance.

The outer edge of the breakwater wall is marked with 2 white and orange keep out markers.

The inner edge of the breakwater wall is marked with 3 white and orange keep out markers.

(NOTSHIP C79/13)

*1206(T)/17 Lake Rosseau and/et Lake Joseph – Unlit Buoy Temporary Established

Reference chart: 6022

The following unlit buoy has been temporary established:

Aid Name	LL#	Position	
P3/1	9089.1	45° 08' 09.0''N 079° 40' 36.0''W	

(D2017-006)

*709(T)/18 Kingston Harbour and Approaches/et les approches – Information Regarding Mooring and Anchoring

Reference: Notice 309(T)/14 is cancelled.

Reference chart: 2017

All mooring or anchoring within the public port of Kingston is prohibited outside of designated marina areas until further notice without authorization from the port official.

Inquiries are to be directed to Transport Canada at (416) 952-0475.

*809(T)/18 Cobourg to/à Oshawa - Dredging Operations

Reference chart: 2058

Dredging operations in Port Hope Harbour from August 3, 2018 until December 30, 2022. A wave attenuator will block the entrance to the western basin.

Mariners are requested to stay clear of the area.

(NOTSHIP C1951/18)

*816(T)/19 Point Clark to/à Southampton – Obstruction Below the Surface of the Water Reported

Reference chart: 2291

A fixed concrete obstruction just below the surface of the water has been reported in the Saugeen River west of highway 21 at the following position: 44° 30′ 01.7″N 081° 22′ 07.7″W. Mariners are requested to use caution in the area.

(NAVWARN NW-C-2508-15)

*1117(T)/19 Lac Saint-Louis – Submerged Objects

Reference chart: 1430

Fifty-three anchorage blocks and chains reported on the seabed in the vicinity of the Beauharnois Marina in the following area:

Position

Pt 1: 45° 19' 02.4"N 073° 52' 34.0"W Pt 2: 45° 19' 02.3"N 073° 52' 39.5"W Pt 3: 45° 19' 07.3"N 073° 52' 39.7"W Pt 4: 45° 19' 07.3"N 073° 52' 34.1"W

(NAVWARN NW-Q-1339-19)

*314(T)/20 Toronto Harbour – Construction Operations

Reference: Notice 209(T)/20 is now cancelled.

Reference chart: 2085

Construction is taking place at Ashbridge's Bay and consists of the construction of two breakwaters and of a landform. A variety of equipment will be used, including tug boats and barges. Temporary aids to navigation will be placed prior to and during construction. The operations are scheduled to take at the following positions:

Breakwater construction operations

43° 39' 20.7"N 079° 18' 48.1"W


Phase 1: 2020-04-01 through 2020-12-31 Phase 2: 2021-04-01 through 2021-12-31 Phase 3: 2022-04-01 through 2022-12-31

Landform construction operations

43° 39' 01.4"N 079° 19' 01.9"W

Implementation of the shoreline infill area is expected to take approximately five years.

Mariners are requested to keep out of the construction zone.



*710(T)/20 Murray Canal to Healey Falls Locks / Murray Canal aux Écluses de Healey Falls – Construction Operations

Reference chart: 2021

Construction operations, including diving operations, in progress as of July 6, 2020 between 1100 UTC and 0100 UTC at the mouth of the Trent River south of Dundas Street bridge in Trenton. The site is marked with red, green and white markers. Tug and barge on site, lit at night.

Vessels are advised to use caution when transiting the area and to keep clear of construction operations. Call 416-729-8830 for further details.

(NW-C-1012-20)

*908(T)/20 Smith Falls to/à Kingston including/y compris Tay River to/à Perth – Construction Operations

Reference chart: 1513

Temporary closures of up to 30 minutes are expected in the navigation channel at the Third Crossing Bridge construction site. Spotter boats will be positioned 100 metres north and south of the bridge during work hours.

Installation of a temporary causeway is taking place between 44° 15.41'N 076° 28.78'W and 44° 15.52'N 076° 27.99'W.

(NW-C-3042-19, NW-C-1479-20)

*1012(T)/20 Kingston Harbour and Approaches/et les approches – Construction Operations

Reference chart: 2017

Wharf construction is taking place daily from 1100 UTC to 2300 UTC at the Kingston-Wolfe Island ferry terminal. The ferry remains operational. Vessels are not permitted to dock on the south side. The construction area is marked and lit.

(NW-C-1786-20)

*1210(T)/20 Demarcation Bay to/à Philips Bay – Mobile Offshore Drilling Unit Temporarily Established

Reference: Notice 616(T)/07 is cancelled.

Reference chart: 7661

The unmanned mobile offshore drilling unit "SDC" continues to be temporarily established at 69° 24.71'N 138° 53.76'W. The structure is 202.4 metres long and 53 metres wide.

For information, contact Captain Connelly at 1-250-598-4513 or 1-250-744-9818 or e-mail at doncon@islandnet.com or dcmarine@shaw.ca.

*112(T)/21 Upper Gap to/à Telegraph Narrows – Construction Operations

Reference chart: 2006

Construction operations are currently underway on the Bay of Quinte Skyway Bridge.

During these operations, lit barges are on site and the bridge clearance is 19 metres.

(NW-C-2834-19)

Pacific Coast

Temporary Notices

No notices applicable for this edition.

Preliminary Notices

No notices applicable for this edition.

Other (T) & (P) Notices

Temporary Notices

*1105(T)/15 Canada – Safety of Offshore Exploration and Exploitation Vessels

Reference: Notice 410(T)/2007 is cancelled.

2015 Annual Edition of Notices to Mariners, Notice No. 20, pages A20-1 to A20-4.

Mariners are advised that offshore exploration and exploitation vessels may be conducting drilling operations in the following areas:

Gulf of St. Lawrence

NIL

Mainland NWT

NIL

Mackenzie Delta NWT/Beaufort Sea

NIL

Arctic Islands of the NWT/Arctic Islands of Nunavut

NIL

Eastern Arctic Offshore

NIL

Davis Strait

NIL

<u>NOTE</u>: Mariners are advised to obtain up-to-date position reports on drilling vessels and production installations before entering an area of exploration and exploitation. This information is available by contacting, as appropriate, ECAREG CANADA, NORDREG CANADA or CVTS OFFSHORE via any Marine Communications and Traffic Services Centre (MCTS).

(NOTSHIP M2215/15) (NEB)

*819(T)/16 Automatic Identification System (AIS)

AIS Application-Specific Messages (ASM) and AIS AtoN

Mariners are advised that the Canadian Coast Guard will perform a test of AIS Application-Specific Messages (AIS-ASM) on the Pacific Coast from the Sand Heads meteorological/hydrological station: 49°06′21″N 123°18′12″W, and may extend this testing to other stations in the coming months. The test will start at the end of August and consist of broadcasting meteorological/hydrological (MET/HYDRO) data through AIS binary "Message 8".

Although AIS was originally developed as a means for positive identification and tracking of ships, it includes functionalities to transmit binary messages such as MET/HYDRO information and other types of data. These additional functionalities of AIS may be useful to mariners to assist in onboard voyage planning.

Ships need to be equipped with a proper Class "A" AIS device for the accurate onboard display of AIS message. The IMO mandatory carriage requirement for the Class "A" AIS display¹ is the Minimum Keyboard Display (MKD) which displays the binary data in an alphanumeric form. However, as there is no current requirement for the MKD to be capable of decoding all AIS binary messages, the display and use of the ASM information may require additional hardware and/or software².

AIS Aids to Navigation (AtoN)

The International Association of Marine Aids to Navigation and Lighthouse Authorities (IALA) defines an AtoN as:

"a device or system external to vessels that is designed and operated to enhance the safe and efficient navigation of vessels and/or vessel traffic"³.

The primary purpose of an AIS AtoN Station is to promote and enhance safety and efficiency of navigation by one or more of the following:

- Providing a positive and all-weather means of identification;
- Complementing existing services (e.g. RACONS) from AtoN;
- Transmitting accurate positions of floating AtoN;
- Indicating if a floating AtoN is off position (monitoring the status of an AtoN);
- Marking or delineating tracks, routes, areas, and limits;
- Marking offshore structures;
- Enable timely marking of new hazards (fixed or dynamic) using Virtual AIS AtoN.

The use of AIS within the marine aids to navigation service is accomplished by the broadcasting of the aids to navigation report message "Message 21".

An AIS AtoN can be implemented in three ways: Real, Synthetic, and Virtual.

- 1) Physical/real AIS AtoN: An AIS device which is physically located on the AtoN and transmits "Message 21".
- 2) Synthetic AIS AtoN: There are 2 types of Synthetic AIS AtoN Monitored and Predicted.
 - a. Monitored: A "Message 21" is transmitted from a nearby AIS base station. The AtoN physically exists
 but there is no AIS device on it. A communication link is installed on the AtoN to allow the monitoring
 of its status
 - b. <u>Predicted</u>: A "Message 21" is transmitted from a nearby AIS base station. The AtoN physically exists but there is neither an AIS device on it nor a communication link. Status and position of the AtoN cannot be monitored.
- 3) <u>Virtual AIS AtoN</u>: A "Message 21" is transmitted from a nearby AIS base station for an AtoN that does not physically exist. The "Message 21" will clearly identify this as a virtual AIS AtoN.

Displays and Symbology

As the AIS information available to mariners will be dependent on their display system, **not all transmitted information may be displayed**. Mariners are encouraged to install systems that provide AIS overlay on either ECDIS or Radar, or both.

¹ Class A AIS units are those meeting the mandatory SOLAS carriage requirements (SOLAS Chapter V, Rule 19) for vessels over 300GRT. Class B AIS units are for use on craft that are not covered by the mandatory carriage requirements.

² IALA Guideline No. 1095 On Harmonised implementation of Application-Specific Messages (ASMs) Edition 1, May 2013.

³ IALA Recommendation A-126 On The Use of the Automatic Identification System (AIS) in Marine Aids to Navigation Services Edition 1.5 June 2011; Edition 1, June 2004.

Of those vessels that are AIS equipped the various displays available can range from no display on some Class B units, through to the mandatory Class A MKD, and to a full ECDIS or Radar overlay. In the absence of an ECDIS or Radar overlay, mariners will not be able to fully utilize the AIS AtoN functionality. Also note that there is a variance in the information that can be displayed on ECDIS or Radar equipment by the different AIS manufacturers.

The symbology that may be displayed on nautical charts, display systems and the MKD is summarised below.

Nautical Charts

On nautical charts AIS AtoN are indicated by a magenta circle surrounding the existing AtoN symbol and an adjacent legend stating AIS. The font will be straight for fixed AtoN and italic for floating AtoN.



A physical AIS AtoN provided as an overlay on ECDIS, Radar or other display systems are indicated by a diamond shape with crossed lines at the reported position of the AtoN. A physical AIS AtoN that is off position will use the same symbol but in red. A virtual AIS AtoN is indicated by a dotted line diamond shape with the crossed lines at the reported position.

Physical AIS Aton Physical AIS AtoN Virtual AIS AtoN









Minimum Keyboard Display

The mandatory MKD is only required to display data in alphanumeric form. Some MKD are units supplemented by a small graphical display. Exact presentation will vary but this layout below would be typical of MKD displays.

Range	Bearing	Name
XX.XX	XXX.X	XXXXXXXX
XX.XX	XXX.X	XXXXXXXX
XX.XX	XXX.X	XXXXXXXX
Latitude X		x xx.xxx
Longitu	de XX	X XX.XXX

Feedback on AIS-ASM

Mariners are requested to provide feedback on the AIS-ASM test bed to their applicable Regional MCTS Office.

Contact information can be found in the publication Radio Aids to Marine Navigation, Part 1.

Preliminary Notices

*1207(P)/20 Golfe du Saint-Laurent / Gulf of St. Lawrence – Paper Chart and Electronic Navigation Chart to be Discontinued

Reference chart: 4002

The Canadian Hydrographic Service proposes to permanently discontinue paper chart 4002 called "Golfe du Saint-Laurent / Gulf of St. Lawrence" and its corresponding electronic navigation chart CA179245.

Comments on this action are solicited from mariners and other interested parties by March 26, 2021, three months following the initial publication date of December 25, 2020. Following this date, this notice will be cancelled. Comments should be directed to the following email address: chsinfo@dfo-mpo.gc.ca.

Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.